9023-568

93-109/ Hojo's Motel
ELEVATION CERTIFICATE 301 E. 23 39 Stry B. No 3067-0
EXPIRES May 31, 1

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR)

	Instructions for co	mpleting this f	orm can be found on t	he following pag	jes.	
SECTION A PROPERTY INFORMATION				FOR INSURANCE COMPANY USE		
BUILDING OWNER'S NAME			, , , , , , , , , , , , , , , , , , , ,		POLICY NUMBE	₽R
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER					COMPANY NAIC NUMBER	
OTHER DESCRIPTION (Lot and 8		RET				
PARCEL IN LOT 122		Y DEVELOPA	ENT CO. PLAT OF	SECTION28	T3S . R 141	iat
CITY				STATE		ZIP CODE
PANAMA CITY	OFOTION D. FI	000 00000	NOT DATE MAD (FIDAM	FI.		32405
	SECTION B FI	OOD INSUHA	NCE RATE MAP (FIRM)	INFORMATION		
Provide the following from the	ne proper FIRM (See	Instructions):				
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5, FIRM ZONE	6. BASE # (in AO)	FLOOD ELEVATION Zones, use depth)
120012	0005	D	1-3-86	"A"	30	0.00 Ft.
7. Indicate the elevation dat 8. For Zones A or V, where the community's BFE: L	no BFE is provided o	n the FIRM, an	d the community has est	ablished a BFE fe		
	SECTI	ON C BUILDI	NG ELEVATION INFORI	MATION		
 (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grade level) clevated in account of the comments on Pagesthe FIRM [see Section equation under Comments of the comments	AE, AH, and A (with let NGVD (or other FIF VE, and V (with BFE) is at an elevation of EBFE). The floor use of the highest grade at floor used as the refer adjacent to the build ordance with the computation system used in a city of the B, Item 7], then converts on Page 2.) k used appears on FIF	BFE). The top RM datum—see b. The bottom of the bottom of the branch to the brence level from the following. If no flood munity's floodpletermining the elevation daturent the elevation RM: Yes	Section B, Item 7). If the lowest horizontal state of the selected diagram is depth number is available in management ordinar above reference level elem used in measuring the lowest of the datum system of the lowest	ructural member RM datum—see Seed diagram is detected and the building ince? Yes evations: X NG elevations is differenced on the FIRM on Page 4)	of the reference tion B, Iter and show the control of the control	ence level from m 7). above or below (check or (reference known) Other (describe at used on the conversion)
 5. The reference level elev (NOTE: Use of construct case this certificate will of will be required once confidence. 6. The elevation of the lower. 	ction drawings is only only be valid for the bu astruction is complete	valid if the buil vilding during th .)	ding does not yet have the course of construction.	ne reference level A post-construc	tion Elev ati lo ∾	se, la which on Garlificate
Section B, Item 7).		, ,		•••		
	S	ECTION D CO	TAMROPHI YTHUMMC	ON	55	14 -5
1. If the community official is not the "lowest floor" a floor" as defined by the 2. Date of the start of cons	as defined in the comordinance is:	munity's floodp	tain management ordina NGVD (or other FIRM da	nce, the elevation tum-see Section	of the 📆ildi	Section C, Item 1 ing's "lowest


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE),V1-V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)		
HULON E. WALSINGHAM	3257		
TITLE	COMPANY NAME		
REGISTERED LAND SURVEYOR	COUNTY WIDE SURVEYING, INC.		
ADDRESS ()	CITY	STATE	·ZIP
1. 14 No W 16 TON SY. SUTTE C	PANAMA CITY,	FL	32405
POUR CULTURE	DATE 11/27/92 PHON	(904)76	9-0345
Copies should be made of this Certificate for: 1) of	community official, 2) insurance agent/company, a	nd 3) building	owner.
COMMENTS:	,		
: .			
		•	



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.