

ELEVATION CERTIFICATE
FEDERAL EMERGENCY MANAGEMENT AGENCY
NATIONAL FLOOD INSURANCE PROGRAM

May 22, 1954

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate - 401 or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME		POLICY NUMBER
STREET ADDRESS (including Apt. #, Unit, Suite and/or Building Number, ZIP CODE, ROUTE AND BOX NUMBER)		COMPANY MAIL NUMBER
2603 State Avenue		
LOT, BLOCK AND BLOCK NUMBERS etc.		
Bag at SE End of Lot 34, Blk. P, Stanford Place Unit Three		
CITY	STATE	ZIP CODE
Panama City	Florida	32405

SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following to form the proper EIRM. (See instructions.)

COMMUNITY NUMBER	2-PANEL NUMBER	SUFFIX	DATE OF PIRM NOEA	P-AM END	BASE NO. OF 2000	END
120012	0005	D	Jan 3, 1986	A		

the community's BFE—feet NGVD (or other FIRM datum—see Section B, Part 2).

SECTION C BUILDING ELEVATION INFORMATION

Using the Elevation Certificate instructions, indicate the diagram number from the diagrams found on Pages 6 and 6 that best describes the subject building's reference level.

(a) FIRM Zones A, A-30, AF, AH, and A, with BFE₁. The top of the reference level floor from the selected diagram is at an elevation of _____ feet NGVD (or other FIRM datum—see Section B, Item 7).

(b) FIRM Zones V, V-30, VE, and V (with BFE₁). The bottom of the lowest horizontal structural member of the reference level from the selected diagram is at an elevation of _____ feet NGVD (or other FIRM datum—see Section B, Item 7).

(c) FIRM Zone A, with BFE₁. The floor used as the reference level from the selected diagram is _____ feet above S.F. or below _____ elevation; the highest grade adjacent to the building.

(d) FIRM Zone A-30. The floor used as the reference level from the selected diagram is _____ feet above S.F. or below _____ elevation; the highest grade adjacent to the building. The flood depth number is and applicable to the building's lowest floor reference level (A-30) listed in accordance with the community's floodplain management ordinance? _____ Yes. _____ No. _____ Unknown.

(e) Indicate the elevation datum system used in determining the above reference elevations? _____ NGVD or _____ Other. _____ Describe under Comments on Page 2. (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM (see Section B, Item 7), then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)

(f) Elevation reference mark used appears on FIRM? _____ Yes No (See Instructions on Page 4.)

(g) The reference level elevation is based on actual construction construction drawings. (NOTE: Use of construction drawings is only valid if the building does not yet have its reference level floor in place in which case the certificate will only be valid for the duration of the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)

(h) The elevation of the lowest grade (lowest area adjacent to the building) is _____ feet NGVD or other FIRM datum (see Section B, Item 7).

SECTION D COMMUNITY INFORMATION

1. The community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest point" as defined in the community's floodplain management ordinance; the elevation of the building's "lowest point" is defined by the midrange 5-year event (e.g., 100-year NBS/D or other AFMM datum) per Section B, Item 7.

2. Date is the start of construction or site development improvement.

19. *Urtica dioica* L. (Urticaceae) - *Common Nettle*

The certificate of occupancy or building permit issued by the City of St. Paul, Minnesota, authorizes the construction of the dwelling unit described below. The location of the dwelling unit is at 100 ½ ½ Ave S, with SFE of 1,430 SF gross, with BFE is required. Community service will be authorized by the City of St. Paul Building Department Management Unit. You may also sign the certificate of occupancy or building permit if you are the BFE or holding off as a property owner or a joint venture. A representative may also sign the certificate.

Figures 8 and 9 show the results of the Feature 8 and Feature 9 tests. The results of Feature 8 test are shown in Figure 8. The results of Feature 9 test are shown in Figure 9.

Property characteristics: Between 1980 and 1990, the extent of land reclassification by location in the metropolitan area increased by 1,300 percent, while the area available for residential development decreased by 1,000 percent.

NAME	LICENSE NUMBER
Altemann, Paul J. Lewicki	J-1000
ADDRESS	1000 W. 11th Street
PHONE	4-286-90
LAND SURVEYOR	Land Surveyor
ADDRESS	1000 W. 11th Street
PHONE	4-286-90
REGISTRATION NUMBER	4-1000

Copies should be made of this Certificate for transmission by official incorporation agent company, and to building owner.

COMMENTS

The following table gives the results of the experiments made at the Bureau of Fisheries, New York, during the months of July, August, and September, 1900.

11. The following table shows the number of hours worked by 1000 workers in a certain industry.