

9402585

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

OMB 3067-007
EXPIRES: JUNE 30 1996

This form is to be used for: 1) Post-FIRM construction only when the base flood information is available for the building site; and 2) Pre-FIRM buildings rated using Post-FIRM rates. Instructions for completing this form can be found on the reverse side.

Jim Phillips
BUILDING OWNER'S NAME

1001 Highway 98
STREET ADDRESS

Lot 3, Block "Q", Mexico Beach Unit NO. 2
OTHER DESCRIPTION (Block and lot numbers, etc.)

1013 Apt./Unit-U Suite-S/Bldg.-B NO. 02 ROUTE BOX NUMBER

CITY STATE ZIP CODE

This form is to be completed by a land surveyor, engineer, or architect who is authorized by state law to certify elevation information when the elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In the case of zone AO, the building official, the property owner, or the owner's representative should complete the information in Section I and may also complete the certification. Community officials who are authorized by local law or ordinance to provide floodplain management information may also complete this form.

SECTION I BUILDING ELEVATION INFORMATION

- Using the Flood Insurance Manual or the NFIP Flood Insurance Application—Part 2 Worksheet, indicate the proper diagram number.
 - FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 14.32 feet NGVD. (or other datum—see #5)
 - FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level floor from the selected diagram is at an elevation of _____ feet NGVD (or other datum—see #5).
 - FIRM Zone AO. The floor used as the reference level from the selected diagram is _____ feet above highest natural grade next to the building (also enter in line 8). This value must be equal to or greater than the AO Zone flood depth number listed below. If no flood depth number is available, is the building's lowest floor (or reference level) elevated in accordance with the community's floodplain management ordinances? ☐ Yes ☐ No ☐ Unknown
 - Indicate the elevation datum system used in determining the above reference level elevations: ☒ NGVD ☐ Other (describe on back)
 - Indicate the elevation datum system used on the FIRM for base flood elevations: ☒ NGVD ☐ Other (describe on back)
- (ATTENTION: If the elevation datum used in measuring the elevations is different than that used on the FIRM, then the elevations provided must be converted to the datum system used on the FIRM.)
- Is the reference level based on actual construction? ☒ Yes ☐ No
 * A "No" answer is only valid if the building does not have the reference level floor in place. Fill in the elevation based on construction drawings and do not complete question #8. If "No" is checked, this certification will be valid only for buildings in the course of construction. After construction of the reference level floor is completed, a post-construction elevation certificate will be required for continued flood insurance coverage.
 - Provide the following measurements using the natural grade next to the building (round to the nearest foot).
 - The reference level is:

<input type="checkbox"/> feet	<input checked="" type="checkbox"/> above	<input type="checkbox"/> below (check one) the highest grade.
<input type="checkbox"/> feet	<input type="checkbox"/> above	<input type="checkbox"/> below (check one) the lowest grade.
 - The garage floor (if applicable) is:

<input type="checkbox"/> feet	<input type="checkbox"/> above	<input type="checkbox"/> below (check one) the highest grade.
<input type="checkbox"/> feet	<input type="checkbox"/> above	<input type="checkbox"/> below (check one) the lowest grade.

SECTION II FLOOD INSURANCE RATE MAP INFORMATION

Provide the following from the proper FIRM (see Instructions on back—Date of FIRM) and accompanying insurance application:

COMMUNITY NO.	PANEL NO.	SUFFIX	DATE OF FIRM	FIRM ZONE	BASE FLOOD ELEV. (In AO Zone, use depth)	COMMUNITY ESTIMATED BASE FLOOD ELEVATION ESTABLISHED FOR ZONE A OR ZONE V, IF AVAILABLE
<u>120010</u>	<u>0001</u>	<u>D</u>	<u>1-3-86</u>	<u>A-8</u>	<u>8.0</u>	

Elevation reference mark used appears on FIRM ☐ Yes ☒ No (See reverse side for details)**SECTION III CERTIFICATION**

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state law to certify elevation information when the elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In the case of zone AO, the building official, the property owner, or the owner's representative can sign the certification. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Donald F. Mounsey, Jr.
CERTIFIER'S NAME

Professional Land Surveyor
TITLE

312 Iola Street
ADDRESS

Port St. Joe
CITY

Fla. P.L.S. # 1939
LICENSE NUMBER (or Affix Seal)

5-4-94
DATE

Donald F. Mounsey, Jr.
SIGNATURE

The insurance agent should attach the original copy of the completed form to the flood insurance policy application. The second copy should be supplied to the policyholder and the third copy retained by the agent. The fourth copy is for the local community permit office, if required.

THIS FORM MAY BE REPRODUCED.

FOR OPTIONAL COMMUNITY USE: Is the reference level also the lowest floor under the community's floodplain management ordinances?
☐ YES ☐ NO If NO the elevation of the lowest floor is _____ feet NGVD.


INSTRUCTIONS FOR COMPLETING THE ELEVATION CERTIFICATE

The Flood Insurance Manual and the Flood Insurance Application - Part 2 Worksheet contains a series of diagrams that are to be used to determine the reference level for the specific structure in question. The diagrams are available through Flood Insurance Agents or the National Flood Insurance Program.

[illegible]

The reference level is placed in the working set of points of the current building type. For property locations in the zone, the points A1 and A (with A_1'), and A' of the A_1V_1 and A_1V_2 buildings, that the elevation should be measured from the top of the reference level floor, are on property boundaries at points M_1 , M_{10} , M_1' and M' (with M_1'). Line 3 of the location certificate indicates that the reference level is measured from the bottom of the lowest horizontal structural member of the reference level floor.

The student will determine the measurement using the "top of the foot" on the Level 1 and Level 2 Worksheet diagrams.



The reference level elevation may be reported to the same level of precision used to report base flood elevation on the FIRM (e.g., if the base flood elevation is shown to the nearest half foot, the reference level may be reported to the nearest half foot).

[illegible]

Community members are shown on the community's Public Involvement Data Map (PIDM) for 2006. The depth of the color is used to compare with the night-time color-coded flood risk hazard potential grade in Line 2 of the Hazardous Evaluation.

1. The following reference marks other than those shown on this label may be used for reference by the observation

As a result of the experience of ground subsidence, the need to adjust reference marks, especially in relation to the design of depictions. If reference marks are not shown on the CHM drawing, clearly marked as a mark based on the content section.

Figure 1. KPM used in the record of the Liberator. In 1850, it was divided into two parts: the left part of the KPM is often thought to be the original and is composed of the first 10 days of the KPM, from 1850 to 1851, and the right part is composed of the last 10 days of the KPM, from 1851 to 1852.

Tied to previously established elevation on D.N. E. Monument
R-136, Bay (Elevation 13.42 NGVD)