

98-03530
98-03537

O.M.B. NO. 3067-0077
Expires May 31, 1996

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY

NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION

BUILDING OWNER'S NAME
JAMES BROWN BUILDERS, INC.

STREET ADDRESS (including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER
20641 FRONT BEACH ROAD UNIT A & B

OTHER DESCRIPTION (Lot and Block Numbers, etc.)
LOT 1 BLOCK 6-A, LAGUNA BEACH ESTATES SECOND ADDITION

CITY
PANAMA CITY BEACH

FOR INSURANCE COMPANY USE

POLICY NUMBER

COMPANY NAIC NUMBER

STATE
FLORIDA

ZIP CODE
32413

SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
120004	0285	D	JAN. 3, 1986	C	N/A

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): ☒ NGVD '29 ☐ Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7).

SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level: **5**
- 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of feet NGVD (or other FIRM datum—see Section B, Item 7).
- (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of feet NGVD (or other FIRM datum—see Section B, Item 7).
- (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is feet above ☐ or below ☐ (check one) the highest grade adjacent to the building.
- (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is feet above ☐ or below ☐ (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? ☐ Yes ☐ No ☐ Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations: ☒ NGVD '29 ☐ Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM: ☐ Yes ☒ No (See Instructions on Page 4)
5. The reference level elevation is based on: ☒ actual construction ☐ construction drawings
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is: **13.67** feet NGVD (or other FIRM datum—see Section B, Item 7).

SECTION D COMMUNITY INFORMATION

1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement: _____

Location Certification

FOUNDATION CERTIFICATION

File Number: **BA-569**

Permittee Name: **JAMES BROWN BUILDERS, INC.**

Mail to: Bureau of Beaches and Coastal Systems
Division of Environmental Resource Permitting
Florida Department of Environmental Protection
3900 Commonwealth Boulevard, MS 310
Tallahassee, Florida 32399

This is to certify that all aspects of the location and all elevations of the foundation as constructed are in accordance with both the plans and the project description approved by the Department of Environmental Protection as part of the permit. The location certification is based upon such surveys as are necessary to determine the actual location, pile tip and pile head elevations, and any grade beam or cap elevations, which are specified below:

- (1) Distance relative to the coastal construction control line that the seawardmost piling has been placed:

105.4' SEAWARD OF C.C.C.L.

- (2) Pile tip elevation:

-12.9' N.G.V.D.

- (3) Pile head elevation:


22.1' N.G.V.D.

- (4) Grade beam elevation:

N/A

- (5) Cap elevation:

N/A



Signature

(Seal)

4/8/98

Date

Registered Surveyor
State of Florida Registration Number:

4927

Note: Any deviations from the approved plans and specifications shall be stated as an exception to this certification. No further vertical construction on the permitted structure is authorized until the Bureau of Beaches and Coastal Systems has notified the permittee in writing that this foundation certification has been accepted.