ELEVATION CERTIFICATE 48-15570 O.M.B. No. 3067-007.

FEDERAL EMERGENCY MANAGEMENT AGENCY

Expires July 31, 1999

NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are no required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages

	SECTION A PRO	OPERTY INFO	RMATION		FOR INSURANCE COMPANY USE	
BUILDING OWNER'S NAME CHICK FILL A - HORIZON CONST				.O.T	POLICY NUMBER	
CHICK FILA - HORIZON CONST. STREET ADDRESS (Including Apt., Unit, Sulte and/or Bidg, Number) OR P.O., ROUTE AND BOX NUMBER 900 WEST 23 - ST					COMPANY NAIC NUMBER	
OTHER DESTRIPTION (Lot and		1 324	05			
CITY		<u></u>		STATE	ZIP CODE	
	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION		
Provide the following from t	he proper FIRM (See	Instructions):				
1, COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)	
120012	0005	D	7-18-77	A	23.00 Ft.	
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 3. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:						
	SECTION	ON C BUILDI	NG ELEVATION INFORM	IATION		
of L Z S fee (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in accordance Comments on Pagethe FIRM [see Section equation under Comments.] 5. The reference level elevations.	et NGVD (or other FIF VE, and V (with BFE) is at an elevation of L. BFE). The floor used the highest grade action used as the refer adjacent to the build ordance with the commutum system used in dige 2). (NOTE: If the B, Item 7], then convents on Page 2.) It used appears on FIF attion is based on:	RM datum—see The bottom of the	Section B, Item 7). If the lowest horizontal strictly feet NGVD (or other FIR ace level from the selected uilding. In the selected diagram is depth number is available ain management ordinance above reference level elem used in measuring the ensity to the datum system used in the constructions of action.	ructural member M datum—see So d diagram is if feet a e, is the building ce? Yes vations: I NGV elevations is differed on the FIRM rayings	bove or below (check is lowest floor (reference No Unknown /D '29 Other (describe rent than that used on and show the conversion	
(NOTE: Use of constructions this certificate will of will be required once con	tion drawings is only nly be valid for the bu struction is complete.	valid if the bulld ilding during the)	ding does not yet have the e course of construction.	reference level A post-construc	tion Elevation Certificate	
The elevation of the lower Section B, Item 7).	est grade immediately	adjacent to the	e building is: L.I.I.I.I.I	.t∡l feet NGVD	(or other FIRM datum-see	
	SI	ECTION D CC	MMUNITY INFORMATION	ON .		
is not the "lowest floor" a	s defined in the commordinance is:	nunity's floodpli feet N	ain management ordinand IGVD (or other FIRM datu	ce, the elevation m-see Section		


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE),V1-V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

THOMAS	E JENKINS	2019		
SULVEYOR	JEAKI	LICENSE NUMBER (or Affix Seal) WS & A550C. /	NC.	
14/4 VI/4	ÇÕMP	any NAME		
Momas	& Juntins ofter	7-28-98	265-322	ZIP Y
SIGNATURE		DATE	PHONE	
Copies should be mad	e of this Certificate for: 1) community	official, 2) insurance agent/compa	nv. and 3) building ow	mer
			,,,	
COMMENTS:				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.