U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY

National Flood Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

	-		SECTION	ON A -	DDADEDT	VINEODMAT	ION	FOR	INCHEANOR 6	201401107	
A1.	SECTION A - PROPERTY INFORMATION 1. Building Owner's Name MARTIN L. SANDEL							FOR INSURANCE COMPANY USE Policy Number:			
	2. Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No. 211 VILLAGE WAY							Company NAIC Number:			
	City PANAMA CITY BEACH				State FL				ZIP Code 32413		
АЗ.	Property Description	(Lot and Block No	umbers, Tax Percel	Number,	Legal Descri	otion, etc.)		-			
	PARCEL ID#3645 Building Use (e.g., Re						SECTION 6, T	3 S, R	17 W BAY C	COUNTY, FL	
A5.	Latitude/Longitude:				N 85d58'4		Horizonta	l Datur	n: NAD 19	927 NAD 1983	
A6. A7.			oullding if the Certifi	icate is b	eing used to	obtain flood in	surance.		_		
	For a building with a		— closure(s):			A9. For a	building with an a	ttache	d garage:		
	a) Square footage of	-	• •	<u>1133</u>	9 ft		pare footage of			<u>773</u> sq ft	
	b) No. of permanent enclosure(s) with			<u> </u>		b) Nu wii	mber of permand thin 1.0 foot abo	ent floc ⁄e adja	id openings in icent grade	the attached garage	
	 c) Total net area of (d) Engineered flood 	· -	A8.b Yes ⊠No	1624	sq In		tal net area of flo			N/A sq in	
	O, Crigineered 11000						gineered flood o	_	s? Yes	⊠ No	
	NED Committee Norm		TION B - FLOOD				M) INFORMAT	ON	1		
	NFIP Community Nam BAY COUNTY 120				B2. County N BAY		I			State ORIDA	
B4.	Map/Panel Number	B5. Suffix	86. FIRM Index D	ate	87. FIRM Pai Revised	nel Effective/ Date	B8. Flood Zone	(s) l		d Elevation(s) (Zone use flood depth)	
	12005C0163	н	06/02/2009			2/2009	AE			9	
B10	Indicate the source of Indicate the source of Indicate the Indicate of Indic		Elevation (BFE) dat unity Determined		e flood depth er/Source: _	entered in Iter	n B9 :				
B11	. Indicate elevation da	_		NGVD 1	· _	NAVD 1988	Other/Source	:e:			
B12	. Is the building locate		•	-		Otherwise Prote	cted Area (OPA)?		Yes 🔀 No		
	Designation Date:	//	/ CBRS] OPA						
		SECTIO	N C - BUILDING	BLEV/	ATION INFO	RMATION (S	URVEY RECU	REDI	_		
C1.	Building elevations at *A new Elevation Cer		Construction Courted when constru			uilding Under Co	<u>-</u>		nished Constr	ruction	
	A new Elevation Cer Elevations – Zones A C2.a-h below accord	rtificate will be red 1–A30, AE, AH, A	quired when constru (with BFE), VE, V1-	uction of V30, V (v	the building with BFE), AR A7. In Puerto	uilding Under Co is complete. I, AR/A, AR/AE, o Rico only, ente	onstruction AR/A1-A30, AR/	⊠ Fi	nished Constr		
	A new Elevation Cer Elevations – Zones A C2.a-h below accord Benchmark Utilized: .	rtificate will be red 1–A30, AE, AH, A ling to the building	quired when construited when construited (with BFE), VE, V1–g diagram specified	vction of V30, V (v I in Item	the building with BFE), AR A7. In Puerto	uilding Under Co is complete. I, AR/A, AR/AE, I Rico only, ente cal Datum:	onstruction AR/A1-A30, AR, er meters.	Ø Fi	nished Constr	te Items	
	*A new Elevation Cer Elevations – Zones A C2.a-h below accord	tificate will be red 1–A30, AE, AH, A ling to the building turn used for the	quired when construction (with BFE), VE, V1- g diagram specified elevations in items	votion of V30, V (v I in Item	the building with BFE), AR A7. In Puerto Vertigh h) below.	uilding Under Co is complete. AR/A, AR/AE, Rico only, ente	AR/A1-A30, AR/ er meters.	ØFi AH, AF	nished Constr R/AO. Complet other/Source:	te Items	
	*A new Elevation Cer Elevations – Zones A C2.a-h below accord Benchmark Utilized: . Indicate elevation de	tificate will be red 1–A30, AE, AH, A ling to the building turn used for the ling elevations mu	quired when construction (with BFE), VE, V1– g diagram specified elevations in items ust be the same as	votion of V30, V (v I in Item a a) through that use	the building with BFE), AR A7. In Puerto Verti gh h) below. ed for the BFI	uilding Under Co is complete. A, AR/A, AR/AE, Alco only, ente cal Datum: NGVD 192: E	AR/A1-A30, AR/ er meters.	⊠ Fi 'AH, AF	nished Constr	te Items	
	*A new Elevation Cer Elevations – Zones A C2.a-h below accord Benchmark Utilized: . Indicate elevation de Datum used for build a) Top of bottom floo b) Top of the next his	ntificate will be rec 1-A30, AE, AH, A ling to the building turn used for the ling elevations mu or (including bases gher floor	quired when construction (with BFE), VE, V1- g diagram specified elevations in items ust be the same as ment, crawispace, o	wetion of -V30, V (v I in Item / a) through that use or enclos	the building with BFE), AR A7. In Puerto Vertigh h) below. ed for the BFI cure floor)	uilding Under Co is complete. AR/A, AR/AE, Rico only, ente cal Datum: NGVD 192: E 13 8	AR/A1-A30, AR/er meters. 9 🔀 NAVD 1988 Check the	⊠ Fi ZAH, AF B □ 0 measu et [et [nished Constr R/AO. Complet http://Source: rement used. meters	te Items	
	*A new Elevation Cer Elevations – Zones A C2.a-h below accord Benchmark Utilized: . Indicate elevation de Datum used for build a) Top of bottom floo b) Top of the next his c) Bottom of the low	ntificate will be rec 1–A30, AE, AH, A ling to the building turn used for the ling elevations mu or (including bases gher floor est horizontal str	quired when construction (with BFE), VE, V1- g diagram specified elevations in items ust be the same as ment, crawispace, o	wetion of -V30, V (v I in Item / a) through that use or enclos	the building with BFE), AR A7. In Puerto Vertigh h) below. ed for the BFI cure floor)	uilding Under Co is complete. AR/A, AR/AE, PRICO only, enter cal Datum:	AR/A1—A30, AR/er meters. 9 MAVD 1988 Check the M fe	AH, AF measu et [et [nished Constr R/AO. Complet http://Source: rement used. meters meters	te Items	
	*A new Elevation Cer Elevations – Zones A C2.a-h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next hit c) Bottom of the low d) Attached garage (e) Lowest elevation of	ntificate will be rec 1–A30, AE, AH, A ling to the building turn used for the ling elevations mu or (including bases gher floor rest horizontal stra top of slab) of machinery or e	quired when construction (with BFE), VE, V1- g diagram specified elevations in items ust be the same as ment, crawispace, of uctural member (V 2)	uction of V30, V (v) In Item (a) through that use or encloss Zones or the build	the building with BFE), AR A7. In Puerto Vertigh h) below. ed for the BFI sure floor)	uilding Under Co is complete. AR/A, AR/AE, Rico only, ente cal Datum: NGVD 192: E 13 8	AR/A1-A30, AR/er meters. 9 🔀 NAVD 1988 Check the	AH, AF Measuret [et [et [nished Constr R/AO. Complet http://Source: rement used. meters	te Items	
	A new Elevation Cer Elevations – Zones A C2.a-h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next his c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (ntificate will be red 1-A30, AE, AH, A ling to the building turn used for the ling elevations mu or (including bases gher floor rest horizontal stratop of slab) of machinery or e equipment and lo finished) grade ne	quired when construction of the construction o	uction of V30, V (v) in item (a) through that use or encloss Zones or the build (s))	the building with BFE), AR A7. In Puerto Vertigh h) below. ed for the BFI sure floor)	uilding Under Cois complete. AR/A, AR/AE, o Rico only, entercal Datum:	onstruction AR/A1—A30, AR/er meters. 9 🔯 NAVD 1988 Check the 🛱 fe 🛱 fe 🛱 fe	AH, AF AH, AF B	nished Constr R/AO. Complet http://Source: rement used. meters meters meters meters meters meters	te Items	
	A new Elevation Cer Elevations – Zones A C2.a—h below accord Benchmark Utilized: . Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next his c) Bottom of the low d) Attached garage (i) e) Lowest elevation (Describe type of f) Lowest adjacent (i) g) Highest adjacent	ntificate will be red 1-A30, AE, AH, A ling to the building turn used for the ling elevations mu or (including bases gher floor rest horizontal stra top of slab) of machinery or e equipment and lo finished) grade no (finished) grade no	quired when construction of the construction o	uction of V30, V (v) in item a a) through that use or enclose Zones or the build (s))	the building with BFE), AR A7. In Puerto Vertigh h) below. ed for the BFI sure floor)	uilding Under Co is complete. AR/A, AR/AE, o Rico only, ente cal Datum: DRGVD 1929 E	Onstruction AR/A1-A30, AR/ or meters. 9	AH, AF TAH, AF TAH, AF THE ANALYSIS OF THE AIR STATEMENT OF THE AIR S	ther/Source: meters	te Items	
	A new Elevation Cer Elevations – Zones A C2.a-h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next his c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (ntificate will be red 1-A30, AE, AH, A ling to the building turn used for the ling elevations mu or (including bases gher floor rest horizontal stratop of slab) of machinery or e equipment and lo finished) grade ne (finished) grade ne	quired when construction of the construction o	uction of V30, V (v) in item a a) through that use or enclose Zones or the build (s))	the building with BFE), AR A7. In Puerto Vertigh h) below. ed for the BFI sure floor)	uilding Under Cois complete. AR/A, AR/AE, o Rico only, entercal Datum:	onstruction AR/A1—A30, AR/er meters. 9 🔯 NAVD 1988 Check the 🛱 fe 🛱 fe 🛱 fe	AH, AF TAH, AF TAH, AF THE ANALYSIS OF THE AIR STATEMENT OF THE AIR S	nished Constr R/AO. Complet http://Source: rement used. meters meters meters meters meters meters	te Items	
	*A new Elevation Cer Elevations – Zones A C2.a—h below accord Benchmark Utilized: . Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next his c) Bottom of the low d) Attached garage (i) e) Lowest elevation (Describe type of f) Lowest adjacent (i) h) Lowest adjacent g	tificate will be red 1-A30, AE, AH, A ling to the building tum used for the ling elevations mu or (including bases gher floor rest horizontal stratop of slab) of machinery or e- equipment and lo finished) grade no (finished) grade no grade at lowest el	quired when construction of the construction o	vection of V30, V (v) In Item // a) through that use or encloss Zones or the builds)	the building with BFE), AR A7. In Puerto Verti gh h) below. ed for the BFI sure floor) inly) cluding cluding	uilding Under Cois complete. AR/A, AR/AE, o Rico only, entercal Datum:	AR/A1—A30, AR/er meters. 9 🔀 NAVD 1988 Check the Check the Germany	AH, AF TAH, AF TAH, AF TAH, AF THE AND THE ADDRESS OF THE ADDR	ther/Source: meters	te Items	
C2.	*A new Elevation Cer Elevations - Zones A C2.a-h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent g structural support certification is to be si mation. I certify that th	tificate will be red 1–A30, AE, AH, A ling to the building tum used for the ling elevations mu or (including bases gher floor rest horizontal stratop of slab) of machinery or e- equipment and lo finished) grade no (finished) grade no grade at lowest ele SECT gned and sealed te information on	quired when construction (with BFE), VE, V1— g diagram specified elevations in items ust be the same as ment, crawispace, of the construction in Comment ext to building (LAG) evation of deck or signal in the construction o	votion of V30, V (v) In Item / van	the building with BFE), AR A7. In Puerto Vertigh h) below. ed for the BFI sure floor) hy) dling	uilding Under Cois complete. AR/A, AR/AE, or Rico only, enter cal Datum:	Check the Sife Sife Sife Sife Sife Sife Sife Sif	AH, AF TAH, AF TAH, AF THE	ther/Source: meters	te Items	
This cinform	*A new Elevation Cer Elevations - Zones A C2.a-h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next hi c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent g structural support certification is to be si mation. I certify that the erstand that any false leck here if comments	tificate will be red 1–A30, AE, AH, A ling to the building tum used for the ling elevations mu or (including bases gher floor rest horizontal stratop of slab) of machinery or e- equipment and lo finished) grade no (finished) grade no grade at lowest elevation on statement may be are provided on le	duled when construction when sent temps as the same as ment, crawispace, conclusion in Comment ext to building (LAG) evation of deck or site of the same as the same as ment, crawispace, conclusion in Comment ext to building (LAG) evation of deck or site of the same as t	vocation of v30, V (v) In Item of a) through that use or encloss Zones or the build is)) 3) stairs, income or imprise or imprise or imprise were latiful vocation of the point of imprise were latiful vocation of the point of imprise were latiful vocation of the point of imprise were latiful vocation of vo	the building with BFE), AR A7. In Puerto Vertigh h) below. ed for the BFI sure floor) — hly) — cluding — c	uilding Under Cois complete. AR/A, AR/AE, or Rico only, enter cal Datum:	AR/A1—A30, AR/ er meters. 9 MAVD 1988 Check the M fe M f	FAH, AF TAH, AF TAH TAH TAH TAH TAH TAH TAH T	ther/Source: meters	te Items	
This clinform	*A new Elevation Cer Elevations – Zones A C2.a-h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next his c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent g structural support certification is to be si mation. I certify that the erstand that any false leck here if comments leck here if cattachment	tificate will be red 1–A30, AE, AH, A ling to the building tum used for the ling elevations mu or (including bases gher floor rest horizontal stratop of slab) of machinery or e- equipment and lo finished) grade no (finished) grade no grade at lowest elevation on statement may be are provided on le	duled when construction when sent temps as the same as ment, crawispace, conclusion in Comment ext to building (LAG) evation of deck or site of the same as the same as ment, crawispace, conclusion in Comment ext to building (LAG) evation of deck or site of the same as t	vocation of v30, V (v) In Item of a) through that use or encloss Zones or the build is)) 3) stairs, income or imprise or imprise or imprise were latiful vocation of the point of imprise were latiful vocation of the point of imprise were latiful vocation of the point of imprise were latiful vocation of vo	the building with BFE), AR A7. In Puerto Vertigh h) below. ed for the BFI sure floor) — hly) — dling — cluding — link and link are the	uilding Under Cois complete. AR/A, AR/AE, Rico only, entercal Datum: BROVD 1925 11 2 8 N/A 12 5 13 1 8 6 11 2 11 2 DR ARCHITECT authorized by its to Interpret the err 18 U.S. Code gitude in Section? Yes	AR/A1—A30, AR/ er meters. 9 MAVD 1988 Check the Market fe Market	FAH, AF TAH, AF TAH TAH TAH TAH TAH TAH TAH T	ther/Source: meters	te Items	
This cinform	*A new Elevation Cer Elevations - Zones A C2.a-h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next his c) Bottom of the low d) Attached garage (i e) Lowest elevation of (Describe type of f) Lowest adjacent (i g) Highest adjacent as structural support certification is to be si mation. I certify that the erstand that any false leck here if comments leck here if attachment ifier's Name LIAM E. MCDANIE	trificate will be red 1–A30, AE, AH, A ling to the building turn used for the ling elevations mu or (including base) ger floor rest horizontal stratop of slab) of machinery or e- equipment and lo finished) grade no (finished) grade no trade at lowest ele SECT Igned and seated the information on is statement may be the are provided on ints.	duled when construction when sent temps as the same as ment, crawispace, conclusion in Comment ext to building (LAG) evation of deck or site of the same as the same as ment, crawispace, conclusion in Comment ext to building (LAG) evation of deck or site of the same as t	voluntion of v30, V (v) in item of a) through that use or encloss Zones or the build is)) 3) stairs, incomprise or imprise were latilicensed.	the building with BFE), AR A7. In Puerto Vertigh h) below. ed for the BFI sure floor) — hly) — cluding — c	uilding Under Cois complete. AR/A, AR/AE, Rico only, enter cal Datum: NGVD 192: 11 2 13 8 N/A 12 5 13 1 8 6 11 2 11 2 OR ARCHITEC authorized by it to interpret the er 18 U.S. Code igitude in Section? Yes License N	AR/A1—A30, AR/ er meters. 9 MAVD 1988 Check the Market fe Market	FAH, AF TAH, AF TAH, AF THE COMMEASURE THE	ther/Source: rement used. meters meters meters meters meters meters meters meters meters	PLACE SEAL	
This control information in the control in the cont	*A new Elevation Cer Elevations – Zones A C2.a-h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next his c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent (h) Lowest adjacent (structural support certification is to be si mation. I certify that the eleck here if comments leck here if attachment lifer's Name LIAM E. MCDANIE GISTERED LAND S	rtificate will be red 1–A30, AE, AH, A ling to the building turn used for the ling elevations mu or (including bases gher floor est horizontal stratop of slab) of machinery or e- equipment and lo finished) grade no grade at lowest ele information on statement may be are provided on ints. IL, P.S.M.	duled when construction when sent temps as the same as ment, crawispace, conclusion in Comment ext to building (LAG) evation of deck or site of the same as the same as ment, crawispace, conclusion in Comment ext to building (LAG) evation of deck or site of the same as t	votion of V30, V (v) In Item (v) a) through that use or encloss Zones or the build (s)	the building with BFE), AR A7. In Puerto Vertigh h) below. ed for the BFI sure floor) — hly) — diling — cluding — cl	uilding Under Cois complete. AR/A, AR/AE, Rico only, enter cal Datum:	AR/A1-A30, AR/ or meters. P MAVD 1988 Check the S fe S fe S fe S fe S fe Ar f	AH, AF AH, AF B	ther/Source: rement used. meters meters meters meters meters meters meters meters meters	PLACE SEAL	
This of information of the transfer of the tra	*A new Elevation Cer Elevations – Zones A C2.a-h below accord Benchmark Utilized: Indicate elevation da Datum used for build a) Top of bottom floo b) Top of the next his c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest adjacent (g) Highest adjacent (h) Lowest adjacent (structural support certification is to be si mation. I certify that the eleck here if comments leck here if attachment lifer's Name LIAM E. MCDANIE GISTERED LAND S	trificate will be red 1–A30, AE, AH, A ling to the building turn used for the ling elevations mu or (including bases gher floor rest horizontal stratop of slab) of machinery or e- equipment and lo finished) grade no (finished) grade no grade at lowest ele ling elevations mu or (including bases set horizontal stratop of slab) of machinery or e- equipment and lo finished) grade no grade at lowest ele ling elevation on lo statement may be line are provided on lo lists. SURVEYOR	duled when construction when sent temps as the same as ment, crawispace, conclusion in Comment ext to building (LAG) evation of deck or site of the same as the same as ment, crawispace, conclusion in Comment ext to building (LAG) evation of deck or site of the same as t	vection of V30, V (v) In Item (v) a) through that use or encloss Zones or the build (s)) G) stairs, increasents my or impris Were lattilicensed Company SEA Li City	the building with BFE), AR A7. In Puerto Vertigh h) below. ed for the BFI sure floor) — hly) — diling — cluding — cl	uilding Under Cois complete. AR/A, AR/AE, Rico only, enter cal Datum:	AR/A1-A30, AR/ er meters. 9 MAVD 1988 Check the Site Site Site Site Site Site Site Sit	AH, AF AH, AF B	ther/Source: rement used. meters meters meters meters meters meters meters meters meters	PLACE SEAL	

ELEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces, copy the	corresponding inform	nation from Sect	ion A.	of Company	FO	R INSURANCE	COMPANY USE
Building Street Address (including Apt.,				0.	Po	licy Number:	
211 VILLAGE WAY	1	State	ZIP Code	2501	Co	mpany NAIC Nur	mber:
PANAMA CITY BEACH	n /eunumen =	FL OD	32413	OFDTIFICAT	TON (COT	TIMUED	
SECTION Copy both sides of this Elevation Certification	D SURVEYOR, E						E BOOLEN COM
					, building ow	mei.	TO STORE STO
Comments SECTION C2. ITEM E, I	S AIR CONDITION	PAD OUTSID	E OF STRUC	TURE			
202. 5101 20 - 55502	AND DESCRIPTION OF THE PARTY AND ADDRESS OF TH						
Signature	- A STATE OF THE S	C-1807-17 18 4-17	Date				
Signature	CONTRACTOR	1.64	Date 05/2	23/2013	Mention (of t	COMMON A	Mary and A for any
SECTION E - BUILDING ELEV	ATION INFORMAT	ION (SURVEY	NOT REQUIR	RED) FOR Z	ONE AO AN	D ZONE A	(WITHOUT BFE)
For Zones AO and A (without BFE), comp For Items E1–E4, use natural grade, if a	vailable. Check the m	easurement used	I. In Puerto Ric	o only, enter n	neters.		
E1. Provide elevation information for the grade (HAG) and the lowest adjacen		the appropriate b	oxes to show w	vhether the ele	evation is abo	ove or below th	ne highest adjacent
a) Top of bottom floor (including bas	sement, crawlspace, or	enclosure) is		feet	meters	above or	below the HAG.
b) Top of bottom floor (including bas	Committee of School and the state of the	Section of the section of the section of			meters		below the LAG.
E2. For Building Diagrams 6–9 with perr			ion A Items 8 a		112		THE RESERVE THE ADDRESS OF THE PARTY OF THE
the next higher floor (elevation C2.b E3. Attached garage (top of slab) is	in the diagrams) of the	ie building is			☐ meters	☐ above or	below the HAG.
E4. Top of platform of machinery and/or	r equipment servicing	the building is		and the second	meters		below the HAG.
E5. Zone AO only: If no flood depth num	ber is available, is the	top of the botto	m floor elevated	d in accordance			
	nknown. The local office	The Property	wher county			Description in	oppose are the FE
	F - PROPERTY OV						
The property owner or owner's authorize Zone AO must sign here. The statement	ts in Sections A, B, an	d E are correct to	the best of m	y knowledge.	mout a FEM	A-ISSUED OF COI	mmunity-issued BFE)
Property Owner or Owner's Authorized R	epresentative's Name	outer Bull	114114	t no line of the		American Sa	silitare and a
Address		COLUMN EXTEN	City		State	ZIP C	code
Signature	AND THE PARTY WAS	AL ACRE SE VE	STATUTE OF STREET	AL NO THE			
	ALL PROPERTY OF THE PARTY.		Date		Teleph	ione	Localina, dec. 20
Comments							
	388		et sürétrici	a solo atrain	i meningal a	Chec	k here if attachments
STATE OF THE PROPERTY 2	SECTION G -	COMMUNITY	INFORMATI	ON (OPTION	IAL)	Take Sus	medical man
The local official who is authorized by law G of this Elevation Certificate. Complete	or ordinance to admir the applicable item(s)	nister the commun and sign below, C	nity's floodplain heck the measi	management ourement used	ordinance car in Items G8-	complete Sec G10. In Puerto	ctions A, B, C (or E), an Rico only, enter meter
G1. The information in Section C w who is authorized by law to cer	as taken from other of	documentation th	nat has been si	igned and sea	led by a lice	nsed surveyor	, engineer, or archite
G2. A community official completed							
G3. The following information (Item							
G4. Permit Number RID 6220	G5. Date Perm					npliance/Occu	pancy Issued
G7. This permit has been issued for:	New Construction	D Substan	-/2	6-	12-21	0/3	
G8. Elevation of as-built lowest floor (in	New Construction (Including basement) of	ALL STREET, SALES STREET	tial Improvemen	nt _ ☐ feet	meters	Datum	
G9. BFE or (in Zone AO) depth of floodi		The state of the s		_ feet	meters	Datum	OF ENTINEERING E
G10. Community's design flood elevation	A CONTRACTOR OF THE RESIDENCE OF THE PROPERTY	_		feet	meters	Datum	
Local Official's Name			Title			and a series	There are the second
Community Name		The street	Telephone		->		towns the concept
Signature	ale.		Date	17/1	3		
Comments	7		•	141-			
1 1 0	· 1 -				• 7.		
Apploved ton 1	nal E.	C.				☐ Check	k here if attachments
FEMA Form 086-0-33 (7/12)						Replac	es all previous edition













