*U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires March 31, 2012

Important: Read the instructions on pages 1-9.

SECTION A - PRO	OPERTY INFORMATION	For Insurance Company Use:		
A1. Building Owner's Name DON AND BUBBA PROPERTIES, LLC.		Policy Number		
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P. 3520 TREASURE CIRCLE	O. Route and Box No.	Company NAIC Number		
City PANAMA CITY BEACH, State FL ZIP Code 32408				
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal LOT 5, BLOCK 1, TREASURE ISLAND SECTION ONE; P.I.D. 31471-010-000				
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc. A5. Latitude/Longitude: Lat. 30 DEGREES 08'49.2" Long. 85 DEGREES 45' A6. Attach at least 2 photographs of the building if the Certificate is being used A7. Building Diagram Number 1B A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s) N/A sq ft b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade N/A c) Total net area of flood openings in A8.b N/A sq in d) Engineered flood openings? ☐ Yes ☒ No	O7.1" Horizontal Datum: I to obtain flood insurance. A9. For a building with an attact a) Square footage of attact	hed garage <u>456.5</u> sq ft openings in the attached garage ljacent grade <u>6</u> openings in A9.b <u>672</u> sq in		
SECTION B - FLOOD INSURANCE	RATE MAP (FIRM) INFORMATION			
B1. NFIP Community Name & Community Number B2. County Name BAY COUNTY 120004 BAY		33. State FL		
12005C0319 H Date Effective	FIRM Panel B8. Flood ze/Revised Date Cone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)		
Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1929 N				
*A new Elevation Certificate will be required when construction of the building is complete. 2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h below according to the building diagram specified in Item A7. Use the same datum as the BFE. Benchmark Utilized BE0764 Vertical Datum NAVD88 Conversion/Comments N/A				
	Check the measurem	ent used.		
 a) Top of bottom floor (including basement, crawlspace, or enclosure floor b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building 	9.55	o Rico only) o Rico only) o Rico only)		
(Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including	7.2	Rico only)		
structural support SECTION D - SURVEYOR, ENGINEER	OD ADCUITECT CEDTIEICATION			
This certification is to be signed and sealed by a land surveyor, engineer, or arc				
information. I certify that the information on this Certificate represents my best of understand that any false statement may be punishable by fine or imprisonment	efforts to interpret the data available.I t under 18 U.S. Code, Section 1001.⊠ and longitude in Section A provided by a			
Title SURVEYOR & MAPPER Company Name DRAGON & COOPER SURVEYING, INC. Address 5328 CHERRY STREET City PARKER, State FL ZIP Code 32404				
Signature Date 02/08/13	Telephone (850) 763-7997	- FL LS No. 4842		

บรรครับใหม่ การแรงขอบเหติก เอเมา กล่า และเหมื Rosen in the second of the second Secretary of the second of the second

y likeji li wasani gababilak

AMA Salasman Distriction of

្នាស់ ស្រុកស្នាន ស្រុកសម្ពានធំនាស់ សុខ សែកទី សេសមេនាស

and the state of t

ত্রিয়া সাম্প্রায় বা করে সাল্লাল করে। তাওঁ বিশ্বস্থান স্থান স্থান তাওঁ করিছিল করে হার প্রায়ে করে। ক্রিয়ের সাম্পর্কার সালে করে। তাওঁ সাম্প্রায়ের সালে স্থানির স্থানির স্থানির স্থানির স্থানির স্থানির স্থানির

and the state of the second of the contribution of the first particular and the state of the state of the second o outsoft come of the post of a to be the

A Sound than to be a good for the safe way เลงเดอน์สาวกับสารา ณี หมูลสาด สารา การหลุดสุดสารา สุดเล้า ปล่

Security section of the contraction of the contract

อมมีเป็นเหลือดี เกษเกษากา 1.1V:0x40

and the income time to particular and the exemption of the control of the first of the control of the control of gradiens kering (f. 1975) – Hawarata Ayaranata (f. 1976) – Akin til 1976 – Aki AND COOK IS STEAMED TO BE A HUR, HUNDER WITH THE AM Colorado (1986)

CEREBORE YOU AND DELLE ISOSET FOR A DECEMBER OF A

15.00

and the second control of the second The statement of patterns and for the second body, the decrease of the ราบารโดยสายสายให้สายแบบ สาร์ตระหายที่ ยากับการเสาหายสายให้เมาที่จะเลยหายสายที่สายคน สายสายสายแบบ รายาศัยหายายที่สุดสาร์ตระหาย และสายายาศ ที่ เป็นความสายสายสายสายสายให้

SEASON OF THE SEASON CONTRACTOR galak bishi di kacamatan kala J kan a karantara 🖓 Barre College Carlos and Classes (Classes) Aprilia Transport (more in the last 12)

ALL BROWN STATE OF BASE out prodet to a material fig. that is:

· And April 19 to 1 Share to [] April 2

· 经银行的 化加热剂 医多种性 经基础 计正常 医胸膜上下的

्रे पुर्वे के भी का प्रार्थकों के का अनुसंख्या करते । अनुसंख्या के अनुसंख्या करते हैं एक किस करते हैं कि पूर्व e da mare e servicio della is about the last Mindowski season season and a control of the con

and the transfer made in the contract of the con-Burkering Dickers to the first burkering grade by the C The second second is a second of the second second

graph) priving it are diving a carrier from the con-ารูสที่ความความที่สารใช้ว่า สมพังเราสารแสดง (ดีวลิ โดยโดยวังเราสาร

To the first contribution of the first of th gard out to the go ingreated in at the etc.

NAME OF STREET

1906 M. 178 A 108 75 76 7 0 2 1 10 2 2 2 1

Cart Definition of Strain

โรบไป สาวสาสสารณ์สุทธิ์ปา

The Art of Silver Charles from A respective

and troubles of facilities

July 1800 1800 1800 1800

*IMPORTANT: In these spaces, copy the corresponding information fr	om Section A.	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route a		Policy Number
3520 TREASURE CIRCLE City PANAMA CITY BEACH, State FL ZIP Code 32408		Company NAIC Number
SECTION D - SURVEYOR, ENGINEER, OR ARC	HITECT CERTIFICATION (CON	ITINUED)
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance		
Comments THE EQUIPMENT LISTED IN ITEM C2e IS AN AIR CONDITIONER.	agent company, and (c) building on	no.
Malera	1- 02/00/42	
Signature Da	te 02/08/13	□ Check here if attachments
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT	REQUIRED) FOR ZONE AO A	ND ZONE A (WITHOUT BFE)
For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is inter and C. For Items E1-E4, use natural grade, if available. Check the measurement use E1. Provide elevation information for the following and check the appropriate boxes grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is b) Top of bottom floor (including basement, crawlspace, or enclosure) is celevation C2.b in the diagrams) of the building is celevation C2.b in the diagrams) of the building is celevation C2.b in the diagrams) of the building is celevation C3. Attached garage (top of slab) is celevation celevation of machinery and/or equipment servicing the building is celevation. E5. Zone AO only: If no flood depth number is available, is the top of the bottom floordinance? Yes No Unknown. The local official must certify this	sed. In Puerto Rico only, enter metes to show whether the elevation is a feet meters above or A Items 8 and/or 9 (see pages 8-9 or above or below the HAG feet meters above or or elevated in accordance with the	ers. bove or below the highest adjacent e or below the HAG. below the LAG. f Instructions), the next higher floor below the HAG.
SECTION F - PROPERTY OWNER (OR OWNER)	S REPRESENTATIVE) CERTIF	ICATION
The property owner or owner's authorized representative who completes Sections A, or Zone AO must sign here. <i>The statements in Sections A, B, and E are correct to the</i> Property Owner's Owner's Authorized Representative's Name		MA-issued or community-issued BFE)
Address City	State	ZIP Code
Signature Date	Telephor	ne
Comments		
		☐ Check here if attachments
SECTION G - COMMUNITY INFO	RMATION (OPTIONAL)	
The local official who is authorized by law or ordinance to administer the community's and G of this Elevation Certificate. Complete the applicable item(s) and sign below.	floodplain management ordinance c Theck the measurement used in Item	an complete Sections A, B, C (or E), ns G8 and G9.
The information in Section C was taken from other documentation that has be is authorized by law to certify elevation information. (Indicate the source and	een signed and sealed by a license d date of the elevation data in the Co	d surveyor, engineer, or architect who omments area below.)
62. A community official completed Section E for a building located in Zone A (w	rithout a FEMA-issued or community	y-issued BFE) or Zone AO.
33. The following information (Items G4-G9) is provided for community floodplain	n management purposes.	
G4. Permit Number	G6. Date Certificate Of Comp	liance/Occupancy Issued
G7. This permit has been issued for: ☐ New Construction ☐ Substantial	Improvement	
68. Elevation of as-built lowest floor (including basement) of the building:	feet meters (PR) Datum	
G9. BFE or (in Zone AO) depth of flooding at the building site:		
G10. Community's design flood elevation	feet meters (PR) Datum	
Local Official's Name	Title	
Community Name	Telephone	
Signature	Date	
Flood Openings are within I foot D.8 Approved 2/11/13	of interior GRA	☐ Check here if attachments
N III IIII		

Building Photographs See Instructions for Item A6.

	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 3520 TREASURE CIRCLE	Policy Number
City PANAMA CITY BEACH, State FL ZIP Code 32408	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.

FRONT VIEW 02/08/13



Building Photographs Continuation Page

	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 3520 TREASURE CIRCLE	Policy Number
City PANAMA CITY BEACH, State FL ZIP Code 32408	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."



