U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY

National Flood Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

		TION F	FOR INSURANCE COMPANY USE				
A1.	Building Owner's Name Terry and Carol Spe	P	Policy Number:				
A2.	Building Street Address (including Apt., Unit, Suite 5413 Gulf Dr.	, and/or Bldg. No.) or		11 - 202 - 1	ompany NAIC Number:		
	City Panama City	27 50 57	State FL	ZIF	^{2 Code} 32408		
	Property Description (Lot and Block Numbers, Tax Bay County PArcel ID No. 32287-000-000			The man to the	The straight of		
	Building Use (e.g., Residential, Non-Residential, Ac			Harizontal De	THE TOTAL THE TO		
A6. A7.							
	For a building with a crawlspace or enclosure(s):	0	A9. For a	building with an attac	ched garage:		
	Square footage of crawlspace or enclosure(s)	quare footage of atta	0 0				
	 No. of permanent flood openings in the crawlsp enclosure(s) within 1.0 foot above adjacent gra 	umber of permanent ithin 1.0 foot above a	flood openings in the attached garage diacent grade				
	c) Total net area of flood openings in A8.b	otal net area of flood					
	d) Engineered flood openings? ☐ Yes ☒ N	0	d) Er	ngineered flood open	ings? ☐ Yes ☒ No		
		LOOD INSURANCE	RATE MAP (FIR	M) INFORMATION			
B1.	NFIP Community Name & Community Number Bay County 120004	B2. Cor Bay	unty Name		B3. State FL		
B4.	Map/Panel Number B5. Suffix B6. FIRM In	ndex Date B7. FIR	M Panel Effective/	B8. Flood Zone(s)	B9. Base Flood Elevation(s) (Zone		
	12005C0319 H 06/02	ANTS	vised Date 06/02/2009	VE	AO, use base flood depth) 13		
B10	Indicate the source of the Base Flood Elevation (BI		Table 10 to	m B9:			
D44	FIS Profile FIRM Community Determ	강하 교육 다른 그렇게 한 생각을 하였습니다면 하다.	ce: NAVD 1988	C Other/Severe			
	Indicate elevation datum used for BFE in Item B9: Is the building located in a Coastal Barrier Resource.	□ NGVD 1929		Other/Source: _			
312	Designation Date://		a of Otherwise From	ected Alea (OFA):			
	Designation bate//	DOING LIGHT					
		LDING ELEVATION	INFORMATION (50 20 = 150 200 VAC			
	Building elevations are based on: Constru *A new Elevation Certificate will be required when	ction Drawings* construction of the bui	☐ Building Under C	Construction*	Finished Construction		
	Building elevations are based on: Constru* A new Elevation Certificate will be required when a Elevations – Zones A1–A30, AE, AH, A (with BFE), V C2.a–h below according to the building diagram sp	ction Drawings* construction of the bui E, V1–V30, V (with BFI ecified in Item A7. In F	Building Under Clding is complete. E), AR, AR/A, AR/AE, Puerto Rico only, enter	construction* AR/A1-A30, AR/AH, er meters.	Finished Construction		
	Building elevations are based on: Construction of the Elevation Certificate will be required when the Elevations – Zones A1–A30, AE, AH, A (with BFE), VC2.a–h below according to the building diagram spontant Utilized: NGS P 182	ction Drawings* construction of the bui E, V1–V30, V (with BFI ecified in Item A7. In F	Building Under Clding is complete. E), AR, AR/A, AR/AE, Puerto Rico only, enter Vertical Datum: N.	onstruction* AR/A1–A30, AR/AH, er meters. AVD 88	Finished Construction AR/AO. Complete Items		
	Building elevations are based on: Constru* A new Elevation Certificate will be required when a Elevations – Zones A1–A30, AE, AH, A (with BFE), V C2.a–h below according to the building diagram sp	ction Drawings* construction of the bui E, V1–V30, V (with BFI ecified in Item A7. In F items a) through h) be	Building Under Clding is complete. E), AR, AR/A, AR/AE, verto Rico only, entrology. Vertical Datum: NEP Below. NGVD 192	AR/A1-A30, AR/AH, er meters. AVD 88	AR/AO. Complete Items Other/Source:		
	Building elevations are based on: Construction *A new Elevation Certificate will be required when a Elevations – Zones A1–A30, AE, AH, A (with BFE), V C2.a–h below according to the building diagram sp Benchmark Utilized: NGS P 182 Indicate elevation datum used for the elevations in Datum used for building elevations must be the sa	ction Drawings* construction of the bui F, V1–V30, V (with BF) ecified in Item A7. In F items a) through h) bo me as that used for the	Building Under Clding is complete. E), AR, AR/A, AR/AE, Puerto Rico only, entity Vertical Datum: NF elow. NGVD 192 ee BFE.	AR/A1-A30, AR/AH, er meters. AVD 88	AR/AO. Complete Items Other/Source:		
	Building elevations are based on: Constructive Televation Certificate will be required when a Elevations – Zones A1–A30, AE, AH, A (with BFE), VC2.a–h below according to the building diagram spenchmark Utilized: NGS P 182 Indicate elevation datum used for the elevations in Datum used for building elevations must be the satisfication of the properties of of the	ction Drawings* construction of the bui F, V1–V30, V (with BF) ecified in Item A7. In F items a) through h) bo me as that used for the	Building Under Clding is complete. E), AR, AR/A, AR/AE, Puerto Rico only, entity Vertical Datum: NF elow. NGVD 192 ee BFE.	AR/A1–A30, AR/AH, er meters. AVD 88 9 NAVD 1988 Check the mea	AR/AO. Complete Items Other/Source:		
	Building elevations are based on: Construction *A new Elevation Certificate will be required when a Elevations – Zones A1–A30, AE, AH, A (with BFE), V C2.a–h below according to the building diagram sp Benchmark Utilized: NGS P 182 Indicate elevation datum used for the elevations in Datum used for building elevations must be the sa	ction Drawings* construction of the bui E, V1–V30, V (with BFI ecified in Item A7. In F items a) through h) bo me as that used for the pace, or enclosure floor	Building Under Cliding is complete. E), AR, AR/A, AR/AE, Puerto Rico only, entropy Vertical Datum: NAVELOW. NGVD 192 to BFE. To 20 66 32 18 17 71	AR/A1–A30, AR/AH, er meters. AVD 88 9 NAVD 1988 C Check the mea	AR/AO. Complete Items Other/Source: isurement used. meters		
	Building elevations are based on: Constructive Televation Certificate will be required when a Elevations – Zones A1–A30, AE, AH, A (with BFE), VC2.a–h below according to the building diagram spechmark Utilized: NGS P 182 Indicate elevation datum used for the elevations in Datum used for building elevations must be the satisfication of the properties of the satisfication of the next higher floor	ction Drawings* construction of the bui E, V1–V30, V (with BFI ecified in Item A7. In F items a) through h) bo me as that used for the pace, or enclosure floor	Building Under Cliding is complete. E), AR, AR/A, AR/AE, Puerto Rico only, entropy Vertical Datum: NA Below. NGVD 192 as BFE. TO 20 66 32 18 17 71 N/A	AR/A1–A30, AR/AH, er meters. AVD 88 Check the mea	AR/AO. Complete Items Other/Source: surement used. meters meters meters		
	Building elevations are based on: Constructive Televation Certificate will be required when a Elevations – Zones A1–A30, AE, AH, A (with BFE), VC2.a–h below according to the building diagram spechmark Utilized: NGS P 182 Indicate elevation datum used for the elevations in Datum used for building elevations must be the satisfied at the properties of the next higher floor. Bottom of the lowest horizontal structural members and the properties of the satisfied at the properties of the properties	ction Drawings* construction of the bui E, V1–V30, V (with BFI ecified in Item A7. In F items a) through h) be me as that used for the pace, or enclosure floo over (V Zones only) rivicing the building	Building Under Cliding is complete. E), AR, AR/A, AR/AE, Puerto Rico only, entropy of the Clow. Selow. Sel	AR/A1–A30, AR/AH, er meters. AVD 88 Sometimes of the second of the seco	Sinished Construction		
	Building elevations are based on: Construction of the lowest elevation of machinery or equipment see a lowest elevation of machinery or equipment see	ction Drawings* construction of the built. E, V1–V30, V (with BF) ecified in Item A7. In F items a) through h) be me as that used for the pace, or enclosure flood over (V Zones only) rivicing the building mments)	Building Under Cliding is complete. E), AR, AR/A, AR/AE, Puerto Rico only, entropy of the clow. NGVD 192 of BFE. The complete of the clow of the clo	AR/A1–A30, AR/AH, er meters. AVD 88 P NAVD 1988 Check the mea feet feet feet feet feet feet	Finished Construction AR/AO. Complete Items Other/Source: surement used. meters meters meters meters meters meters meters meters		
	Building elevations are based on: *A new Elevation Certificate will be required when a Elevations – Zones A1–A30, AE, AH, A (with BFE), VC2.a–h below according to the building diagram sp Benchmark Utilized: NGS P 182 Indicate elevation datum used for the elevations in Datum used for building elevations must be the sa a) Top of bottom floor (including basement, crawls) b) Top of the next higher floor c) Bottom of the lowest horizontal structural memid d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment see (Describe type of equipment and location in Corf) Lowest adjacent (finished) grade next to building g) Highest adjacent (finished) grade next to building	ction Drawings* construction of the builting E, V1–V30, V (with BF) ecified in Item A7. In F items a) through h) be me as that used for the pace, or enclosure floo over (V Zones only) rivicing the building mments) g (LAG) ug (HAG)	Building Under Cliding is complete. E), AR, AR/A, AR/AE, verto Rico only, entropy of the close	construction* AR/A1–A30, AR/AH, er meters. AVD 88 P NAVD 1988 Check the mea feet feet feet feet feet feet feet feet	Finished Construction AR/AO. Complete Items Other/Source: surement used. meters		
	Building elevations are based on: *A new Elevation Certificate will be required when a Elevations – Zones A1–A30, AE, AH, A (with BFE), V C2.a–h below according to the building diagram sp Benchmark Utilized: NGS P 182 Indicate elevation datum used for the elevations in Datum used for building elevations must be the sa a) Top of bottom floor (including basement, crawls) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member districted garage (top of slab) e) Lowest elevation of machinery or equipment see (Describe type of equipment and location in Corf) Lowest adjacent (finished) grade next to building	ction Drawings* construction of the builting E, V1–V30, V (with BF) ecified in Item A7. In F items a) through h) be me as that used for the pace, or enclosure floo over (V Zones only) rivicing the building mments) g (LAG) ug (HAG)	Building Under Cliding is complete. E), AR, AR/A, AR/AE, Puerto Rico only, entropy of the clow. NGVD 192 of BFE. The complete of the clow of the clo	AR/A1–A30, AR/AH, er meters. AVD 88 Po NAVD 1988 Check the mea feet feet feet feet feet feet	Finished Construction AR/AO. Complete Items Other/Source: surement used. meters meters meters meters meters meters meters meters		
	Building elevations are based on: Construction of the lowest elevation of machinery or equipment see (Describe type of equipment and location in Corf). Lowest adjacent (finished) grade next to building.	ction Drawings* construction of the builting E, V1–V30, V (with BF) ecified in Item A7. In F items a) through h) be me as that used for the pace, or enclosure floo over (V Zones only) rivicing the building mments) g (LAG) ug (HAG)	Building Under Clding is complete. E), AR, AR/A, AR/AE, verto Rico only, entropy of the clow. NGVD 192 of BFE. The complete of the clow	AR/A1–A30, AR/AH, er meters. AVD 88 P NAVD 1988 Check the mea feet feet feet feet feet feet feet feet feet	Finished Construction AR/AO. Complete Items Other/Source: surement used. meters		
C2.	Building elevations are based on: *A new Elevation Certificate will be required when a Elevations – Zones A1–A30, AE, AH, A (with BFE), V C2.a–h below according to the building diagram sp Benchmark Utilized: NGS P 182 Indicate elevation datum used for the elevations in Datum used for building elevations must be the sa a) Top of bottom floor (including basement, crawls) to post of the next higher floor (Bottom of the lowest horizontal structural member) Attached garage (top of slab) e) Lowest elevation of machinery or equipment se (Describe type of equipment and location in Corf) Lowest adjacent (finished) grade next to building) Highest adjacent (finished) grade next to building) Highest adjacent grade at lowest elevation of destructural support SECTION D – SU	ction Drawings* construction of the built is in the property of the property o	Building Under C Iding is complete. E), AR, AR/A, AR/AE, Everto Rico only, entre Vertical Datum: N/Vertical Datum: N/Ve	construction* AR/A1-A30, AR/AH, er meters. AVD 88 Solution	Finished Construction AR/AO. Complete Items Other/Source: Insurement used. Insurement us		
his of	Building elevations are based on: *A new Elevation Certificate will be required when a Elevations – Zones A1–A30, AE, AH, A (with BFE), VC2.a–h below according to the building diagram sp Benchmark Utilized: NGS P 182 Indicate elevation datum used for the elevations in Datum used for building elevations must be the sa a) Top of bottom floor (including basement, crawls) b) Top of the next higher floor c) Bottom of the lowest horizontal structural members of the elevation of machinery or equipment see (Describe type of equipment and location in Corf) Lowest adjacent (finished) grade next to building Highest adjacent (finished) grade next to building h) Lowest adjacent grade at lowest elevation of destructural support SECTION D – SUpertification is to be signed and sealed by a land superstand that any false statement may be punishable.	ction Drawings* construction of the built. E, V1–V30, V (with BF) ecified in Item A7. In F items a) through h) be me as that used for the pace, or enclosure floc over (V Zones only) evicing the building mments) g (LAG) eck or stairs, including stairs, including preyor, engineer, or arc the represents my best of the by fine or imprisonment	Building Under Cliding is complete. E), AR, AR/A, AR/AE, verto Rico only, entropy of the complete of the comp	AR/A1–A30, AR/AH, er meters. AVD 88 P NAVD 1988 Check the mea feet	Finished Construction AR/AO. Complete Items Other/Source: Insurement used. Insurement us		
his on formund	Building elevations are based on: *A new Elevation Certificate will be required when a Elevations – Zones A1–A30, AE, AH, A (with BFE), V C2.a–h below according to the building diagram sp Benchmark Utilized: NGS P 182 Indicate elevation datum used for the elevations in Datum used for building elevations must be the sa a) Top of bottom floor (including basement, crawls) to post of the next higher floor (Bottom of the lowest horizontal structural member) Attached garage (top of slab) e) Lowest elevation of machinery or equipment se (Describe type of equipment and location in Corf) Lowest adjacent (finished) grade next to building) Highest adjacent (finished) grade next to building) Highest adjacent grade at lowest elevation of destructural support SECTION D – SU	ction Drawings* construction of the built. E, V1–V30, V (with BF) ecified in Item A7. In F items a) through h) be me as that used for the pace, or enclosure floc over (V Zones only) evicing the building mments) g (LAG) eck or stairs, including stairs, including preyor, engineer, or arc the represents my best of the by fine or imprisonment	Building Under Cliding is complete. E), AR, AR/A, AR/AE, verto Rico only, entropy of the complete of the comp	AR/A1–A30, AR/AH, er meters. AVD 88 P NAVD 1988 Check the mea feet	Finished Construction AR/AO. Complete Items Other/Source: Insurement used. Insurement us		
C2.	Building elevations are based on: *A new Elevation Certificate will be required when a Elevations – Zones A1–A30, AE, AH, A (with BFE), V C2.a–h below according to the building diagram sp Benchmark Utilized: NGS P 182 Indicate elevation datum used for the elevations in Datum used for building elevations must be the sa a) Top of bottom floor (including basement, crawls) b) Top of the next higher floor c) Bottom of the lowest horizontal structural members and the properties of the elevation of graph and location in Corf. Describe type of equipment and location in Corf. Lowest adjacent (finished) grade next to building. Highest adjacent (finished) grade next to building. Highest adjacent grade at lowest elevation of destructural support. SECTION D – SUPPORTION D – SUPPORTI	ction Drawings* construction of the building ments) g (HAG) eck or stairs, including the solution of the building ments. greater (HAG) eck or stairs, including the building ments. greater (HAG) eck or stairs, including the building ments. greater (HAG) eck or stairs, including the building ments. greater (HAG) eck or stairs, including the building ments. greater (HAG) eck or stairs, including the building ments. greater (HAG) eck or stairs, including the building ments. greater (HAG) eck or stairs, including the building ments. greater (HAG) eck or stairs, including the building ments. greater (HAG) eck or stairs, including the building ments. greater (HAG) eck or stairs, including the building ments.	Building Under Cliding is complete. E), AR, AR/A, AR/AE, Puerto Rico only, entriversion only in the complete of the complete	construction* AR/A1–A30, AR/AH, er meters. AVD 88 P NAVD 1988 Check the mean of feet of fe	Finished Construction AR/AO. Complete Items Other/Source: Insurement used. Insurement us		
C2.	Building elevations are based on: *A new Elevation Certificate will be required when a Elevations – Zones A1–A30, AE, AH, A (with BFE), VC2.a–h below according to the building diagram sp Benchmark Utilized: NGS P 182 Indicate elevation datum used for the elevations in Datum used for building elevations must be the sa a) Top of bottom floor (including basement, crawls) b) Top of the next higher floor c) Bottom of the lowest horizontal structural members and the same of the elevation of stab) e) Lowest elevation of machinery or equipment see (Describe type of equipment and location in Corf) f) Lowest adjacent (finished) grade next to building the building of the elevation of destructural support SECTION D – SL certification is to be signed and sealed by a land support set of the statement may be punishable eleck here if comments are provided on back of form.	ction Drawings* construction of the builting items a) through h) be me as that used for the pace, or enclosure floc over (V Zones only) rvicing the building mments) g (LAG) ag (HAG) ack or stairs, including over the pace of the construction of t	Building Under Cliding is complete. E), AR, AR/A, AR/AE, Puerto Rico only, entre Vertical Datum: N/A Elow. September Septembe	construction* AR/A1–A30, AR/AH, er meters. AVD 88 P NAVD 1988 Check the mean of feet of fe	Finished Construction AR/AO. Complete Items Other/Source: Insurement used. Insurement us		
C2. Title	Building elevations are based on: *A new Elevation Certificate will be required when a Elevations – Zones A1–A30, AE, AH, A (with BFE), V C2.a–h below according to the building diagram sp Benchmark Utilized: NGS P 182 Indicate elevation datum used for the elevations in Datum used for building elevations must be the sa a) Top of bottom floor (including basement, crawls) to post the next higher floor c) Bottom of the lowest horizontal structural members described by the descri	ction Drawings* construction of the buil E, V1–V30, V (with BFI ecified in Item A7. In F items a) through h) be me as that used for the pace, or enclosure flood over (V Zones only) ricing the building ments) g (LAG) g (HAG) eck or stairs, including over (V Zones only) BY (BY (BY) BY (BY)	Building Under Cliding is complete. E), AR, AR/A, AR/AE, Puerto Rico only, entriversion only in the complete of the complete	construction* AR/A1–A30, AR/AH, er meters. AVD 88 P NAVD 1988 Check the mean of feet of fe	Finished Construction AR/AO. Complete Items Other/Source: Insurement used. Insurement us		
his rund Crest Cert Jon Title Lan Addr	Building elevations are based on: *A new Elevation Certificate will be required when a Elevations – Zones A1–A30, AE, AH, A (with BFE), V C2.a–h below according to the building diagram sp Benchmark Utilized: NGS P 182 Indicate elevation datum used for the elevations in Datum used for building elevations must be the sa a) Top of bottom floor (including basement, crawls) to post the next higher floor c) Bottom of the lowest horizontal structural members do be a structural members of the elevation of machinery or equipment second (Describe type of equipment and location in Confluence of the elevation of machinery or equipment second (Describe type of equipment and location in Confluence of the elevation of describe type of equipment and location in Confluence of the elevation of describe type of equipment and location in Confluence of the elevation of describe type of equipment and location in Confluence of the elevation of describe of the elevation of describe of the elevation of describe of the elevation of the elevation of describe of the elevation of the elevation of describe of the elevation of the elevation of the elevation of describe of the elevation of describe of the elevation of the	ction Drawings* construction of the buil E, V1–V30, V (with BFI ecified in Item A7. In F items a) through h) be me as that used for the pace, or enclosure flood over (V Zones only) ricing the building ments) g (LAG) g (HAG) eck or stairs, including over (V Zones only) BY (BY (BY) BY (BY)	Building Under Cliding is complete. E), AR, AR/A, AR/AE, Puerto Rico only, entre Vertical Datum: N/A Elow. NGVD 192 to BFE. To 20 66 32 18 17 71 N/A 18 01 12 79 16 69 12 79 16 69 12 79 18 To Interpret the trunder 18 U.S. Code and longitude in Section Interpret the trunder 18 U.S. Code and longitude in Section Interpret (BE) 18 U.S. Code and longitude in Section Interpret (BE) 18 U.S. Code and longitude in Section Interpret (BE) 18 U.S. Code and longitude in Section Interpret (BE) 18 U.S. Code and longitude in Section Interpret (BE) 18 U.S. Code and longitude in Section Interpret (BE) 18 U.S. Code and longitude in Section Interpret (BE) 18 U.S. Code and longitude in Section Interpret (BE) 18 U.S. Code and longitude in Section Interpret (BE) 18 U.S. Code and longitude in Section Interpret (BE) 18 U.S. Code and Longitude In Section Interpret (BE) 18 U.S. Code and Longitude In Section Interpret (BE) 18 U.S. Code and Longitude In Section Interpret (BE) 18 U.S. Code and Longitude In Section Interpret (BE) 18 U.S. Code and Longitude In Section Interpret (BE) 18 U.S. Code and Longitude In Section Interpret (BE) 18 U.S. Code and Longitude In Section Interpret (BE) 18 U.S. Code and Longitude In Section Interpret (BE) 18 U.S. Code and Longitude Interpret (BE) 18 U.S. Code and Lo	construction* AR/A1–A30, AR/AH, er meters. AVD 88 P NAVD 1988 Check the mean of feet of fe	Finished Construction AR/AO. Complete Items Other/Source: Insurement used. Insurement us		

FLEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces, copy th	e corresponding information from Sec	tion A.	60,191	FC	R INSURANCE	COMPANY USE
Building Street Address (including Apt., 5413 Gulf Dr.	, Unit, Suite, and/or Bldg. No.) or P.O. Re	oute and Box No.	27234	Po	licy Number:	
City Panama City	State FL	ZIP Code 32408	nanaja j	Co	mpany NAIC Nu	mber:
	D – SURVEYOR, ENGINEER, OR		RTIFICAT	ON (CON	TINUED)	
	ficate for (1) community official, (2) insu					0-0010-7
Comments Item C2e is the elevation	on of an air conditioner pad located	adjacent to the	residence	adjour to a	The ISLAND	1000
nom oze is the cicvatio	/	adjaconi io ino	. ooluonioo.			
B&H 100 No 10505, FE	3/870/70					
Signature Salf Marie Signature		Date 09/23/2	2013		E RSINE	
SECTION E - BUILDING ELEY	VATION INFORMATION (SURVEY	NOT REQUIRED) FOR ZO	NE AO AN	ID ZONE A	(WITHOUT BFE)
For Zones AO and A (without BFE), composed for Items E1–E4, use natural grade, if a	available. Check the measurement used	d. In Puerto Rico o	nly, enter me	eters.		
grade (HAG) and the lowest adjacer		oxes to show whe		2212		
	sement, crawlspace, or enclosure) is	TO THE RESIDENCE		meters	The state of the s	below the HAG.
	sement, crawlspace, or enclosure) is	tion A Items 8 and		meters		☐ below the LAG.
E2. For Building Diagrams 6–9 with peri the next higher floor (elevation C2.b)				meters		□ below the HAG.
E3. Attached garage (top of slab) is	, in the diagrams, or the sensing is	Van -		meters		below the HAG.
E4. Top of platform of machinery and/o	or equipment servicing the building is	Q	☐ feet	meters	☐ above or	below the HAG.
E5. Zone AO only: If no flood depth num ordinance? ☐ Yes ☐ No ☐ U	nber is available, is the top of the botto Inknown. The local official must certify t			with the co	mmunity's flo	odplain management
SECTION	F - PROPERTY OWNER (OR OW	NER'S REPRES	ENTATIVE) CERTIFI	CATION	or the second second
The property owner or owner's authorize Zone AO must sign here. The statemen				hout a FEMA	A-issued or co	mmunity-issued BFE)
Property Owner or Owner's Authorized R		o the best of my ki	iomeuge.	16011		
Address	SECTION SEC	City	A THE PARTY	State	ZIP C	ode
Signature	Will Fire II sport was con-	Date	AU THE STATE OF TH	Teleph	one	a sample and
Comments	A 127/02 May 157/0				at a soluti	Aught American
	The state of the sales of				☐ Chec	k here if attachments
A STATE OF THE STA	SECTION G - COMMUNITY	INFORMATION	(OPTION	AL)		handa ta lai
The local official who is authorized by law G of this Elevation Certificate. Complete	w or ordinance to administer the community the applicable item(s) and sign below (nity's floodplain ma	nagement or	dinance car	complete Sec	tions A, B, C (or E), ar
G1. The information in Section C v						
who is authorized by law to ce	ertify elevation information. (Indicate th	ne source and date	e of the elev	ation data i	n the Comme	nts area below.)
G2. A community official completed					-issued BFE) o	r Zone AO.
G3. The following information (Item						
G4. Permit Nymber 3- 0303	G5. Date Permit Issued	3 Gb.	. Date Certifi	cate Of Con	npliance/Occu	ipancy Issued
G7. This permit has been issued for:		itial Improvement	П.		E/4_000******	
G8. Elevation of as-built lowest floor (inG9. BFE or (in Zone AO) depth of flood				☐ meters ☐ meters	Datum	
A COLUMN TO THE ACT OF THE OF TOO OF	ing at the building site.			☐ meters	Datum	
	NO SOLUCIONI COMPANIONI CONTRACTOR DE LA		feet	LI meters		
G10.Community's design flood elevatio	NO SOLUTION CONTROL OF THE PARTY	Title	□feet	LI meters		MARKAGO MAKATAN
G10.Community's design flood elevatio	NO SOLUTION CONTROL OF THE PARTY	Title	□feet	Li meters		WIND ON THE
G10.Community's design flood elevatio	NO SOLUTION CONTROL OF THE PARTY	Telephone	□ feet			William Solid State
G10.Community's design flood elevation Local Official's Name Community Name Signmure	NO SOLUTION CONTROL OF THE PARTY		□ feet	La meters		Manager Salar State
G10. Community's design flood elevation Local Official's Name Community Name	NO SOLUTION CONTROL OF THE PARTY	Telephone	□ feet	□ meters		
G10.Community's design flood elevation Local Official's Name Community Name Signature	NO SOLUTION CONTROL OF THE PARTY	Telephone	□ feet	□ meters		
G10.Community's design flood elevatio Local Official's Name Community Name Signature	NO SOLUTION CONTROL OF THE PARTY	Telephone	atual fi	Acer non		

FEMA Form 086-0-33 (7/12)

+ CCCL

Replaces all previous editions.

Building Photographs


See Instructions for Item A6.

Building Street Address	Policy Number		
City Panama City	State FL	Zip Code 32408	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.



FRONT VIEW (09-23-13)



REAR VIEW (09-23-13)