U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY

National Flood Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008

OIMID IAO* TOOO-0000
Expiration Date: July 31, 2015

SECTION A – PROPERTY INFORMATION								FOR INSURANCE COMPANY USE		
A1.	Building Owner's Name BRETT LIGHTSEY	Po	Policy Number:							
A2.	Building Street Address (including Apt., Unit, Suite, and, 7127 S. DEER HAVEN ROAD		Company NAIC Number:							
	City SOUTHPORT			State FL		ZIP	Code 32409			
	Property Description (Lot and Block Numbers, Tax Parce PARCEL ID#07868-063-000, A PORTION OF S	ECTIO	N 26, TOW	NSHIP 2 SC		NGE 14 WE	EST			
	Building Use (e.g., Residential, Non-Residential, Addition Latitude/Longitude: Lat. N 30d16'47"					Jarizantoli Da	tum:	007		
	Attach at least 2 photographs of the building if the Cert Building Diagram Number 1B	_					tuin. 🔲 IVAD I	.927 🗷 NAD 1983		
A8.	For a building with a crawlspace or enclosure(s):	NUA		A9. For	a building	with an attac	hed garage:			
	a) Square footage of crawlspace or enclosure(s)b) No. of permanent flood openings in the crawlspace of the crawlspace of	<u>N/A</u>	sq	,		tage of attac		620 sq ft		
	enclosure(s) within 1.0 foot above adjacent grade	<u> </u>		0)	within 1.0	foot above a	djacent grade	n the attached garage -N/A		
	c) Total net area of flood openings in A8.b	N/A	sq				ppenings in A9.t			
	d) Engineered flood openings? Yes X No			a)	Engineere	d flood openi	ings? ∐ Yes	No 🔀 No		
	SECTION B - FLOO	D INSU	RANCE R	ATE MAP (F	IRM) INF	DRMATION				
B1.	NFIP Community Name & Community Number BAY COUNTY 120004		B2. County BAY	Name			B3 FI	. State .ORIDA		
B4.	Map/Panel Number B5. Suffix B6. FIRM Index	Date	B7. FIRM F	anel Effective,	/ B8. Flo	ood Zone(s)	B9. Base Floo	od Elevation(s) (Zone		
	12005C0240 H 06/02/200	09		d Date 02/2009		AE	AO, use b	ease flood depth) 8		
B10	Indicate the source of the Base Flood Elevation (BFE) do				Item B9:					
	☐ FIS Profile ☑ FIRM ☐ Community Determined		her/Source:							
	•	☐ NGVD	_	NAVD 1988		er/Source: _	7V 5 7N-			
B12	Is the building located in a Coastal Barrier Resources S Designation Date:/ / CBR	•	BRS) area d □OPA	r Otnerwise Pr	otected Are	a (UPA)? (⊒ Yes 🔀 No	1		
			<u> </u>		(0117)					
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)										
			. –							
	Building elevations are based on: Construction *A new Elevation Certificate will be required when const	truction o	of the building	•	•	_	Finished Const			
	*A new Elevation Certificate will be required when const Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie	truction o	of the buildir (with BFE), / n A7. In Pue	ig is complete. AR, AR/A, AR/A to Rico only, e	AE, AR/A1–	 A30, AR/AH,				
	*A new Elevation Certificate will be required when const Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specific Benchmark Utilized:	truction of L-V30, V ed in Item	of the buildir (with BFE), / n A7. In Puer Ve	g is complete. AR, AR/A, AR// rto Rico only, e rtical Datum: _	AE, AR/A1- nter meters	A30, AR/AH, s.	AR/AO. Comple	ete Items		
	*A new Elevation Certificate will be required when const Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie	truction of L-V30, V ed in Item es a) thro	of the buildir (with BFE), /n A7. In Puer Very bugh h) below	g is complete. AR, AR/A, AR// to Rico only, e rtical Datum: _ v. \[\] NGVD 19	AE, AR/A1— enter meters	A30, AR/AH, s. WD 1988	AR/AO. Comple	ete Items		
	*A new Elevation Certificate will be required when const Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specific Benchmark Utilized:	truction of L-V30, V ed in Item es a) throus that us	of the buildir (with BFE), / n A7. In Puel Very bugh h) below sed for the B	ig is complete. AR, AR/A, AR/A, to Rico only, e rtical Datum: _ V. □ NGVD 1: FE. 10 . 3	AE, AR/A1— enter meters 929 X NA	A30, AR/AH, s. WD 1988	AR/AO. Comple	ete Items		
	*A new Elevation Certificate will be required when const Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a	truction of L-V30, V ed in Item es a) throus that us	of the buildir (with BFE), / n A7. In Puel Very bugh h) below sed for the B	g is complete. AR, AR/A, AR/A to Rico only, e rtical Datum: _ NGVD 1: FE. 10 . 3 N/A	AE, AR/A1— enter meters 929 X NA	A30, AR/AH, s	AR/AO. Comple Other/Source:	ete Items		
	*A new Elevation Certificate will be required when const Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V2 C2.a—h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace,	truction of L-V3O, V ed in Item es a) thro es that us or enclo	of the buildir (with BFE), / n A7. In Puer ————————————————————————————————————	g is complete. AR, AR/A, AR// to Rico only, e rtical Datum: _ v. □ NGVD 1: FE. 10 3 N/A N/A	. AE, AR/A1— Inter meters 929 🔀 NA Ch	A30, AR/AH, s. NVD 1988 neck the mea	AR/AO. Comple Other/Source: surement used. meters	ete Items		
	*A new Elevation Certificate will be required when const Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V3 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawispace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (value) attached garage (top of slab)	truction of L-V30, V ed in Item as a) through that us, or enclo	of the buildir (with BFE), / n A7. In Puer Very bugh h) below sed for the B osure floor)	g is complete. AR, AR/A, AR// to Rico only, e rtical Datum: _ v.	AE, AR/A1— enter meters 929 🔀 NA Cr	A30, AR/AH, s. AVD 1988 neck the mea feet feet feet feet	AR/AO. Comple Other/Source: surement used. meters meters meters meters	ete Items		
	*A new Elevation Certificate will be required when const Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V3 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (Val) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment	truction of L-V30, V and in Item as a) throws that us, or enclosed the buints)	of the buildir (with BFE), / n A7. In Puer Very bugh h) below sed for the B osure floor)	g is complete. AR, AR/A, AR/A, to Rico only, e rtical Datum: _ W.	AE, AR/A1— enter meters 929 🔀 NA Cr	A30, AR/AH, s. AVD 1988 Deck the mea Deck the mea Deck feet D	Other/Source: surement used. meters meters meters meters meters meters	ete Items		
	*A new Elevation Certificate will be required when const Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V3 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (Va) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment f) Lowest adjacent (finished) grade next to building (LA)	truction of L-V30, V and in Item as a) thrown as that us a, or enclow / Zones of g the buints)	of the buildir (with BFE), / n A7. In Puer Very bugh h) below sed for the B osure floor)	g is complete. AR, AR/A, AR/A to Rico only, e rtical Datum: _ NGVD 1: FE.	AE, AR/A1— Inter meters 929 🔀 NA Cr	A30, AR/AH, s. AVD 1988 Teck the mea Feet feet feet feet feet feet	AR/AO. Comple Other/Source: surement used. meters meters meters meters meters meters meters	ete Items		
	*A new Elevation Certificate will be required when const Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V3 C2.a—h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (Va) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment f) Lowest adjacent (finished) grade next to building (LA) g) Highest adjacent grade at lowest elevation of deck of	truction of L-V30, V and in Item as a) thrown as that us, or enclow / Zones of g the buints) G) AG)	of the buildir (with BFE), / n A7. In Puer Learn Ver Lea	g is complete. AR, AR/A, AR/A, to Rico only, e rtical Datum: _ W.	AE, AR/A1— Inter meters 929 🔀 NA Cr	A30, AR/AH, s. AVD 1988 Deck the mea Deck the mea Deck feet D	Other/Source: surement used. meters meters meters meters meters meters	ete Items		
	*A new Elevation Certificate will be required when const Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (Vd) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment of Lowest adjacent (finished) grade next to building (LA) Highest adjacent (finished) grade next to building (HA) Lowest adjacent grade at lowest elevation of deck or structural support	truction of L-V30, V and in item as a) throws that us or encloded a view of the builties of th	of the buildir (with BFE), An A7. In Puel Ye bugh h) below sed for the B sure floor) only) ilding	g is complete. AR, AR/A, AR/A, to Rico only, e rtical Datum:	AE, AR/A1— enter meters 929 🔀 NA Cr	A30, AR/AH, s. ND 1988 eeck the mea feet feet feet feet feet feet feet f	AR/AO. Comple Other/Source: surement used. meters meters meters meters meters meters meters meters meters	ete Items		
C2.	*A new Elevation Certificate will be required when const Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V3 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (Va) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment f) Lowest adjacent (finished) grade next to building (LA) g) Highest adjacent (finished) grade next to building (HA) h) Lowest adjacent grade at lowest elevation of deck or structural support	truction of L-V30, V and in Item as a) thrown as that us a, or encloded a control of the builties of the built	of the buildir (with BFE), / n A7. In Puer Ver pugh h) below sed for the B posure floor) only) ilding including	g is complete. AR, AR/A, AR/A, to Rico only, e rtical Datum: _ V.	AE, AR/A1— Inter meters 929 🔀 NA Cr	A30, AR/AH, S. AVD 1988 Exteck the mea	AR/AO. Comple Other/Source: surement used. meters meters meters meters meters meters meters meters meters	ete Items		
This cinform	*A new Elevation Certificate will be required when const Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V3 C2.a-h below according to the building diagram specifie Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (Va) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment f) Lowest adjacent (finished) grade next to building (LA) g) Highest adjacent (finished) grade next to building (LA) h) Lowest adjacent grade at lowest elevation of deck or structural support SECTION D - SURVE Pertification is to be signed and sealed by a land surveyor action. I certify that the Information on this Certificate reperstand that any false statement may be punishable by fin	truction of L-V30, V and in item as a) throws that us, or encloded a control of the builties o	of the buildir (with BFE), / n A7. In Puer Verenugh h) belowed for the Besure floor) only) illding INGINEER, er, or architemy best effor	g is complete. AR, AR/A, AR/A to Rico only, e rtical Datum: v.	AE, AR/A1— Inter meters 929 NA Cr Cr Cr Sylaw to ce the data av	A30, AR/AH, S. ND 1988 neck the mea feet	AR/AO. Comple Other/Source: surement used. meters meters meters meters meters meters meters meters meters	ete Items		
This cinform	*A new Elevation Certificate will be required when const Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V3 C2.a-h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (Va) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment f) Lowest adjacent (finished) grade next to building (LA) g) Highest adjacent (finished) grade next to building (HA) h) Lowest adjacent grade at lowest elevation of deck or structural support SECTION D - SURVE	truction c L-V30, V d in item is a) thro is that us or enclo / Zones o g the buints) G) AG) r stairs, i EYOR, E EYOR, E e or impire were la	of the buildir (with BFE), An A7. In Puel A7. In Puel We bugh h) belowed for the Besure floor) only) silding INGINEER, er, or architemy best efforment unitarial.	g is complete. AR, AR/A, AR/A to Rico only, e rtical Datum: v.	AE, AR/A1— Inter meters 929 NA Ch Ch Ch If CT CER by law to ce the data avoide, Section Ction A provi	A30, AR/AH, S. ND 1988 neck the mea neck the nec	AR/AO. Comple Other/Source: surement used. meters meters meters meters meters meters meters meters meters	ete Items		
This cinform	*A new Elevation Certificate will be required when const Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a-h below according to the building diagram specifie Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment f) Lowest adjacent (finished) grade next to building (LA g) Highest adjacent (finished) grade next to building (HA h) Lowest adjacent grade at lowest elevation of deck or structural support SECTION D – SURVE Pertification is to be signed and sealed by a land surveyor mation. I certify that the Information on this Certificate reperstand that any false statement may be punishable by fine eck here if comments are provided of back of form.	truction of L-V30, V and in item as a) throw is that us as that us are recorded by the builties of the builtie	of the buildir (with BFE), An A7. In Puel A7. In Puel We bugh h) below sed for the Besure floor) only) silding INGINEER, er, or archite my best efforment un atitude and led and surve	g is complete. AR, AR/A, AR/A to Rico only, e rtical Datum: v.	AE, AR/A1— Inter meters 929 NA Ch Ch Ch If CT CER by law to ce the data avoide, Section Ction A provi	A30, AR/AH, S. ND 1988 neck the mea feet	AR/AO. Comple Other/Source: surement used. meters meters meters meters meters meters meters meters meters	ete Items		
This confine the c	*A new Elevation Certificate will be required when const Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V3 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (v d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment f) Lowest adjacent (finished) grade next to building (LA) g) Highest adjacent (finished) grade next to building (HA) h) Lowest adjacent grade at lowest elevation of deck or structural support SECTION D – SURVE Pertification is to be signed and sealed by a land surveyor nation. I certify that the information on this Certificate reperstand that any false statement may be punishable by fine eck here if comments are provided on back of form. eck here if attachments. Bier's Name LIAM E. MCDANIEL, P.S.M.	truction of L-V30, V and in item as a) throws that us a or encloded of the builties or implementation of the builties of the b	of the buildir (with BFE), / n A7. In Puer Venugh h) belowed for the Besure floor) only) dilding ENGINEER, er, or architemy best effortisonment unattude and led land surventy Name	g is complete. AR, AR/A, AR/A to Rico only, e rtical Datum: v.	AE, AR/A1— Inter meters 929 NA Ch Ch Ch Ch Ch Ch Ch Ch Ch C	A30, AR/AH, s. AVD 1988 eeck the mea feet	AR/AO. Comple Other/Source: surement used. meters meters meters meters meters meters meters meters meters	ete Items		
This confinement of the confinem	*A new Elevation Certificate will be required when const Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V3 C2.a–h below according to the building diagram specific Benchmark Utilized: Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (v d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Comment f) Lowest adjacent (finished) grade next to building (LA) g) Highest adjacent (finished) grade next to building (HA) h) Lowest adjacent grade at lowest elevation of deck or structural support SECTION D – SURVE Pertification is to be signed and sealed by a land surveyor nation. I certify that the information on this Certificate reperstand that any false statement may be punishable by fine eck here if comments are provided on back of form. eck here if attachments. GISTERED LAND SURVEYOR	truction of L-V30, V and in item is a) throw is that us or encloded a control of the control of	of the buildir (with BFE), / n A7. In Puer Venugh h) belowed for the Besure floor) only) dilding ENGINEER, er, or architemy best effortisonment unattude and led land surventy Name	g is complete. AR, AR/A, AR/A to Rico only, e rtical Datum: v.	PECT CER Style Manual Critical Control of the data avoide, Section A process No MAPP	A30, AR/AH, s. AVD 1988 eeck the mea feet	AR/AO. Comple Other/Source: surement used. meters meters meters meters meters meters meters meters meters	ete Items		

ELEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces	s, copy the correspond	929 (A)	FOR INSURANCE COMPANY USE			
Building Street Address (inclu 7127 S. DEER HAVEN		and/or Bldg. No.) or P.O. F	Route and Box No.	98	Policy Number:	
City SOUTHPORT	,	State FL	ZIP Code 32409	YalaThada	Company NAIC Number:	
S	ECTION D - SURVE	YOR, ENGINEER, OF	ARCHITECT CE	RTIFICATION (C	ONTINUED)	
Copy both sides of this Elevat	tion Certificate for (1) c	ommunity official, (2) ins	surance agent/comp	eany, and (3) building	g owner.	
Comments SECTION C2.	FEM E, IS AIR CON	IDITION PAD OUTSI	DE OF STRUCTU	JRE		
Signature	Coarl ante na rifle ani	Mar enter trade	Date 12/18/2	2013	et operative and the griffing in the	
SECTION E - BUILDI	NG ELEVATION INF	ORMATION (SURVE	Y NOT REQUIRED) FOR ZONE AO	AND ZONE A (WITHOUT BFE)	
For Items E1-E4, use natural	grade, if available. Che	eck the measurement us	ed. In Puerto Rico o	nly, enter meters.	F request, complete Sections A, B, and C.	
grade (HAG) and the lowe			boxes to snow whe	ther the elevation is	above or below the highest adjacent	
a) Top of bottom floor (incb) Top of bottom floor (inc			0	⊠ feet ☐ mete		
E2. For Building Diagrams 6–9			ction A Items 8 and			
the next higher floor (elev		ams) of the building is		☐ feet ☐ mete		
E3. Attached garage (top of si E4. Top of platform of machin		servicing the building is		☐ feet ☐ mete	그렇게 등하는 이 그 그 주에게 되게 살아갔다.	
	depth number is availal			accordance with th	e community's floodplain management	
s	SECTION F - PROPE	ERTY OWNER (OR O	WNER'S REPRES	ENTATIVE) CER	TIFICATION	
	s authorized representa	ative who completes Sec	tions A, B, and E for	Zone A (without a F	EMA-issued or community-issued BFE) or	
Property Owner or Owner's Au	thorized Representativ	e's Name	- Administration	acionario (T)	u o baser ma emelevan Smb-us	
Address		SAME THAT IS BUT	City	Sta	ate ZIP Code	
Signature	ATTACK AND A CONTRACTOR	nak in Ma Arwa Re Manualina ying unibersah	Date	Te	lephone	
Comments					The second secon	
					☐ Check here if attachments.	
trale	SECT	ION G – COMMUNIT	Y INFORMATION	(OPTIONAL)	real larger han all te, and Zo	
G of this Elevation Certificate.	Complete the applicable	e item(s) and sign below.	Check the measure	ment used in Items (e can complete Sections A, B, C (or E), and G8–G10. In Puerto Rico only, enter meters.	
 G1. ☐ The information in S who is authorized by G2. ☐ A community official G3. ☐ The following inform 	law to certify elevation completed Section E for	n information. (Indicate or a building located in Z	the source and date one A (without a FEN	e of the elevation da MA-issued or commu	licensed surveyor, engineer, or architect ata in the Comments area below.) unity-issued BFE) or Zone AO.	
G4. Permit Number	473 G5.1	Date Permit Issued	3 G6.	Date Certificate Of	Compliance/Occupancy Issued	
G7. This permit has been is:	sued for: New Co	nstruction Substa	antial Improvement		12	
G8. Elevation of as-built lower			THE STREET	☐ feet ☐ mete	Charles and the control of the contr	
G9. BFE or (in Zone AO) dept G10. Community's design floor	And the State of t	liding site:	3 Jese 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	☐ feet ☐ mete		
Local Official's Name	D TO THE OWNER	The tree in sixtingner to	Title		Welleng has dingling a visited of mark	
Community Name		T. I BOY 25 STOVED	Telephone		ation reconstruit (1966 25 167 17	
Signature	08	12/18/	7 Date			
Comments	~ 10 -	(W) (V)	ASIL MARKET STATE		Name of the second	
The Charles Committee				*		
Meets Bail	County f	od red	11/18	freeh	☐ Check here if attachments.	
FEMA Form 086-0-33 (7/12)	/ //	Dice.	w/ //	11.000	Replaces all previous editions	













