U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

FFMA Form 086-0-33 (7/12)

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

Replaces all previous editions

SECTION A – PROPERTY INFORMATION						FOR INSURANCE COMPANY USE	
A1. Building Owner's Name LYLE HARTKA						Policy Number:	
A2. Building Street Address (i 1957 ALLISON AVENUE SITE		Unit, Suite, and/or l	Bldg. No.) or P.O. F	Route and Box	No.	Company NAIC Number:	
City PANAMA CITY BEA	кСН,		State FL	ZIP Code	32407		
A3. Property Description (Lot PORTION OF SECTION 31, T					.R.B. 3029,PG 1033.		
 A4. Building Use (e.g., Reside A5. Latitude/Longitude: Lat. 3 A6. Attach at least 2 photogra A7. Building Diagram Number A8. For a building with a craw a) Square footage of craw b) Number of permanent or enclosure(s) within c) Total net area of flood d) Engineered flood oper 	0.18435 DEGR uphs of the build r 5 rlspace or enclowlspace or enclowlspace or enclowlspace or enclowlspace of the second flood openings 1.0 foot above openings in A& nings?	REES Long. 85.78 ding if the Certificat cosure(s): closure(s) s in the crawlspace adjacent grade 8.b Yes No	or an angle of the second of t	A9. For a a) S b) N w c) T d) E	urance. a building with an atta Equare footage of atta Jumber of permanent vithin 1.0 foot above a Total net area of flood Engineered flood oper	ached garage N/A sq ft flood openings in the attached garage adjacent grade N/A openings in A9.b N/A sq in nings?	
	SECTI	ION B – FLOOD	INSURANCE RA	TE MAP (FII	RM) INFORMATIO	N	
B1. NFIP Community Name & BAY COUNTY 120004	Community Nu	ımber	B2. County Name BAY			B3. State FL	
B4. Map/Panel Number 12005C0316	B5. Suffix H	B6. FIRM Index D 6/2/09	Effective/I	RM Panel Revised Date /2/09	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 14'	
☐ FIS Profile ☑ 11. Indicate elevation datum to the first profile ☐ 12. Is the building located in a Designation Date:	used for BFE in		/D 1929 ⊠ em (CBRS) area or	Other/Source: NAVD 1988 Otherwise Pro	☐ Other/Source:	Yes ⊠ No	
Designation Date:			☐ CBRS	☐ OPA			
Designation Date:	SECTION	C – BUILDING			(SURVEY REQUI	RED)	
 21. Building elevations are bas *A new Elevation Certificate 22. Elevations – Zones A1–A30 below according to the build Benchmark Utilized: BE076 Indicate elevation datum us 	ed on: [e will be require 0, AE, AH, A (will ding diagram set) 64 sed for the elev	Construction Draced when construction with BFE), VE, V1–N pecified in Item A7.	ELEVATION INF awings* on of the building is v30, V (with BFE), A In Puerto Rico only Vertical Datum: hrough h) below.	ORMATION Building Und complete. AR, AR/A, AR/ y, enter meters NAVD 88	(SURVEY REQUIF er Construction* AE, AR/A1–A30, AR/		
 21. Building elevations are bas *A new Elevation Certificate 22. Elevations – Zones A1–A30 below according to the build Benchmark Utilized: BE076 	ed on: [e will be require 0, AE, AH, A (will ding diagram set) 64 sed for the elev	Construction Draced when construction with BFE), VE, V1–N pecified in Item A7.	ELEVATION INF awings* on of the building is v30, V (with BFE), A In Puerto Rico only Vertical Datum: hrough h) below.	ORMATION Building Und complete. AR, AR/A, AR/ y, enter meters NAVD 88	(SURVEY REQUIF der Construction* AE, AR/A1–A30, AR/ s. ⊠ NAVD 1988 □ C		
21. Building elevations are bas *A new Elevation Certificate 22. Elevations – Zones A1–A30 below according to the build Benchmark Utilized: BE076 Indicate elevation datum us Datum used for building ele a) Top of bottom floor (inclu b) Top of the next higher flo c) Bottom of the lowest hor d) Attached garage (top of se) Lowest elevation of mace (Describe type of equipm	sed on: e will be require 0, AE, AH, A (will ding diagram signs 64 sed for the eleverations must be used for the eleverations are used for the eleveration are used for the eleverations are used for the eleveration are used for	Construction Draced when construction with BFE), VE, V1–V pecified in Item A7. The tentions in items a) the the same as that the transfer of the construction of the c	ELEVATION INF awings* on of the building is V30, V (with BFE), A Vertical Datum: hrough h) below. used for the BFE. hrclosure floor)	ORMATION Building Und complete. AR, AR/A, AR/ y, enter meters NAVD 88 NGVD 1929 19 N/ N/ N/ N/ 17	Check 14 A.	Finished Construction AH, AR/AO. Complete Items C2.a—h Other/Source: Item to the measurement used. Item to the measurem	
21. Building elevations are bas *A new Elevation Certificate 22. Elevations – Zones A1–A30 below according to the build Benchmark Utilized: BE076 Indicate elevation datum us Datum used for building ele a) Top of bottom floor (inclu b) Top of the next higher flo c) Bottom of the lowest hor d) Attached garage (top of se) Lowest elevation of mace (Describe type of equipm f) Lowest adjacent (finished) g) Highest adjacent (finished)	sed on: e will be require 0, AE, AH, A (will ding diagram sed) sed for the eleverations must be used for the eleverations must be used for the eleverations must be used for the eleverations must be used. Ed) grade next to the eleveration of the eleveration o	Construction Draced when construction with BFE), VE, V1–1 pecified in Item A7. The trace of the same as that the same as that the trace of the same as that the trace of the same as that the trace of the same as that the same as the same	ELEVATION INF awings* on of the building is v30, V (with BFE), v Vertical Datum: hrough h) below. used for the BFE. hclosure floor) es only) building	ORMATION Building Und complete. AR, AR/A, AR/ y, enter meters NAVD 88 NGVD 1929 19 N/ N/ N/ 17 16 16	Check 1.14 A A A A A A A.	Finished Construction AH, AR/AO. Complete Items C2.a-h Other/Source: to the measurement used. Geet meters feet meters	
21. Building elevations are bas *A new Elevation Certificate 22. Elevations – Zones A1–A36 below according to the build Benchmark Utilized: BE076 Indicate elevation datum us Datum used for building ele a) Top of bottom floor (inclub) Top of the next higher floor (b) Bottom of the lowest hor d) Attached garage (top of e) Lowest elevation of mace (Describe type of equipment) f) Lowest adjacent (finished)	sed on: e will be require 0, AE, AH, A (with the diagram section of the eleverations must be section of the eleveration of th	Construction Draced when construction with BFE), VE, V1–V pecified in Item A7. The the same as that the same as the same a	ELEVATION INF awings* on of the building is V30, V (with BFE), A Vertical Datum: hrough h) below. used for the BFE. hclosure floor) es only) building	ORMATION Building Und complete. AR, AR/A, AR/A, y, enter meters NAVD 88 NGVD 1929 19 N/ N/ 17 16 16 16 11 11 11 11 11 11	Check 1.14 A.	Finished Construction	
*A new Elevations are bas *A new Elevation Certificate 22. Elevations – Zones A1–A30 below according to the build Benchmark Utilized: BE076 Indicate elevation datum us Datum used for building ele a) Top of bottom floor (inclub) Top of the next higher floor (b) Top of the lowest hor d) Attached garage (top of e) Lowest elevation of mace (Describe type of equipment) f) Lowest adjacent (finished) Highest adjacent grade a	sed on: e will be require 0, AE, AH, A (will ding diagram size sed for the eleverations must be adding basement for size of the structure slab) hinery or equipment and location of grade next to the six lowest elevation of the six lowest elevations.	Construction Draced when construction with BFE), VE, V1—1 pecified in Item A7. The training in items a) the end of the same as that the training items and the same as that the training items and the training items are servicing the continuous continuous and the training items are servicing the continuous continuous and the training items are servicing the continuous continuous and the training items are servicing the continuous continuous and the training items are servicing the continuous and the training items are serviced as a serviced as a serviced as a serviced and the training items are serviced as a serv	ELEVATION INF awings* on of the building is V30, V (with BFE), In Puerto Rico only Vertical Datum: brough h) below. a used for the BFE. closure floor) es only) building s, including structure R, ENGINEER, C	ORMATION Building Und complete. AR, AR/A, AR/ y, enter meters NAVD 88 NGVD 1929 19 N/ N/ N/ 17 16 16 16 18 DR ARCHITE	CHECK CERTIFICATIO	Finished Construction AH, AR/AO. Complete Items C2.a-h Other/Source: A the measurement used. A feet	
21. Building elevations are bas *A new Elevation Certificate 22. Elevations – Zones A1–A30 below according to the build Benchmark Utilized: BE076 Indicate elevation datum us Datum used for building ele a) Top of bottom floor (inclu b) Top of the next higher flo c) Bottom of the lowest hor d) Attached garage (top of se) Lowest elevation of mace (Describe type of equipm f) Lowest adjacent (finished) g) Highest adjacent (finished)	sed on: e will be require 0, AE, AH, A (will ding diagram signature) sed for the elevievations must be used for the elevievations must be used for the elevievations must be used by the sed of the se	Construction Draced when construction with BFE), VE, V1—1 pecified in Item A7. The training in items a) the pecified in Item A7. The training in items a) the pecified in Item A7. The training items as that the training items as the pecifical member (V Zone and Items	ELEVATION INF awings* on of the building is V30, V (with BFE), A Vertical Datum: through h) below. It used for the BFE. Inclosure floor) as only) building building s, including structure R, ENGINEER, C engineer, or archite sents my best effort or imprisonment ur Were latitude and licensed land surv DRAGON LAND SU TY, St	ORMATION Building Und complete. AR, AR/A, AR/A, Y, enter meters NAVD 88 NGVD 1929 19 N/ N/ N/ 17 16 16 16 16 16 18 support Ct authorized bets to interpret tinder 18 U.S. Colongitude in Seeyor?	Check 14 A.	Finished Construction	

See reverse side for continuation

ให้เรา และกระการกรางกรียกการเสียกใช้ โดยสีเสียระการเสียสัย

िंग को एक भी के बेनेन एक देता के किए हैं। इस के प्राथम की के बेनेन एक देवा के स्वाप के स्वाप के स्वाप के स्वाप के स्वाप के स्वाप की स्वाप की स्वाप की स्

า (27) และ คลาด (3) เดิม (4) เกิด (3) เกิด (3) เกิด (3) เกิด (3) เกิด (3) เกิด (4) เกิด (4) เกิด (4) เกิด (4) การหลาย (4) เกิด (4) เกิด (3) เกิด (3) เกิด (4) เกิด (4)

THE THE PARTY OF T ্যান্ত্ৰীৰ প্ৰায়েশ্বৰ বিশ্বৰ প্ৰত্যুত্ত সমূহৰ প্ৰত্যুত্ত সাহাৰ প্ৰত্যুত্ত কৰিব কৰিব প্ৰত্যুত্ত কৰিব কৰিব প্ৰত THE CAN SHOW THE CHAPTER TO A PROPERTY OF THE COMMENT

ungern perti baah amusa na kelilungan kum peter Masid serbingan sahuluan ilomi, pelindamah Malig sebelang kepul ilah and the expense the Constitution in North

September 1981 and the September 1985 and the

Događeni filozofi

of property and selection and the control of $\mathcal{Q} \to \mathcal{Z}$ legical grant ingredied to republican herbitanistic out News, add a fil Western to could not be than oil fordism ... in particle of figure at the substitute of a religious of the configuration to

read [The defining street in weaking of the

19 명이 기계 환경 사람 34 대학 기계 : 현 경기 환경한 20명 ~ 20명 ~ 20 전기 arte kanting i atau kolo papita kisor bita kalabi i 1951 talipa vetis at lai je kari sekit setolik izotek ag કેર્લ્સ જાણકાર 👸 🧢 👙 જાણકારિયોના જાણકાર 🙄

🔔 benderation 🔯 – bendario (1) in th tariful of his mounted argeneration is entirely manifold for a pentheride stagment. The beautic passes

Conformers Listary publication (47)

una de grande dos la articidade de la resta de articidade primer de destar de articidade en la composiçõe de destar de qual e ายเสียงและ โดยใกล้วาย (รีโยโก้) ที่ พ. ครุ การโลยโดยการและ แบบการโลยไพ้ทยาสารใจเรากา

have because of the other

morral [15.1.1 and the 🛄 18 3 E 17 1 1 1

2001-01 10.4 (3) 1,1457,00

t and complete constraints and great great great for the majority of the company of the great state of િકાર ઉપાય પ્રાપ્યાન કરિયાન એ નાર્ગ પૂર્ણ કુંકાર હતાકી ઘરવું હતી. જ નુકા હાલ્યું જે જેવી જોઇ વાર્લા, કુંકાર ના

THE PERSON RECEIVED AND A DE

THE WARRY SHOWS BUTTON

การเก็บเรียง เกิด เราะ เก็บเลยาการเก็บเลยี่ เลยเป็นสิทธิ์

har in the secretary painters and the second

างการออกเดิงเป็นเห็น เกิดการเกี่ยงรู้

្នុងក្រស់នេះ ស្រាស់ កែសស់ ដូច្នេះក្រស់ សម្រាស់ ដូច្ចាំងនិក សេស៊ី

or acedel and believe

ាន មី តែ មានរបស់ ដែក មី សំខាំង ក្នុង ក្នុង ក្

garafii kabusa bebesara sa

ត្រូវតាមប្រើក្រុម ម៉ែន គឺ និង គឺ

production of the second state of

august aine in navainne eirgdachi athrope (1904) and the case was the damping the second of the second of

Street to high I I let the I do the new to the section of the contract

Example and the title water a material real reference effects and professional contributions of าเรียกรับ บางเดือนเทราะน้ำ คนาดเดียกให้ โดยสาราเกาะเดือนที่สาราชานาดให้สาราชานาดให้

A trail on a trace of her to the engine of parts and participation of the parts of

graduation of a remarking application environments are con-

Caratta yang tang basis day A

from a stable transposition was a following a following specific to the first constant of the first constant of

je ne man i di daesur i na dajuria i el agin estanció

BALL (Altera Hiller) Harry harry and read suffer to

pulse handsharing their storing conditioning eigenstations

भिन्नको स्टब्स्ट अन्तर्भ स्टब्स्ट अन्तर्भ

	_			
IMPORTANT: In these spaces, c	FOR IN	SURANCE COMPANY USE		
Building Street Address (including Apt. 1957 ALLISON AVENUE SITE 164	, Unit, Suite, and/or Bldg. No.) or P.O. Route ar	d Box No.	Policy I	Number:
City PANAMA CITY BEACH,	State FL	ZIP Code 32407	Compa	ny NAIC Number:
SECTION	D – SURVEYOR, ENGINEER, OR ARCH	ITECT CERTIFICATIO	N (CONTINU	JED)
Copy both sides of this Elevation Certif	ficate for (1) community official, (2) insurance ag	gent/company, and (3) bui	ilding owner.	
Comments THE EQUIPMENT LISTER	D IN ITEM C2E IS AN AIR CONDITIONER.			
Signature	Date	2/21/14		
SECTION E – BUILDING ELEV	VATION INFORMATION (SURVEY NOT F	REQUIRED) FOR ZON	IE AO AND Z	ONE A (WITHOUT BFE)
and C. For Items E1–E4, use natural g E1. Provide elevation information for grade (HAG) and the lowest adja a) Top of bottom floor (including the bound of the lowest and the bound of the lowest and the lowest adjac and	basement, crawlspace, or enclosure) is basement, crawlspace, or enclosure) is	d. In Puerto Rico only, ent to show whether the eleva	ter meters. ation is above of ters above eters above	or below the highest adjacent or below the HAG. or below the LAG.
(elevation C2.b in the diagrams) of E3. Attached garage (top of slab) is E4. Top of platform of machinery and E5. Zone AO only: If no flood depth is		neters	elow the HAG.	□ below the HAG.
The second secon	F – PROPERTY OWNER (OR OWNER'S		CEDTIFICAT	TION
or Zone AO must sign here. The statem	red representative who completes Sections A, E nents in Sections A, B, and E are correct to the		out a FEMA-ISS	ued or community-issued BFE)
Property Owner's or Owner's Authorize	d Representative's Name			
Address .	City		State	ZIP Code
Signature	Date		Telephone	
Comments				
				☐ Check here if attachments.
	SECTION G – COMMUNITY INFOR	MATION (OPTIONAL	1	
The local official who is authorized by law	or ordinance to administer the community's flood applicable item(s) and sign below. Check the me	plain management ordina	nce can comple	ete Sections A, B, C (or E), and G
31. ☐ The information in Section C w	vas taken from other documentation that has be elevation information. (Indicate the source and	en signed and sealed by	a licensed surv	veyor, engineer, or architect who
•	d Section E for a building located in Zone A (wit			
	ns G4–G10) is provided for community floodplai			Columnic Biologic - Mode • Indicate in column by the day column broaders
G4. Permit Number MH 14 - 0012	G5. Date Permit Issued	G6. Date Certificate	17-111	e/Occupancy Issued
G7. This permit has been issued for:	New Construction ☐ Substantial Ir			
G8. Elevation of as-built lowest floor (in	cluding basement) of the building:	_	rs Datum	1
G9. BFE or (in Zone AO) depth of flood	ing at the building site:	_ feet meter	rs Datun	1
G10. Community's design flood elevation	ı:	_	rs Datun	1
Local Official's Name	Т	itle		
Community Name	Ţ	elephone		
Signature	D	ate		
Addition to M.	H Park.			Check here if attachments.

ELEVATION CERTIFICATE, page 3

Building Photographs

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1957 ALLISON AVENUE SITE 164

City PANAMA CITY BEACH.

State FL

ZIP Code 32407

FOR INSURANCE COMPANY USE

Policy Number:

Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

FRONT VIEW 2/20/14



ELEVATION CERTIFICATE, page 4

Building Photographs Continuation Page

IMPORTANT: In these spaces, copy the correspon	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or B 1957 ALLISON AVENUE SITE 164	Policy Number:		
City PANAMA CITY BEACH,	State FL	ZIP Code 32407	Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.

REAR VIEW 2/20/14

