#### U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

### **ELEVATION CERTIFICATE**

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE			
A1. Building Owner's Name D.R. Horton, Inc.	Policy Number:			
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 4906 Barett Way	Company NAIC Number:			
City Panama City State FL ZIP Code 32404				
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Lot 22, Cedar Branch Parcel ID # 05840-200-022				
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.  A7. Building Diagram Number 1B  A8. For a building with a crawlspace or enclosure(s):  A9. For a building with an atta  A9. For a building with an atta  By Square footage of crawlspace or enclosure(s)  A9. For a building with an atta  By Square footage of attached by Square footage of	ched garage 420 sq ft flood openings in the attached garage adjacent grade 0 openings in A9.b 0 sq in nings?			
B1. NFIP Community Name & Community Number Bay County 120004  B2. County Name Bay	B3. State Florida			
B4. Map/Panel Number 12005C0356 B5. Suffix H B6. FIRM Index Date Effective/Revised Date 06/02/2009 B7. FIRM Panel Effective/Revised Date 06/02/2009 A	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 48'			
Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.  FIS Profile FIRM Community Determined Other/Source:  Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:  Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No Designation Date: CBRS OPA				
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIF	RED)			
21. Building elevations are based on:  Construction Drawings*  Building Under Construction*  Finished Construction  *A new Elevation Certificate will be required when construction of the building is complete.  22. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: 46-03-D04V  Vertical Datum: NAVD 88  Indicate elevation datum used for the elevations in items a) through h) below.  Datum used for building elevations must be the same as that used for the BFE.				
Check	the measurement used.			
a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building  (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)  h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support  47.4	☑ feet       ☐ meters         ☐ feet       ☐ meters         ☑ feet       ☐ meters			
SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevations.	JN			
	ion			

Civilis No. 1660 0010 Expiration Decardiny 01 2015			run filorida A brez anslegal	General Agenc	gart orangad mot amenda Amam Yongbork (galebila) Bang Habilalah
المستقد المست	The same of the sa	rangement of the Committee of the Commit	and the control of th	Maria delicardo e delabor delaboleción e acestado e	g a guerra i se a como megangora, a comercigações mesas residendo de
Tour work of the Boundary of the	HOTALFO	HEVERSONS -	AMOITORE	n gan same cent year, is seen is a seen of the seen of	and the second s
acinate volos	İ				All Belieby Owe it a Naco
Charge of CMAD Placed	.Bos ilo.	t) or 2.0. Route and	Unit, Schellandfor Stap, No	s (includit , Apt	หูรW มีอาร์ซี จิแลัก
нарос — у у ст. Вистру нароски информации (Время стеновую (ВВ 15 у В 1888 год), 1918 (1914) (1914)	20de 32404	State RL - 23P (			City Panoma City
The second secon	()	l agai Description, ei	mbaro, T. v. Parcei Romber 1949-200-022	M W 512 513 50. 30 4 00 (£135)	A3. Property Dend (Hond Lut 27. Cedar Branco
v [] N#D 1927 [3] NAO 385	: deficient of the control of the co	g us at to chlain floc	iding if the Curtinovie is less	. <b>30'14'10' 41''N</b> grophs of the but but 1 <u>12</u>	AG Letter Glendenung La
Josef gerago <u>(20</u> senti- fleed speedings in the effectived gerago replicant preser — 0 speedings in ASIS — — ag in	a). Square footage of alta	fi va ni pa	Q-/ 3/4 (a)yo wanta cong p wanta anti ni an 3/4/3/4 (a) biyo anti ni an g-ANI (a) biyo anti na anti n	ne nu epude un en ent flood openiup ma 1.0 idel openium en openiums in 2	a particular designation of contraga of comments of comments of comments of contragation of co
ا م الما در مناه الماد الماد المعاول والمناهد المعطال الميورد المياورية الرواز مادي المادار الروازي	The second section of the second seco	and a second residence of the second	HUSHI GOODI - C HO!	ren Karana eri ana daran dan arangan arang eri arang a	The second second is the second secon
नावर ५ <u>८</u> इप्रकार	Agents with a first sign in a part of the Control Con	snevi vi u			81. 1775 Community Name Bay Crooks 120004
:10 Specificos Elevation(c) (Zone AC), use base icco dept.) 48'		57, CIRW Panel EffectiverRevised L 06,05/2006	BC FIRM index bate 09/02/2009	25. Sumx Fi	63 1 (185-1230) Number - 26-1500566
	in Kem B9.	flood depth entered	esid of also (BFR) data of bas-	ille Base Flace 9	TO Hadisals the source of t
	100101	(2) Chariff	Community Determined	мял 📋	minara 314 🗍
oin 🖽 💮 📆	Protoced Area (OPA)?		ier Resources System (CBF	n e Coastal Stan	Fig. Scalente elevation azera VID: is the building renaled i Designation Data:
	ION (SURVEY REQUE	TION INPORTAL	NO GULDING ELEVA	iorrosio	, un section de l'année de la communité des la communité de la communité des la communité de  la communité de  la communité des la communité des la communité des la communité de  la communité des la communité de la communité de la communité de la communité des la communité de la communité de la communité de la communité des la communité de la communité de la communité de la communité des la communité des la communité des la communité de la communité des la communité des la communité des la communité des la communité de la communité de la communité de la communité des la communité de  la communité de la communité des la communité
Fig. 8 dished Constantison     Fig. 6 AnAO, Complete Name C? & n	ARIAC, ARIA1-AGO, ARI	building is complete with BPE), SR. ARIA	Conseque to chawings feet was a state of the winds of the with 1960 of the Way West and the specifical to the consequence of th	liungi ed ha. St.: N.K. JA (HA 100A	Gistoriano II – Janearo Ata
		cal <b>O</b> atom_ <u>NAVO J</u> i			Eği ibasibiri Asmolomell
ମ କ <b>୍ଷର</b> ଓଡ଼ିଆ କଥାଚିତ୍ର ।	) [1] <b>8</b> 9 <b>9: C</b> VAN 및 <b>9</b> 59		vations in Jame c) through I be the same as that used fo		
best memorinessar set v	iocata	_1 11 1 12 12 18	ar was a some on entire and over	2 - 0 - 11 - 12 (1 <del>0 1 2 2 2 2 1 0 1</del>	generalist salak teratis
(2) feet 및 moore (2) feet 및 moore (2) feet 및 maters (2) feet 및 maters)	. 50 6 <u>9.</u> . 144 . 149. 35.	(100f)	eni, glada ta Jeas io well <mark>o ji</mark> n Jai monuec 27 ("pale onlogi	riloon redicontal structu of Habl	ocital bica estato qoʻt (c. Laci art arti to moti. 8-r qot) egarap harba. A (b.
carriage (***) Lans Fill	ନ୍ଦ୍ର ଅଧ		establed or the common topics	arres are alread	en la main ainte tamen i la

१७३१ 🖾 ...47.... 1) Lowest adjacent flinished) gradition to boulding (LAVA): .33<u>6</u> .276 189: 👸 g) Highest adjecent (finished) gredo rickt to building (HMs)

or architeot otraffication	ENGINEER	JOYE JAUS - C	SECTION:
----------------------------	----------	---------------	----------

ī	r langiceat, of an niledi arrinorizzo i y law to certify elevater	agavasa bhai <b>a yd belelea bha bengis a</b> d eilar agasadh a bh
		tion assemt the cities that the himnership on this Certificate rep
		ant astend that any totse statement mey be punichable by S
	Were kinude and combude in Section A architical and	"Edited: here is commants are or vided on book of forch

L)	South this to	nound in a	១៩៧ភូក១. ១កន <b>១០០រ</b> ាន: ១១០០៤	Follociti nere a commanis are provided on poor of each	ار ا
	ali 🔲	ebY 🛄	Proyectus bast been col.	thems, it is never some source	_;
	180	uniiei L\$39	Licensa N	Prior a Marine Baryton O Redicatore	

	•	-	The control of the co		
•	_	,	108664 (807029) 5703.84		ুলীলেও মিল্লানৰ ঐল্লেক্ডৰ 🔾 মিটোলেলেল
			cal JPMM asteic	Company Maine I SCP & Assoc	មាន <b>ទ</b> ើនដោយ
و محمد و درو	:	i	ा १६८० स्टेड जिल्ला होते । जाता स्थापना विकास । स्थापना स्थापना स्थापन	CRY Lynn Haven	830 Yes 04 64 04 050
			Telaphone 850-265-3570	0.869 07734701A	• • • • • • • • •
			The state of the s	The second section and the second	to the section of the companies of the control of the figure of the control of th



eletara 🔲

(Chasenbe type of equipment and rodedon in Original):

ELEVATION CERTIFICATE, pa	ige 2			
IMPORTANT: In these spaces, c	opy the corresponding information from	Section A.		FOR INSURANCE COMPANY USE
Building Street Address (including Apt. 4906 Barett Way	, Unit, Suite, and/or Bldg. No.) or P.O. Route and	Box No.		Policy Number:
City Panama City	State FL Z	ZIP Code 324	04	Company NAIC Number:
SECTION	D - SURVEYOR, ENGINEER, OR ARCHIT	ECT CERTII	FICATION (CC	ONTINUED)
	ficate for (1) community official, (2) insurance ager	And the second second second second		
Comments C2.e) Elevation taken of	bottom of HVAC unit C2.h) No stairs/steps have	been installed	I. Elevation was	taken at approximate location of stairs
<u>Q</u>				
Signature Skipper C Rutherford		7/24/2014		
SECTION E - BUILDING ELEV	VATION INFORMATION (SURVEY NOT RE	QUIRED) F	OR ZONE AO	AND ZONE A (WITHOUT BFE)
and C. For Items E1–E4, use natural g E1. Provide elevation information for grade (HAG) and the lowest adja a) Top of bottom floor (including b) Top of bottom floor (including b) Top of bottom floor (including left) E2. For Building Diagrams 6–9 with proceedings (elevation C2.b in the diagrams) E3. Attached garage (top of slab) is E4. Top of platform of machinery and E5. Zone AO only: If no flood depth is	basement, crawlspace, or enclosure) isbasement, crawlspace, or enclosure) isbermanent flood openings provided in Section A Ite of the building is feet met	In Puerto Rico show whether fee fee ems 8 and/or 9 ers delowed feet feet elevated in acc	the elevation is  the elevation is  the elevation is  the meters  elevation elevatio	above or below the highest adjacent above or below the HAG. above or below the LAG. of Instructions), the next higher floor e HAG. ove or below the HAG.
	F – PROPERTY OWNER (OR OWNER'S R			IFICATION
	ted representative who completes Sections A, B, and E are correct to the be			MA-issued or community-issued BFE)
Property Owner's or Owner's Authorize	d Representative's Name			
Address	City	The second second	State	ZIP Code
Signature	Date		Telepho	one
Comments				☐ Check here if attachments
	SECTION G - COMMUNITY INFORM	The second second second		Direction of the second
The local official who is authorized by law of this Elevation Certificate. Complete the	or ordinance to administer the community's floodpla applicable item(s) and sign below. Check the meas	ain manageme surement used	ent ordinance car in Items G8–G10	complete Sections A, B, C (or E), and G D. In Puerto Rico only, enter meters.
is authorized by law to certify e G2. \( \square\) A community official completed	vas taken from other documentation that has been elevation information. (Indicate the source and daind Section E for a building located in Zone A (withous G4–G10) is provided for community floodplain r	te of the eleva ut a FEMA-iss	tion data in the ( ued or communi	Comments area below.)
G4. Permit Number - 0693	G5. Date Permit Issued  8-22-13		ertificate Of Com	pliance/Occupancy Issued
G7. This permit has been issued for: G8. Elevation of as-built lowest floor (in G9. BFE or (in Zone AO) depth of flood G10. Community's design flood elevation	ing at the building site:	☐ feet	☐ meters ☐ meters ☐ meters	Datum Datum Datum
Local Official's Name	Title	)		
Community Name	Tele	phone		
Signature 2.8. 9	1/16/14 Date	9		
Comments Appa oved				☐ Check here if attachments

FEMA Form 086-0-33 (7/12)

Replaces all previous editions.

#### **ELEVATION CERTIFICATE**, page 3

## **Building Photographs**

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 4906 Barett Way

City Panama City

State FL

ZIP Code 32404

FOR INSURANCE COMPANY USE

Policy Number:

Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Left Side View




#### **ELEVATION CERTIFICATE**, page 4

# Building Photographs Continuation Page

IMPORTANT: In these spaces, copy the corresponding	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. N 4906 Barett Way	Policy Number:		
City Panama City	State FL	ZIP Code 32404	Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Right Side View

