## U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY

National Flood Insurance Program

1

## **ELEVATION CERTIFICATE**

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

SECTION A – PROPERTY INFORMATION			FOR INSURANCE COMPANY USE	
A1. Building Owner's Name HERBERT W. REED			licy Number:	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or PO. Route and Box No. 6937 PENNY ROAD			ompany NAIC Number:	
City PANAMA CITY	State FL		Code 32404	
A3. Property Description (Lot and Block Numbers, Tax Parce PARCEL ID#05622-010-010, A PORTION OF S	ECTION 34, TOWNSHIP 2 S	OUTH, RANGE 13 WE	EST	
A4. Building Use (e.g., Residential, Non-Residential, Addition A5. Latitude/Longitude: Lat. N.30d16'33"  A6. Attach at least 2 photographs of the building if the Cert A7. Building Diagram Number 5	Long. W 85d32'03"	Horizontal Da	tum: □ NAD 1927 ☑ NAD 1983	
A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s)	A I / A	for a building with an attac a) Square footage of attac		
<ul> <li>No. of permanent flood openings in the crawlspace of enclosure(s) within 1.0 foot above adjacent grade</li> <li>Total net area of flood openings in A8.b</li> </ul>	NIA	<ul> <li>Number of permanent f within 1.0 foot above ac</li> <li>Total net area of flood of</li> </ul>		
d) Engineered flood openings? ☐ Yes ☒ No		Engineered flood openi	· • ·	
SECTION B - FLOO	INSURANCE RATE MAP	FIRM) INFORMATION		
B1. NFIP Community Name & Community Number BAY COUNTY 120004	B2. County Name BAY		B3. State FLORIDA	
B4. Map/Panel Number B5. Suffix B6. FIRM Index	Date B7. FIRM Panel Effection Revised Date		B9. Base Flood Elevation(s) (Zone AO, use base flood depth)	
12005C0243 H 06/02/200 B10.Indicate the source of the Base Flood Elevation (BFE) da		A A	46	
☐ FIS Profile ☐ FIRM ☒ Community Determined  B11. Indicate elevation datum used for BFE in Item B9: [  B12. Is the building located in a Coastal Barrier Resources S  Designation Date:/ ☐ CBR	☐ Other/Source:	8	] Yes  ⊠ No	
SECTION C – BUILDIN	G ELEVATION INFORMATIO	N (SURVEY REQUIRE	D)	
C1. Building elevations are based on: ☐ Construction *A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1	ruction of the building is comple -V3O, V (with BFE), AR, AR/A, AF	der Construction*  te.  A/AE, AR/A1–A30, AR/AH,	Finished Construction	
*A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a-h below according to the building diagram specifie	ruction of the building is comple -V30, V (with BFE), AR, AR/A, AF d in Item A7. In Puerto Rico only	der Construction*  te.  A/AE, AR/A1–A30, AR/AH,	Finished Construction	
*A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie	ruction of the building is comple  -V30, V (with BFE), AR, AR/A, AF  d in Item A7. In Puerto Rico only  Vertical Datum  a a) through h) below.	der Construction* te.  K/AE, AR/A1-A30, AR/AH, enter meters.  NAVD88 EL 33.87  1929 NAVD 1988	Finished Construction  AR/AO. Complete Items  Other/Source:	
*A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: 46-03-A02G Indicate elevation datum used for the elevations in item	ruction of the building is comple  -V30, V (with BFE), AR, AR/A, AF d in Item A7. In Puerto Rico only  Vertical Datum s a) through h) below.  NGVD s that used for the BFE.	der Construction*  te.  AAE, AR/A1–A30, AR/AH, enter meters.  NAVD88 EL 33.87  1929 NAVD 1988  Check the mea  7	Finished Construction  AR/AO. Complete Items	
*A new Elevation Certificate will be required when const  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: 46-03-A02G  Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a  a) Top of bottom floor (including basement, crawlspace,	ruction of the building is comple  -V30, V (with BFE), AR, AR/A, AF d in Item A7. In Puerto Rico only  Vertical Datum s a) through h) below.  NGVD s that used for the BFE.  or enclosure floor)  48.  N/A.  Zones only)	der Construction*  te.  A/AE, AR/A1—A30, AR/AH, enter meters.  NAVD88 EL 33.87  1929 NAVD 1988  Check the mea  7  feet	Finished Construction  AR/AO. Complete Items  Other/Source:  surement used.  meters	
*A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: 46-03-A02G Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (v d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing	vection of the building is comple  -V30, V (with BFE), AR, AR/A, AF d in Item A7. In Puerto Rico only  Vertical Datum s a) through h) below.  NGVD s that used for the BFE.  or enclosure floor)	der Construction*  te.  A/AE, AR/A1—A30, AR/AH, enter meters.  NAVD88 EL 33.87  1929 NAVD 1988  Check the mea  7	Finished Construction  AR/AO. Complete Items  Other/Source:  surement used.  meters meters	
*A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specifie Benchmark Utilized: 46-03-A02G Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (v d) Attached garage (top of slab)	vection of the building is comple  -V30, V (with BFE), AR, AR/A, AF d in Item A7. In Puerto Rico only  Vertical Datum s a) through h) below.  NGVD s that used for the BFE.  or enclosure floor)  N/A  Zones only)  N/A  N/A  the building ts)  45.	der Construction*  A/AE, AR/A1—A30, AR/AH, enter meters.  NAVD88 EL 33.87  1929 NAVD 1988  Check the mea  7	Finished Construction  AR/AO. Complete Items  Other/Source:  surement used.  meters meters meters meters meters	
*A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a–h below according to the building diagram specific Benchmark Utilized: 46-03-A02G  Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (v d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin, (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAI g) Highest adjacent grade at lowest elevation of deck or	ruction of the building is comple $\sim$ V30, V (with BFE), AR, AR/A, AF d in Item A7. In Puerto Rico only $\sim$ Vertical Datum S a) through h) below. $\sim$ NGVD is that used for the BFE. or enclosure floor) $\sim$ 48. $\sim$ N/A. Zones only) $\sim$ N/A. $\sim$ N/A. $\sim$ the building ts) $\sim$ 45. $\sim$ G) $\sim$ 45.	der Construction*  A/AE, AR/A1—A30, AR/AH, enter meters.  NAVD88 EL 33.87  1929 NAVD 1988  Check the mea  7	Finished Construction  AR/AO. Complete Items  Other/Source:  surement used.  meters meters meters meters meters meters meters meters	
*A new Elevation Certificate will be required when const  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a-h below according to the building diagram specifie Benchmark Utilized: 46-03-A02G  Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a  a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (v d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin, (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAI g) Highest adjacent grade at lowest elevation of deck or structural support	ruction of the building is comple  -V30, V (with BFE), AR, AR/A, AF d in Item A7. In Puerto Rico only  Vertical Datum s a) through h) below.  NGVD s that used for the BFE.  or enclosure floor)  48.  Xones only)  N/A.  Xones only)  N/A.  Ithe building ts)  Stairs, including  N/A.	der Construction*	Finished Construction   AR/AO. Complete Items	
*A new Elevation Certificate will be required when const  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a-h below according to the building diagram specifie Benchmark Utilized: 46-03-A02G  Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (v d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin, (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAI g) Highest adjacent (finished) grade next to building (HAI h) Lowest adjacent grade at lowest elevation of deck or structural support  SECTION D – SURVE	ruction of the building is comple  -V30, V (with BFE), AR, AR/A, AF d in Item A7. In Puerto Rico only  Vertical Datum s a) through h) below.  NGVD s that used for the BFE.  or enclosure floor)  48.  Xones only)  N/A.  Xi the building ts)  Stairs, including  N/A.  YOR, ENGINEER, OR ARCH esents my best efforts to interprese	der Construction*  A/AE, AR/A1—A30, AR/AH, enter meters.  NAVD88 EL 33.87  1929 NAVD 1988  Check the mea  7	Finished Construction   AR/AO. Complete Items   Other/Source:     Other/Source:     surement used.	
*A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a-h below according to the building diagram specific Benchmark Utilized: 46-03-A02G Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (v d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAC g) Highest adjacent (finished) grade next to building (HAC h) Lowest adjacent grade at lowest elevation of deck or structural support  SECTION D – SURVE This certification is to be signed and sealed by a land information. I certify that the Information on this Certificate rep I understand that any false statement may be punishable by fin Check here if comments are provided on back of form.	ruction of the building is comple  -V30, V (with BFE), AR, AR/A, AF d in Item A7. In Puerto Rico only  Vertical Datum S a) through h) below. NGVD S that used for the BFE.  or enclosure floor)  A8.  N/A  Zones only)  N/A  N/A  Ithe building Sts)  S G  Stairs, including  VOR, ENGINEER, OR ARCH Lengineer, or architect authorize See or imprisonment under 18 U.S.  Were latitude and longitude in Silicensed land surveyor?	der Construction*  te.  I/AE, AR/A1—A30, AR/AH, enter meters.  NAVD88 EL 33.87  1929 NAVD 1988 Check the mea  7 Neck the mea  8 feet  Meet  Me	Finished Construction   AR/AO. Complete Items   Other/Source:     Other/Source:     surement used.	
*A new Elevation Certificate will be required when const  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a-h below according to the building diagram specifie Benchmark Utilized: 46-03-A02G  Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (v d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAI g) Highest adjacent (finished) grade next to building (HAI h) Lowest adjacent grade at lowest elevation of deck or structural support  SECTION D - SURVE This certification is to be signed and sealed by a land surveyo information. I certify that the information on this Certificate rep I understand that any false statement may be punishable by fin  Certifier's Name WILLIAM E. MCDANIEL, P.S.M.	ruction of the building is comple  -V30, V (with BFE), AR, AR/A, AF d in Item A7. In Puerto Rico only  Vertical Datum s a) through h) below.  NGVD s that used for the BFE.  or enclosure floor)  48.  Xones only)  N/A.  Xones only)  N/A.  Ithe building  N/A.  Stairs, including  N/A.  VOR, ENGINEER, OR ARCH Legents my best efforts to interprese or imprisonment under 18 U.S.  Were latitude and longitude in Silcensed land surveyor?	der Construction*  te.  A/AE, AR/A1—A30, AR/AH, enter meters.  NAVD88 EL 33.87  1929 NAVD 1988 Check the mea  7 Seet  Feet  Feet  1 Seet  4 Seet  1 Feet  1 Seet  1 Se	Finished Construction   AR/AO. Complete Items   Other/Source:     Other/Source:     surement used.	
*A new Elevation Certificate will be required when const  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1 C2.a-h below according to the building diagram specifie Benchmark Utilized: 46-03-A02G Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a  a) Top of bottom floor (including basement, crawlspace, b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (v) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LAI g) Highest adjacent (finished) grade next to building (HAI h) Lowest adjacent grade at lowest elevation of deck or structural support  SECTION D – SURVE This certification is to be signed and sealed by a land surveyo information. I certify that the information on this Certificate rep I understand that any false statement may be punishable by fin Check here if comments are provided on back of form. Certifier's Name	ruction of the building is comple  -V30, V (with BFE), AR, AR/A, AF d in Item A7. In Puerto Rico only  Vertical Datum s a) through h) below.  NGVD s that used for the BFE.  or enclosure floor)  48.  Xones only)  N/A.  Xones only)  N/A.  Ithe building  N/A.  Stairs, including  N/A.  VOR, ENGINEER, OR ARCH engineer, or architect authorize events my best efforts to interprese or imprisonment under 18 U.S.  Were latitude and longitude in Silcensed land surveyor?	der Construction*  te.  A/AE, AR/A1—A30, AR/AH, enter meters.  NAVD88 EL 33.87  1929 NAVD 1988  Check the mea  7 Neet  feet  Neet  feet  A peet  feet  feet  feet  A peet  feet  A peet  Feet  Feet  A peet  Feet  Feet  Feet  A peet  Feet  Fee	Finished Construction   AR/AO. Complete Items   Other/Source:     Other/Source:     surement used.	

## **ELEVATION CERTIFICATE**, page 2

	the corresponding information from Secti			FOR INSURANCE COMPANY USE	
uilding Street Address (including A 6937 PENNY ROAD	pt., Unit, Suite, and/or Bldg. No.) or P.O. Ro	ute and Box No.	089	Policy Number:	
PANAMA CITY	State FL	ZIP Code 32404	TESS W TE	Company NAIC Number:	
	ON D SURVEYOR, ENGINEER, OR A		RTIFICATION (CO	ONTINUED)	
	ertificate for (1) community official, (2) insur				
omments SECTION C2. ITEM	E, NO AIR CONDITION PAD OUTSID	E OF STRUCT	URE AS OF THIS	STIME.	
ALDMED TOP DANE JUNE	LATTER CIPES IN	on, Acdensorpers (only VAGE)	Achter II on IC	Hard Control of the C	
Signature	Date 03/12/2014				
SECTION E - BUILDING EI	LEVATION INFORMATION (SURVEY)	NOT REQUIRED	) FOR ZONE AO	AND ZONE A (WITHOUT BFE)	
For Zones AO and A (without BFE), co For Items E1–E4, use natural grade, E1. Provide elevation information for	omplete Items E1–E5. If the Certificate is in if available. Check the measurement used r the following and check the appropriate bo	ntended to suppo . In Puerto Rico o	rt a LOMA or LOMR-F nly, enter meters.	request, complete Sections A, B, and	
grade (HAG) and the lowest adja a) Top of bottom floor (including	basement, crawlspace, or enclosure) is _	3 3	⊠ feet ☐ mete	rs ⊠ above or □ below the HAG.	
	basement, crawlspace, or enclosure) is	3.6	⊠ feet ☐ mete		
	permanent flood openings provided in Secti				
	22.b in the diagrams) of the building is	A (8 900)	☐ feet ☐ mete		
E3. Attached garage (top of slab) is	griegisch auf		☐ feet ☐ mete	rs above or below the HAG.	
	d/or equipment servicing the building is		☐ feet ☐ mete		
	number is available, is the top of the botton Unknown. The local official must certify the			e community's floodplain managemen	
SECTION	ON F - PROPERTY OWNER (OR OW	NER'S REPRES	ENTATIVE) CERT	TFICATION	
	orized representative who completes Section nents in Sections A, B, and E are correct to be Representative's Name			EMA-issued or community-issued BFE	
Address	Take to a green	City	Sta	te ZIP Code	
Signature	Poemo Shao anis, entermishes.	Date	Tel	ephone	
Comments	The state of the s			ACAM PORT AND	
				☐ Check here if attachment	
Continue C	SECTION G - COMMUNITY	INFORMATION	(OPTIONAL)	and returning notice of all	
he local official who is authorized by	law or ordinance to administer the commun	ity's floodplain ma	nagement ordinance	can complete Sections A, B, C (or E),	
	ete the applicable item(s) and sign below. Ch				
who is authorized by law to	C was taken from other documentation the certify elevation information. (Indicate the	e source and date	of the elevation da	ta in the Comments area below.)	
	eted Section E for a building located in Zone			nity-issued BFE) or Zone AO.	
33. The following information (	Items G4-G9) is provided for community fl	loodplain manage	ment purposes.		
34. Permit Number MH13-	OIII G5. Date Permit Issued 2//0	/2014 GG.	Date Certificate Of	Compliance/Occupancy Issued	
67. This permit has been issued for		ial Improvement	163 6 231		
	or (including basement) of the building:	the contract of	☐ feet ☐ meter		
39. BFE or (in Zone AO) depth of flo	460	TOO	ereet meter		
310.Community's design flood eleva	ation: 95/22 —	·	☐ feet ☐ meter	rs Datum	
ocal Official's Name Fourses	M. Samoura, CEM	Title P	bus EXAM.	WOL11	
Community Name BAY Co	ounty	Telephone	350 243 -	8350	
Signature		Date	2121.11		
Signature P. A.	alex (		1/2/20104		
Comments	allow !	C	8 12/204		
Comments	Par Pino Li 120 Cast	د می	8 12/204		
Comments	Par Pinde INDSDET	روب ر	8 12/204		
Comments	Par PINDL INDSDET	د م	8 12/204	☐ Check here if attachment	







