* U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION				FOR INSURANCE COMPANY USE		
A1. Building Owner's Name Policy Number: BRENT EDWARDS						iber:
A2. Building Street Address (ir Box No. 6616 EVERLY STREET	ncluding Apt., Unit, Suite	, and/o	r Bldg. No.) or P.O.	Route and	Company N	NAIC Number:
City YOUNGSTOWN,			State Florida		ZIP Code 32466	
A3. Property Description (Lot a LOT 15, BLOCK C, PANAMA I	· · · · · · · · · · · · · · · · · · ·		. •		39, PG. 1658	; PID#05288-625-270
A4. Building Use (e.g., Reside	ntial, Non-Residential, A	ddition	, Accessory, etc.)	RESIDENTIAL		
A5. Latitude/Longitude: Lat. 3	30.3075 DEGREES	Long{	35.5416DEGREES	Horizontal Datur	m: NAD	1927 X NAD 1983
A6. Attach at least 2 photograp	phs of the building if the	Certific	ate is being used to	o obtain flood insur	ance.	
A7. Building Diagram Number	5					
A8. For a building with a crawl	space or enclosure(s):					
a) Square footage of craw	/Ispace or enclosure(s)		sq ft			
b) Number of permanent f	flood openings in the cra	wispac	æ or enclosure(s) w	ithin 1.0 foot above	e adjacent gr	rade
c) Total net area of flood of	penings in A8.b		sq in			
d) Engineered flood openi	ngs? 🗌 Yes 🔲 No	0				
A9. For a building with an attac	ched garage:					·
a) Square footage of attac	hed garage		sq ft			
b) Number of permanent f	dood openings in the attr	ached ç	garage within 1.0 fo	ot above adjacent	grade	
c) Total net area of flood of	penings in A9.b		_ sq in			
d) Engineered flood openi	ings?	0	•			
s	ECTION B - FLOOD IN	ISUR#	NCE RATE MAP	(FIRM) INFORM/	ATION	
B1. NFIP Community Name & BAY COUNTY 120004	Community Number		B2. County Name BAY COUNTY			B3. State Florida
B4. Map/Panel B5. Suffix Number	B6. FIRM Index Date	E	IRM Panel iffective/ levised Date	B8. Flood Zone(s	(Zo	se Flood Elevation(s) one AO, use Base od Depth)
12005C0241 H	06/02/2009		2/2009	A	50.0	
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: ☐ FIS Profile ☐ FIRM ☒ Community Determined ☐ Other/Source:						
	B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source:					
B12. Is the building located in	B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No					
Designation Date:		CBRS	☐ OPA			
_			_			

้าปรร. ปัคยผลวันแบบว่า OF คบบรับบันไป SECURITY Foderal Emergency Manayament Agency National Decd Inserance Dogram

ٱڹ	000-000 No. 1660-000
	Fxpiration Date: No
	and the second control to the control of the contro

CLEVATION CERTIFICATE IMportant Policy fire instructions on pages 1-6.

genices party, and (3) building owner.	edo ror (1) community cificini. (2) insulance	Copy est pages of this Elevation Conditions and all Linchag
FOR INSURANCE COMPANY USE	doformose.	SECTION N - PROPERTY :
Pelicy Manher	y are traver (\$600). Distriction of the control of	. A tr. Belliding Owner's Name
	100 60 2 0 2 2 2 3 3 3 3 3 3 3 3 3 3 3	RROND COMMANDS A2. Britishing Street Address (Indududing Apt., U.C., Soing
Сопъзат, «ARO Number:	ona ondonino, milo ji aviligado nomino.	CORP EVERBLY STORY (INCHEMING APR. Co., CORP.)
i ZP Code	And the	7,2 7,4 7, 137,137,137,137,137,137,137,137,137,137,
3249 6	State Florida	Yourdetovar,
94.40.13654, 20 01 96. 236.62 0-270		AS. Property Description fluor and allow frum ere. Tax LOT 16 PLOCK C. PANAMA PINAS UNIT VILINAECO
de decimante (1970), estado e hama e se a cambra estado estado en el encolor de entre de estado de entre de estado de entre de estado de entre de e	damen, Abbeşsey, etc.) - REBININI.	Ass. Building the (Ag. Residential, Nun-Kowental, A
or [] alad 1927 [3] NAD 1983	ong95.74 160EGREES Herizontal Delu	A5. Lateudea or pouder tall 30,3075 DE SATES (
		A6. Attach at least 2 phosegopine of the building if me
•		AZ. Bailding Diagram Mcanaer 5
		AS For a building with a growleyer in englocitor(s):
	ស់ដូខ	a). Squara (college of crowispace or englematers)
కర్మం ఉన్నం అ	wispect or studeoure(s) within 1.6 tool enough	b). Number of estational flood op options in the crist
	sq in	C) Total net area of ecol epanings in AR.5
		. 3) Engineerud tood openings? 📋 ver 🛴 ver
	÷	AB. For a cuilding with an abached goragu.
	fi pe	a). Square loolege of amached garage
់ ២៤ ម្ប	chod garage within 1,0 fnot above agreens	ti). Postales of pentanear dood appointed (ti
	us be	a). Total now area of flood apprings in ASD
		d) Engineared rood openings? [] Yeb [] fix
and the second s		
MCTA	Surance rate map (firm) inforc	to the state of th
ੇ ਰਗਿਲ ਹੈ। ਦੇ ਰਿਹ	B2. County Manus BAY COUNTY:	Pt. NEP Community Name & Community Number DV COCUMEN CORRS
(Zone AO, use Bace)	BY, FIRM Prine! BS, Ficou Zone, r Effective/	St. Ps. pp [©] anol R5. Spite 50. 216/4 Lidex Number Date
Flood Depth)	Revised Date 36/02/2009 A	12005C0241 81 03/02/2009
and the second s	Man Landau Stock book and a step (UC)	B*fit. Indicate the source of the Buse Flord Element (E
.८५५%		one salignment of the second o
may Shadi	O ITT BACTOVANUE PROTOVENIT	발전. Indicate elseration dayum used for 80 년 ig trem 80.
coted Area (OPA)? [] Yes 屆 No		B12. In the behing together to a Constal Review Research
	ВКВ 📋 ОРА	Designation Date:
** **	it se se nicoloue aditione	F. PMA F. (16.7) (\$884) (23.77) Par

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding info	FOR INSURANCE COMPANY USE				
Building Street Address (including Apt., Unit, Suite, and/or Bld 6616 EVERLY STREET	Policy Number:				
City State YOUNGSTOWN, Florida	ZIP C 32466		Company NAIC Number		
SECTION C – BUILDING ELEVA	ATION INFORMATION	ON (SURVEY RE	QUIRED)		
 C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: NGS BE0661 Vertical Datum: NAVD88 					
Indicate elevation datum used for the elevations in items NGVD 1929 X NAVD 1988 Other/Sour Datum used for building elevations must be the same as	rce:	,			
 a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicin (Describe type of equipment and location in Commer f) Lowest adjacent (finished) grade next to building (LA g) Highest adjacent (finished) grade next to building (HA h) Lowest adjacent grade at lowest elevation of deck or structural support 	Zones only) ing the building ints) AG)	55. 93 N/A. N/A. N/A. 52. 85 51. 41 52. 65 N/A.	X feet meters meters		
SECTION D - SURVEYOR, EN	GINEER, OR ARCI	HITECT CERTIF	CATION		
This certification is to be signed and sealed by a land survey I certify that the information on this Certificate represents my statement may be punishable by fine or imprisonment under Were latitude and longitude in Section A provided by a licens	best efforts to interport 18 U.S. Code, Section	ret the data availa on 1001. —	law to certify elevation information. ble. I understand that any false Check here if attachments.		
MARK C. DRAGON FI Title PRESIDENT Company Name	cense Number L LS NO. 4842		Pyace		
DRAGON LAND SURVEY, INC. Address 5328 CHERRY STREET			Seal Here		
and the state of t		ZIP Code 32404	FL LS No. 4842		
J / / / / / / / / / / / / / / / / / / /	1/28/2018	Telephone (850) 763-7997	arent/company and (2) huilding assessment		
Comments (including type of equipment and location, per C2 THE LATITUDE AND LONGITUDE WERE TAKEN FROM THE EQUIPMENT LISTED IN ITEM C2e IS AN AIR CONDITIONE PORTER, CFM OF BAY COUNTY PLANNING AND ZONING	(e), if applicable) HE BAY COUNTY PE ER. THE BASE FLOO	ROPERTY APPRA	AISORS WEBSITE. THE		

OME No. 1860-9894 See institut Detail Macage as 30, 2018

CALLE CONTRACTOR CONTR			The state of the state of the second
FOR MISURANGE COMPANY USE	nion: Section A.	pending infermation	MACOPTAME in eaged spaces, sopy the corre
Posts Number			Bulloing Space Address (Including Apr., Und., Sur
			Sone EVERNY ATREST
Company NAIC Number	ebog RIG		City
Section Con the Emphysical	80%	aunos	YOUNGSTOVEL
egiendere tal kull Brittinske plante (Tallegerstallung 18° (Tallegers) var en hit besteg ig mar enge gentaler en	ing the state of t	10 kg/s (- 2 -) nor is man namena namena namena na ini ini ini ini ini ini ini ini in	e de la composición de la composición La composición de la
(afaius	Foldention (Survey Re	Ding Elevation I	Liua - o monidas
	and the state of t		Cit. Butt. g dayanon arabararian
doughened heaven i but ham			i i
			s iuper ed librosciffas Cadinad be requi s
E. ARAH-ABU, ARIAH. ARIAO.	V (with BFE), AR. ARIA, ARIA	an Bre), ve, va-vac	Cz. Biovalions – Europe Atjekto, AB, AH, A (v
Rigida lend Kind Sak			Consists depth Charles are according
	al Defute PAVE38	, where were	Bendimark Utilize b NGC 866991
	wellad (ri dg		zste entrot oned motish ribiteveta etapioni
		Ci Orihar/Source:	1 16VD 1929 N NAVE 1980
	of for the BFE.	e no seine as inal use	Calcan used for building develons must b
Check the magatic ment used.			
अल्जाम 🗍 😘 🔣 📖	i all oil coch enusc	it, crowlapace, or each	ବ୍ୟକ୍ତେଷ ପ୍ରମ୍ବର୍ତ୍ତମୟ, ୧୯୬୩ ମମଣ ୍ଡର ିବ ସ୍ତ ି (୨
(\$) leet [] meters	AW		t). Top of the next eigher floor
meroni, ieoni X'		n panel IA schemente	a) Bellom of the lowest horizontal structu
	AVI	design in the second of	1 -
arejsa, 🗍 – Josi 👸 💎 📖			d). As achied gurage (hip is alabi
aneters 🗍 hoters	Ling 52 85	arruart servicus, the but on in Concremen	upe nu goseil a m ra est eeste treval. (h Bant ord tremplane to aqui adi vasil)
🗵 tuet 🔲 metern	[g. 12]	(EM.) prober o	there oberg (bortalish ana alba resvold) (t
arstour 🗀 daar 🔯	52 65	(awai) padalah di	ixen obole (he feint) neos ibs izek jek (g
			by Lowest edjumed grade at lowest elect
510001 <u>1.1</u> (50 <u>1.5)</u>	grinosov	H IS HOME WE MUSIC HE WAS	Programations
HOTE.	LOR ARCHITECT CERTIFI	ENERGINARY	ua - u nogoda
and the second distance of the contract of the second of t	er ogget andersomer, andersomeren enterprise generalise i de restaure enter El el el El Gallega (gallega	e cantinum accommendante de la comme de la	A thronous or house the second control of the second secon
as to ceim elevicol. Theirispul. S. Fenderstand that any fulse	est, or moment summent by t his to interprol the cirta evalled	กูโล เลอลู่ กับเหมนครงศัส เมื่อ เลอลู่ กับเหมน	This numbers is to us eighed and seach b, Loudify that the interestion on this Cardinster A sinteneral coar 39 particularie by the Cardinster
•			1
Check here if anademous.	surveyor? Milves Into	ed by a komised land	Were factode and fongitude in Section A provide
	-	ili sensuli	Certificaria (4 no so
se to the second	Salah.	PLES NO.	MARK Ø. DEAGON
	The second secon	a the distance - because the property and	, shift
			PRESIDENT
		eriorintietymanition je april programa traine tiesen	Company Manuel
			DRAĆOW LAKO SUKWEY, INC.
	and the second s	and the same and a second and the same and t	
	•		Address
	• .		Address 8029 OHERNO 1 FREED
	SLOCTI CNV	Share	8029 OHERIO CIREBO
	ZiP Code 32404	State Stander	
	32404	abhoid	ES28 CHERIO 1 TREED CIG PROVER
	32404 Tetaphane	Piorids	esza cheren i irreen Gig
	32404 Tulsphase (460+768-7097	eb noi 3 	SU29 CHERIO 1 FREED ON PAURE R Sugnature
recompany and (2) tarking owner.	32404 Tulsphase (460+768-7097	eb noi 3 	ES28 CHERIO 1 TREED CIG PROVER
nerovo palufica (S) bals y acomopais s	32404 Telsphone (860) 762 7 397 medicy offices (2) insurance a	Florids Date (1928/201) Laterconnents (ct (1) co	SU29 CHERIO 1 FREED ON PAURE R Sugnature
SORS WEBSITE THE	32404 Totaphone (880+768-7097 moundy offices (2) insurance all stockto) 2000TY PROPERTY APPENT	Florids Construction of the second of the s	E129 CHERIO 1 FRED Cing Signature Signature Cingo all names of the Blessman Commons and the Comments of the Blessman Comments and the Comments of the Blessman Comments
SORS WEBSITE THE	32404 Totaphone (880+768-7097 moundy offices (2) insurance all stockto) 2000TY PROPERTY APPENT	Florids Date 1 paragraph (1) call aligner, par C2(e), if appl C3N PROM THE BAY C5NNOLSONER, 100	E028 CHERIO 1 REED COS Signature Copy oil royes of the Blevetion Copyrose and the Comments producing type of exceptions and the Edmonth of Englishments and the Edwir LATIO LOS SHOULD WHERE THE EQUIPMENT USTED IN ITEM C26 IS AN ARE
SORS WEBSITE THE	32404 Totaphone (880+768-7097 moundy offices (2) insurance all stockto) 2000TY PROPERTY APPENT	Florids Date 1 paragraph (1) call aligner, par C2(e), if appl C3N PROM THE BAY C5NNOLSONER, 100	E129 CHERIO 1 FRED Cing Signature Signature Cingo all names of the Blessman Commons and the Comments of the Blessman Comments and the Comments of the Blessman Comments
SORS WEBSITE THE	32404 Totaphone (880+768-7097 moundy offices (2) insurance all stockto) 2000TY PROPERTY APPENT	Florids Date 1 paragraph (1) call aligner, par C2(e), if appl C3N PROM THE BAY C5NNOLSONER, 100	E028 CHERIO 1 REED COS Signature Copy oil royes of the Blevetion Copyrose and the Comments producing type of exceptions and the Edmonth of Englishments and the Edwir LATIO LOS SHOULD WHERE THE EQUIPMENT USTED IN ITEM C26 IS AN ARE
SORS WEBSITE THE	32404 Totaphone (880+768-7097 moundy offices (2) insurance all stockto) 2000TY PROPERTY APPENT	Florids Date 1 paragraph (1) call aligner, par C2(e), if appl C3N PROM THE BAY C5NNOLSONER, 100	E028 CHERIO 1 REED COS Signature Copy oil royes of the Blevetion Copyrose and the Comments producing type of exceptions and the Edmonth of Englishments and the Edwir LATIO LOS SHOULD WHERE THE EQUIPMENT USTED IN ITEM C26 IS AN ARE

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the correspond	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and 6616 EVERLY STREET	d/or Bldg. No.) or P.O. Ro	ite and Box No.	Policy Number:
,	State ZIP Florida 324	Code 66	Company NAIC Number
SECTION E – BUILDING EL FOR ZON	EVATION INFORMATION E AO AND ZONE A (WI		REQUIRED)
For Zones AO and A (without BFE), complete Items E1 complete Sections A, B,and C. For Items E1–E4, use r enter meters.			
E1. Provide elevation information for the following and the highest adjacent grade (HAG) and the lowest and the lowest and the lowest and lowest		xes to show whethe	r the elevation is above or below
 a) Top of bottom floor (including basement, crawlspace, or enclosure) is 		☐ feet ☐ meter	s above or below the HAG.
 b) Top of bottom floor (including basement, crawlspace, or enclosure) is 		☐ feet ☐ meter	s above or below the LAG.
E2. For Building Diagrams 6–9 with permanent flood of the next higher floor (elevation C2.b in	penings provided in Section		
the diagrams) of the building is	·-	☐ feet ☐ meter	<u> </u>
E3. Attached garage (top of slab) is		feet meter	s above or below the HAG.
E4. Top of platform of machinery and/or equipment servicing the building is		☐ feet ☐ meter	s above or below the HAG.
E5. Zone AO only: If no flood depth number is available floodplain management ordinance? Yes	le, is the top of the bottom] No Unknown. The	floor elevated in ac e local official must o	cordance with the community's
SECTION F - PROPERTY OW	NER (OR OWNER'S REP	RESENTATIVE) CE	RTIFICATION
The property owner or owner's authorized representation community-issued BFE) or Zone AO must sign here. To	ve who completes Section he statements in Sections	s A, B, and E for Zo A, B, and E are cor	ne A (without a FEMA-issued or rect to the best of my knowledge.
Property Owner or Owner's Authorized Representative	's Name		
Address	City	St	ate ZIP Code
Signature	Date	Те	lephone
Comments			
	·		

OMB No. 1660-0902

Expiration Enter November 30, 2013		PLANTIFICA WINAVELIS
FOR INSURANCE COMPANY USE	eding intermetion born Scotlon A.	two ortanti in those secure, convint come pur
Policy Kumber:	and/or [Jeg, No.) or P.O. Route and Box No.	Sujiding Street Address (actualing April, Unit, Suite, a 6616 EVERTY STREET
Company MAIC Number	ebcQ 90% in the leasts	A ₀)
	Florida 22466	YOUNGSTOYET
REQUIRGO)	ELEVALION IRPORNALION BURVEY NOT READ AND ZONE A (VITROUT BEC)	CENTRUS - ENOTORS
LOMA of LCM'R-Fraquest. ment used. Li Prudo Rice only,	Lit-E5, if the Certificate is intended to support or embiral grade, it evallable. Check the measure.	For Zonas AO and A (with as DFC), complete trans, normales Sectors A, E, end C, For Itoma E1-E4, use onten meters.
าวักล อหงนสัตการ อกวิงส cz below - : วิวิล	nd deadt the appropriese boxes to snew whether stadistick prode (LMC)	Eff. Provide absence monadem for the following at the highest educant graph (RPP) and the lowest at Top of bodom floor (including passinguil).
B [] a bove or [] below sie HAG.		car inspace, of andostrie) is car of our or andostrie) is an octoom floor (another), an energy
s [] shove or [] polywiths LAC.		erdenski e. or súclosuky) is
§ (see pages 1-2 of Instructions), s □ □ above or □ below the HAC.	•	Ell. If it Bulliling Diagrams 6-1 with partnersis from the next higher floor (elevation C2.b in the diagrams) of the building is
s above or Deslow tho EIAC.	Deal [] leal [] cater	E3. Attached garage (top of sign) is
s Souve or Sector the La.C.	ransin 🗒 i kati 🔲 i 💷 💷 i i i i i i i i i i i i i i i i	E4. Tap of piedomn of exactribery and or equipment servicing the building is
cordence viện the community's ratily this information in Section (4,	able, is the cap of the bottom itoar aterated in accepted to accept the contract of the contra	Ed. Vane AC entry line thout dupth number is awate needlet to management ordinance.
to a ton the reserve	WHER (OR CONNERS REPRESENTATIVE) OF	(A) A 356.084 * 2 (601.088
مهاداتها فاخت فاودعاهما بيوديد ويرمنها ويرمنها والمناوية والمناوية والمناوية والمناوية والمارية	regional and an article and the article and a second of the party of t	The property evenue or evenue a numerized represente community-resonated for C
		Property Owner or Owner's Authoritical Reprost stalls
and the second s		
ate 2006e :	ත්වී දිසිට්	Addities
and tigal	මැ මැයට්	Signature
		Communits
Chack bere it struchmuns		

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corre	esponding information from	Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, St 6616 EVERLY STREET	uite, and/or Bldg. No.) or P.O	. Route and Box No.	Policy Number:
City YOUNGSTOWN,	State Florida	ZIP Code 32466	Company NAIC Number
SECTION	ON G - COMMUNITY INFOR	MATION (OPTIONAL)	
The local official who is authorized by law or or Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, en	Certificate. Complete the ap	mmunity's floodplain mai plicable item(s) and sign	nagement ordinance can complete below. Check the measurement
G1. The information in Section C was tak engineer, or architect who is authorized data in the Comments area below.)			
G2. A community official completed Section or Zone AO.	on E for a building located in	Zone A (without a FEM)	A-issued or community-issued BFE)
G3. The following information (Items G4–	G10) is provided for commun	nity floodplain managem	ent purposes.
G4. Permit Number	G5. Date Permit Issued	G6. [Date Certificate of Compliance/Occupancy Issued
MH18-0055	7-24-18		12-10-18
G7. This permit has been issued for:	New Construction Subs	stantial Improvement	
G8. Elevation of as-built lowest floor (including of the building:	g basement)	feet	meters Datum
G9. BFE or (in Zone AO) depth of flooding at	the building site:	feet	meters Datum
G10. Community's design flood elevation:		feet	meters Datum
Local Official's Name	Title		
Community Name	Tele	ephone	
Signature	Dat	е	
Comments (including type of equipment and lo	cation ner C2(e) if applicable	2)	
D. B. 12-10-18 O.K.			
O.K.			
			Check here if attachments.

			the state of the state of	, the second control of	v s mark
					٠,,
				•	
ar Prairie ag					
	station with the state		-		
in spirit spirit spirit spirit en	rentako majalija yan berentako. Kontrologia	ang sa 1965 ng Pangalang Sangalang Sangalang Ng pangganang pangganang Sangalang Sangalang			
			•		
	Augustus alikus alik				
	. *				
	, Arthur Arabination we			and the second of the second o	
	S. A. M. S. A.			* * * * * * * * * * * * * * * * * * *	
e V			ar silv	Services of the See Sept.	
			$\frac{\partial u}{\partial x} = \frac{\partial u}{\partial x} + \frac{\partial u}{\partial x} = $		
				esta de la companya d	
	•				• ***
		ing and the second seco	entre de la companya	1	
					e a L
				3	
			•		
			•		
					•
		and the second s	g v de de la companya		
erina. Some kanda di sam					•
			· ·		
	•	teat of the			

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2018

		No. Company Care	
IMPORTANT: In these spaces, copy th	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 6616 EVERLY STREET			o. Policy Number:
City YOUNGSTOWN,	State Florida	ZIP Code 32466	Company NAIC Number
Table 2			

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FRONT VIEW 11/27/2018




Photo Two

Photo Two Caption REAR VIEW 11/27/2018



SUBJECT PROTOGRAPHS

OMB No. (660-2008) Expiration Date: Hove abet 30.

See Includional for Bern AB

ELEVATION CENTIFICATE

IMPLATION IN those speems, depy the cours populaç invervadon bum Geotlan A Baheling Street Address (including Aga. Unit, Sure, andret Blog. No.) or F.C. Reutaland box vo. Policy Number BENE EVERLY SYNELT anoJ Tr eschioli Mar year mad shool-1 MACRICAMI 36160 instructions in her the relation of moderals with data tables; Front Visor Stand Visor Land, if required Frein Side Visor and "Lett Side Visor Anna show the top of the Bood capanitys or "Lett Side Visor When the Bood capanity of "Lett Side Visor When the Bood capanity" of "Lett Side Visor When the Bood capanity of "Lett Side no areadas E. D. Indian E. a borealbri espernov Photo two Capiton Ist AP VIEW 1 227/2018