U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB Control No. 1660-0008 Expiration Date: 06/30/2026

ELEVATION CERTIFICATE IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
A1. Building Owner's Name: DAVID MORGAN for JOHN HEBERT	Policy Number:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 6408 SAWGRASS MARSH LANE	Company NAIC Number:
City: PANAM A CITY BEACH State: FL	ZIP Code: 32413
A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel Nur LOT 169 RIVERCAMPS ON CROOKED CREEK UNIT 2, TAX ID (32611-672-000)	nber:
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.):	
A5. Latitude/Longitude: Lat. 30°17'26.1" N. Long. 85°49'05.9" W. Horizontal Datum: N	IAD 1927 ⊠NAD 1983 ∏WGS 84
A6. Attach at least two and when possible four clear photographs (one for each side) of the building	g (see Form pages 7 and 8).
A7. Building Diagram Number: 6	
A8. For a building with a crawlspace or enclosure(s):	
a) Square footage of crawlspace or enclosure(s): 1,354.00 sq. ft.	
b) Is there at least one permanent flood opening on two different sides of each enclosed area?	∑ Yes ☐ No ☐ N/A
c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot Non-engineered flood openings: 0 Engineered flood openings: 6	above adjacent grade:
d) Total net open area of non-engineered flood openings in A8.c: 0.00 sq. in.	
e) Total rated area of engineered flood openings in A8.c (attach documentation – see Instruction	ons):1,500.00 sq. ft.
f) Sum of A8.d and A8.e rated area (if applicable – see Instructions): N/A sq. ft.	
A9. For a building with an attached garage:	
a) Square footage of attached garage: 0.00 sq. ft.	
b) Is there at least one permanent flood opening on two different sides of the attached garage?	? ☐ Yes ☐ No N/A
c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adjacent Non-engineered flood openings:0 Engineered flood openings:0	acent grade:
d) Total net open area of non-engineered flood openings in A9.c: 0.00 sq. in.	
e) Total rated area of engineered flood openings in A9.c (attach documentation – see Instruction	ons): ons sq. ft.
f) Sum of A9.d and A9.e rated area (if applicable – see Instructions):N/A sq. ft.	
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFOR	RMATION
B1.a. NFIP Community Name: BAY COUNTY B1.b. NFIP Community Idea	ntification Number: 120004
B2. County Name: BAY B3. State: FL B4. Map/Panel No.: 1	12005C0190 B5. Suffix: H
B6. FIRM Index Date: 06/02/2009 B7. FIRM Panel Effective/Revised Date: 06/02/20	09
B8. Flood Zone(s): AE B9. Base Flood Elevation(s) (BFE) (Zone AO, use E	Base Flood Depth): 9.0'
B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9: ☐ FIS ☐ FIRM ☐ Community Determined ☐ Other:	
B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other	/Source:
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Prote Designation Date:	ected Area (OPA)? Yes X No
B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)?	No

Building Street Address (including Apt., Unit, Suit	e, and/or Bldg. No.) o	r P.O. Route and Box	No.:	FOR INS	SURANG	CE CO	OMPANY USE
6408 SAWGRASS MARSH LANE	-: . FI			Policy Nu	ımber: _		
City: PANAM A CITY BEACH	State: FL	ZIP Code: <u>32413</u>		Company	y NAIC N	Numb	er:
SECTION C - BUIL	DING ELEVATION	NINFORMATION (SURVEY R	EQUIR	ED)		
C1. Building elevations are based on: Co *A new Elevation Certificate will be require				on* ⊠ F	inished	Cons	truction
C2. Elevations – Zones A1–A30, AE, AH, AO, A99. Complete Items C2.a–h below accord Benchmark Utilized: Q 773 2017	ding to the Building D		tem A7. In Pu				
Indicate elevation datum used for the elevations ☐ NGVD 1929 ☑ NAVD 1988 ☐ Oth		h) below.					
Datum used for building elevations must be the If Yes, describe the source of the conversion fa			on factor use		Yes	⊠ N	No surement used:
a) Top of bottom floor (including basemen	t, crawlspace, or enc	losure floor):		5.22	_		meters
b) Top of the next higher floor (see Instruc	tions):		16	6.80	feet		meters
c) Bottom of the lowest horizontal structura	al member (see Instr	uctions):	1	N/A	feet	□ r	meters
d) Attached garage (top of slab):			1	N/A	feet		meters
 e) Lowest elevation of Machinery and Equ (describe type of M&E and location in S 			10	0.30 🗵	feet		meters
f) Lowest Adjacent Grade (LAG) next to b	uilding: Natural	Finished		4.40 🗵	feet		meters
g) Highest Adjacent Grade (HAG) next to I	ouilding: Natural	Finished		5.10	feet		meters
 h) Finished LAG at lowest elevation of atta support: 	iched deck or stairs,	including structural		5.10	feet		meters
SECTION D - SUF	RVEYOR, ENGINE	ER, OR ARCHITE	CT CERTIF	ICATIO	N		
This certification is to be signed and sealed by a information. I certify that the information on this false statement may be punishable by fine or in	Certificate represent	ts my best efforts to in	nterpret the a				
Were latitude and longitude in Section A provide	ed by a licensed land	i surveyor? ⊠ Yes	☐ No				
Check here if attachments and describe in the	e Comments area.						
Certifier's Name: ZANNIE THOMAS WHITE	JR Licens	se Number: LS 6041			MOM	1111111	'IIII
Title: PRESIDENT				- Inite	WE RTIF	ICA;	HITE THE
Company Name: Z'S LAND SURVEYING &	MAPPING, INC			_ *	No.	6041	C. A
Address: PO BOX 401/1142 PERA ROAD				REC	*	ŧ	ER
City: SAMSON	State:	AL ZIP Code: 36	3477	** REGISTER	STAT	E OF	NAP.
Signature: Zannie Thomas White Jr Date	ally signed by Zannie Thomas : 2024.09.12 07:01:13 -05'00'	S White Jr Date: 09/12		- Jana	ED SUR	VEAO	Here
Telephone: (850) 579-2315 Ext.:	Email: zanniev	vhite@yahoo.com			Place	Seal	Here
Copy all pages of this Elevation Certificate and all	attachments for (1) c	ommunity official, (2) i	insurance age	ent/compa			
Comments (including source of conversion factor A5. LATITUDE AND LONGITUDE WERE A.8 (b,c,d) THERE ARE 6 FREEDOM FLC C2(e) AIR CONDITIONER SERVICING THE D.SEE ATTACHED ICC-ES EVALUATION	DERIVED FROM DOD VENT FFV-16 IE RESIDENCE	THE BAY COUNTY	PROPERT	TY APPE	RAISER	WE	BSITE

Building Street Address (including Apt., Unit, Suite,	and/or Bldg. I	No.) or P.O. F	oute and B	ox No.:	FOR INSURANCE COMPANY US
6408 SAWGRASS MARSH LANE		·•			Policy Number:
City: PANAM A CITY BEACH	_ State:F	L ZIP C	ode: <u>3241</u>	13	Company NAIC Number:
SECTION E – BUILDING FOR ZONE A					
For Zones AO, AR/AO, and A (without BFE), con intended to support a Letter of Map Change requenter meters.					
Building measurements are based on: Cons *A new Elevation Certificate will be required when					on*
E1. Provide measurements (C.2.a in applicable measurement is above or below the natural			ollowing an	d check the a	ppropriate boxes to show whether the
 a) Top of bottom floor (including basement, crawlspace, or enclosure) is: 			. Teet	meters	above or below the HAG.
 Top of bottom floor (including basement, crawlspace, or enclosure) is: 			feet	☐ meters	above or below the LAG.
E2. For Building Diagrams 6–9 with permanent finext higher floor (C2.b in applicable	lood openings	provided in	Section A I	tems 8 and/or	r 9 (see pages 1-2 of Instructions), the
Building Diagram) of the building is:			feet	meters	above or below the HAG.
E3. Attached garage (top of slab) is:			feet	meters	above or below the HAG.
E4. Top of platform of machinery and/or equipme servicing the building is:	ent		☐ feet	meters	☐ above or ☐ below the HAG.
E5. Zone AO only: If no flood depth number is av floodplain management ordinance?	/ailable, is the	top of the bo			cordance with the community's state certify this information in Section G
SECTION F - PROPERTY OWNER	R (OR OWN	ER'S AUTH	ORIZED	REPRESEN	TATIVE) CERTIFICATION
The property owner or owner's authorized repressign here. The statements in Sections A, B, and E	entative who	completes Se the best of	ections A, E my knowle	3, and E for Zo	one A (without BFE) or Zone AO must
Check here if attachments and describe in the	e Comments a	ігеа.	_		
Property Owner or Owner's Authorized Represen	tative Name:				
Address:					
City:				State:	ZIP Code:
Signature:			Date:		
Telephone: Ext.:	Email:				
Comments:	<u> </u>				

Building Street Address (including Apt., Unit, Suite,	and/or Bldg	g. No.) c	or P.O. Route and Bo	x No.:	FOR INS	URANCE COMPANY USE
6408 SAWGRASS MARSH LANE				20	Policy Nur	mber:
City: PANAM A CITY BEACH	_ State:	FL	_ ZIP Code: <u>32413</u>	}	Company	NAIC Number:
SECTION G - COMMUNITY INFORM	IATION (F	RECON	MENDED FOR C	OMMUN	ITY OFFICIA	AL COMPLETION)
The local official who is authorized by law or ordin Section A, B, C, E, G, or H of this Elevation Certifi	nance to ad ficate. Com	lministe plete th	er the community's flo ne applicable item(s)	oodplain mand sign l	nanagement o below when:	rdinance can complete
G1. The information in Section C was take engineer, or architect who is authorize elevation data in the Comments area be	ed by state					
G2.a. A local official completed Section E for E5 is completed for a building located			d in Zone A (without	a BFE), Z	one AO, or Zo	one AR/AO, or when item
G2.b.	r insurance	e purpos	ses.			
G3.	ne local off	icial des	scribes specific corre	ections to t	he information	n in Sections A, B, E and H.
G4. The following information (Items G5–G			250 251			ses.
G5. Permit Number: PPRB23:0(2	80 G6.	Date Pe	ermit Issued: 10	.3.2	.3	
G7. Date Certificate of Compliance/Occupancy	y Issued:					
G8. This permit has been issued for: New	/ Construct	ion 🗌	Substantial Improve	ement		
G9.a. Elevation of as-built lowest floor (including building:	basement	i) of the	,	feet	meters	Datum:
G9.b. Elevation of bottom of as-built lowest horizmember:	ontal struc	tural		feet	meters	Datum:
G10.a. BFE (or depth in Zone AO) of flooding at the	ne building	site:		feet	meters	Datum:
G10.b. Community's minimum elevation (or depth requirement for the lowest floor or lowest h member:			al	☐ feet	☐ meters	Datum:
G11. Variance issued? Yes No If ye	es, attach	docume	entation and describe	e in the Co		
The local official who provides information in Secti- correct to the best of my knowledge. If applicable,	ion G must	t sign he	ere. I have complete	ed the infor	mation in Sec	tion G and certify that it is
	stewa	1	Title:	9.17	2.24	
NFIP Community Name: Bay Count	-4					
Telephone: Ext.:						
Address:						
City:			\$	State:	ZIP Co	ode:
Signature: the material			Date:			
Comments (including type of equipment and location Sections A, B, D, E, or H):	on, per C2	.e; desc	cription of any attach	nments; an	d corrections	to specific information in
okep CD.	th	B				

Building Street Address (including Apt., Unit, Suit	e, and/or Bldg. No.) or	P.O. Route and Box No.:	FOR INSURANCE COMPANY USE
6408 SAWGRASS MARSH LANE			Policy Number:
City: PANAM A CITY BEACH	State: FL	ZIP Code: 32413	Company NAIC Number:
		HEIGHT INFORMATION R INSURANCE PURPOSE	
The property owner, owner's authorized represe to determine the building's first floor height for in nearest tenth of a foot (nearest tenth of a meter Instructions) and the appropriate Building D	insurance purposes. Se r in Puerto Rico). Refe	ections A, B, and I must also erence the Foundation Type	be completed. Enter heights to the e Diagrams (at the end of Section H
H1. Provide the height of the top of the floor (a	s indicated in Foundat	tion Type Diagrams) above th	ne Lowest Adjacent Grade (LAG):
 a) For Building Diagrams 1A, 1B, 3, and floor (include above-grade floors only for be subgrade crawlspaces or enclosure floors) 	uildings with	feet	meters above the LAG
b) For Building Diagrams 2A, 2B, 4, and higher floor (i.e., the floor above basement enclosure floor) is:		feet	meters above the LAG
H2. Is all Machinery and Equipment servicing to H2 arrow (shown in the Foundation Type □ Yes □ No			
SECTION I - PROPERTY OWNE	R (OR OWNER'S	AUTHORIZED REPRESE	NTATIVE) CERTIFICATION
The property owner or owner's authorized repre- A, B, and H are correct to the best of my knowled indicate in Item G2.b and sign Section G.	sentative who comple edge. Note: If the loca	etes Sections A, B, and H must il floodplain management offic	st sign here. The statements in Sections cial completed Section H, they should
Check here if attachments are provided (incl	luding required photos	s) and describe each attachm	nent in the Comments area.
Property Owner or Owner's Authorized Represe			
Address:	State Control of the		
City:		State:	ZIP Code:
		A	
Signature:	F11-	Date:	
Telephone: Ext.:	Email:		
Comments:			

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19 BUILDING PHOTOGRAPHS

See Instructions for Item A6.

Building Street Address (including Apt., Unit, S	FOR INSURANCE COMPANY USE			
6408 SAWGRASS MARSH LANE City: PANAM A CITY BEACH	State:_	FL	ZIP Code: <u>32413</u>	Policy Number: Company NAIC Number:

Instructions: Insert below at least two and when possible four photographs showing each side of the building (for example, may only be able to take front and back pictures of townhouses/rowhouses). Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." Photographs must show the foundation. When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo One

Photo One Caption: FRONT VIEW 8/15/2024

Clear Photo One



Photo Two

Photo Two Caption: LEFT SIDE FRONT VIEW 8/15/2024

Clear Photo Two

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19 BUILDING PHOTOGRAPHS

Continuation Page

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 6408 SAWGRASS MARSH LANE

State:

FOR INSURANCE COMPANY USE

Policy Number:

Company NAIC Number:

Insert the third and fourth photographs below. Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.

FL ZIP Code: 32413



Photo Three

Photo Three Caption: RIGHT SIDE AC VIEW 9/11/2024

City: PANAM A CITY BEACH

Clear Photo Three



Photo Four

Photo Four Caption: REAR VIEW 8/15/22024

Clear Photo Four



ICC-ES Evaluation Report

ESR-4332

Reissued March 2024

This report also contains:

Revised June 2024

- CBC Supplement

Subject to renewal March 2026

- FBC Supplement

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.

Copyright @ 2024 ICC Evaluation Service, LLC. All rights reserved.

DIVISION: 08 00 00—

OPENINGS

Section: 08 95 43— Vents / Foundation Flood Vents REPORT HOLDER:

SMART PRODUCT INNOVATIONS, INC.

EVALUATION SUBJECT:

FREEDOM FLOOD VENT® AUTOMATIC FOUNDATION FLOOD VENT: MODEL FFV-1608



1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2024, 2021, 2018, 2015, 2012, 2009 and 2006 International Building Code® (IBC)
- 2024, 2021, 2018, 2015, 2012, 2009 and 2006 International Residential Code® (IRC)

Properties evaluated:

- Physical operation
- Water flow
- Weathering

2.0 USES

The model FFV-1608 Freedom Flood Vent® is used to equalize hydrostatic pressure on walls of enclosures subject to rising or falling floodwaters. With the cover removed, the model FFV-1608 also provides natural air ventilation.

3.0 DESCRIPTION

3.1 General:

The model FFV-1608 Freedom Flood Vent® is an engineered mechanically operated in-wall flood vent (FV) that automatically allows floodwater to enter an enclosed area and exit. The FV is comprised of a polycarbonate frame with mounting flange and a polycarbonate horizontally pivoting door. When subjected to rising water, the model FFV-1608 Freedom Flood Vent® door is activated and pivots to allow water and debris to flow in either direction to equalize hydrostatic pressure from one side of the enclosure to the other. The FV features a removable polycarbonate cover. The FV door will activate and pivot when subjected to rising water with or without the polycarbonate cover installed.

3.2 Engineered Opening:

The FV complies with the design principle noted in Section 2.7.2.2 and Section 2.7.3 of ASCE/ SEI 24-14 (2024, 2021, 2018 and 2015 IBC and IRC) [Section 2.6.2.2 of ASCE/ SEI 24-05 (2012, 2009, 2006 IBC and IRC)] for a maximum rate of rise and fall of 5.0 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/ SEI 24, Freedom Flood Vent® FVs must be installed in accordance with Section 4.0 below. See <u>Table 1</u> for vent size and maximum allowable area coverage for a single vent.

4.0 DESIGN AND INSTALLATION

The model FFV-1608 Freedom Flood Vent® is designed to be installed into walls or overhead doors of existing or new construction. Installation of the vent must be in accordance with the manufacturer's instructions, the applicable code, and this report. In order to comply with the engineered opening design principle noted in Sections 2.7.2.2 and 2.7.3 of ASCE/ SEI 24-14 (2024, 2021, 2018 and 2015 IBC and IRC) [Section 2.6.2.2 of ASCE/ SEI 24-05 (2012, 2009, 2006 IBC and IRC)], the Freedom

Flood Vent® must be installed as follows:

- With a minimum of two openings on different sides of each enclosed area.
- With a minimum of one FV for every 250 square feet (23.2 m2) of enclosed area.
- Below the base flood elevation.
- With the bottom of the vent located a maximum of 12 inches (305.4 mm) above the higher of the final interior grade or floor and the finished exterior grade immediately under each opening.

5.0 CONDITIONS OF USE:

The Freedom Flood Vent® described in this report complies with, or is a suitable alternative to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

- 5.1 The model FFV-1608 Freedom Flood Vent® unit must be installed in accordance with this report, the applicable code and the manufacturer's published installation instructions. In the event of a conflict, the instructions in this report shall govern.
- 5.2 The model FFV-1608 Freedom Flood Vent® unit must not be used in place of "breakaway walls" in coastal high hazard areas, but are permitted for use in conjunction with breakaway walls in other areas.
- 5.3 Use of the Freedom Flood Vent as under-floor space ventilation is outside the scope of this report.
- 5.4 FFV-1608 Freedom Flood Vent® is manufactured in Gastonia, North Carolina under a quality control program with inspections by ICC-ES.

6.0 EVIDENCE SUBMITTED

Data in accordance with the ICC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364), dated August 2015 (editorially revised February 2024).

7.0 IDENTIFICATION

- 7.1 The ICC-ES mark of conformity, electronic labeling, or the evaluation report number (ICC-ES ESR-4332) along with the name, registered trademark, or registered logo of the report holder must be included in the product label.
- 7.2 In addition, the Freedom Flood Vent® model described in this report must be identified by a label bearing the manufacturer's name (Smart Product Innovations, Inc.) and the evaluation report number (ESR-4332).
- 7.3 The report holder's contact information is the following:

SMART PRODUCT INNOVATIONS, INC. 19 MANTUA ROAD MOUNT ROYAL, NEW JERSEY 08061 (800) 507-1527 www.freedomfloodvent.com info@freedomfloodvent.com

TARI E 1-FREEDOM EL COD VENT®

INDEL FIREDOM FEOD VENT							
MODEL NAME	MODEL NUMBER	MODEL SIZE	COVERAGE ¹ (ft ²)				
Freedom Flood Vent®	FFV-1608	15 ³ / ₄ " × 8 ¹ / ₁₆ "	250				

For SI: 1 inch = 25.4 mm

¹The enclosed coverage area in square feet is equivalent to the performance of the same number of square inches of non-engineered openings.




FIGURE 1-MODEL FFV-1608 FREEDOM FLOOD VENT®: SHOWN WITH COVER REMOVED



FIGURE 2-MODEL FFV-1608 FREEDOM FLOOD VENT®: SHOWN WITH FLOOD DOOR PIVOTED OPEN



ICC-ES Evaluation Report

ESR-4332 CBC and CRC Supplement

Reissued March 2024 Revised June 2024

This report is subject to renewal March 2026.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00—OPENINGS

Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

SMART PRODUCT INNOVATIONS, INC.

EVALUATION SUBJECT:

FREEDOM FLOOD VENT® AUTOMATIC FOUNDATION FLOOD VENT: MODEL FFV-1608

1.0 REPORT PURPOSE AND SCOPE

Purpose:

The purpose of this evaluation report supplement is to indicate that the Freedom Flood Vent® Automatic Foundation Flood Vent: Model FFV-1608, described in ICC-ES evaluation report ESR-4332, has also been evaluated for compliance with codes

Applicable code editions:

■ 2022 California Building Code (CBC)

For evaluation of applicable chapters adopted by the California Office of Statewide Planning and Development (OSHPD) AKA: California Department of Health Care Access and Information (HCAI) and the Division of State Architect (DSA), see Sections 2.1.1 and 2.1.2 below.

■ 2022 California Residential Code (CRC)

2.0 CONCLUSIONS

2.1 CBC:

The Freedom Flood Vent® Automatic Foundation Flood Vent: Model FFV-1608, described in Sections 2.0 through 7.0 of the evaluation report ESR-4332, complies with CBC Chapter 12 provided the design and installation are in accordance with the 2021 International Building Code® (IBC) provisions noted in the evaluation report and the additional requirements of CBC Chapters 12 and 16, as applicable.

- 2.1.1 OSHPD: The applicable OSHPD Sections and Chapters of the CBC are beyond the scope of this supplement.
- 2.1.2 DSA: The applicable DSA Sections and Chapters of the CBC are beyond the scope of this supplement.

2.2 CRC:

The Freedom Flood Vent® Automatic Foundation Flood Vent: Model FFV-1608, described in Sections 2.0 through 7.0 of the evaluation report ESR-4332, complies with the CRC, provided the design and installation are in accordance with the 2021 International Residential Code® (IRC) provisions noted in the evaluation report.

This supplement expires concurrently with the evaluation report, reissued March 2024 and revised June 2024.





ICC-ES Evaluation Report

ESR-4332 FBC Supplement

Reissued March 2024 Revised June 2024 This report is subject to renewal March 2026.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00—OPENINGS

Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

SMART PRODUCT INNOVATIONS, INC.

EVALUATION SUBJECT:

FREEDOM FLOOD VENT® AUTOMATIC FOUNDATION FLOOD VENT: MODEL FFV-1608

1.0 REPORT PURPOSE AND SCOPE

Purpose:

The purpose of this evaluation report supplement is to indicate that Freedom Flood Vent® Automatic Foundation Flood Vent: Model FFV-1608, described in ICC-ES evaluation report ESR-4332, has also been evaluated for compliance with the codes noted below.

Applicable code editions:

- 2023 Florida Building Code—Building
- 2023 Florida Building Code—Residential

2.0 CONCLUSIONS

The Freedom Flood Vent® Automatic Foundation Flood Vent: Model FFV-1608, described in Sections 2.0 through 7.0 of the evaluation report ESR-4332, complies with the Florida Building Code—Building and the Florida Building Code—Residential. provided the design requirements must be determined in accordance with the Florida Building Code—Building and the Florida Building Code—Residential, as applicable. The installation requirements noted in ICC-ES evaluation report ESR-4332 for the 2021 International Building Code® (IBC) meet the requirements of Florida Building Code—Building and the Florida Building Code-Residential, as applicable.

Use of the Freedom Flood Vent® Automatic Foundation Flood Vent: Model FFV-1608 has also been found to be in compliance with the High-Velocity Hurricane Zone provisions of the Florida Building Code—Building and the Florida Building Code—Residential.

For products falling under Florida Rule 61G20-3, verification that the report holder's quality assurance program is audited by a quality assurance entity approved by the Florida Building Commission for the type of inspections being conducted is the responsibility of an approved validation entity (or the code official, when the report holder does not possess an approval by the

This supplement expires concurrently with the evaluation report, reissued March 2024 and revised June 2024.

