

ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077
Expires July 31, 1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

SECTION A - PROPERTY INFORMATION		FOR INSURANCE COMPANY USE	
BUILDING OWNER'S NAME <u>GLENN AND CYNTHIA BLACK</u>		POLICY NUMBER:	
STREET ADDRESS (including apt., unit, suite, and/or bldg. Number) OR PO BOX ROUTE AND BOX NUMBER <u>210 KENTON T. AVENUE</u>		COMPANY NAIC NUMBER	
OTHER DESCRIPTION (for unit Block Numbers, etc.) <u>LOTS 1 AND 2, BLOCK 11, LOTTEN HAVEN PLAT 1013</u>			
CITY <u>DENN HAVEN, (DENV. COUNTY)</u>		STATE <u>FLORIDA</u>	ZIP CODE <u>32444</u>

SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

1. COMMUNITY NUMBER	2. PANEL NUMBER	3. INSURANCE	4. DATE OF FIRM NUMBER <u>REVISED MAP OF APRIL 24, 1980</u>	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
<u>120009</u>	<u>0001</u>	<u>0</u>		<u>"A-1"</u>	<u>215.70 FEET NGVD</u>

- 7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back)
- 8. For Zones A or V, where no BFE is provided on the FIRM and the community has established a BFE for this building site, indicate the community's BFE: 215.70 feet NGVD (or other FIRM datum - see Section B, Item 7).

SECTION C BUILDING ELEVATION INFORMATION

- 1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 8 that best describes the subject building's reference level: 5b.
- 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 215.70 feet NGVD (or other FIRM datum - see Section B, Item 7). SEE COMMENTS
- (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram is at an elevation of 215.70 feet NGVD (or other FIRM datum - see Section B, Item 7).
- (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is 215.70 feet above or below (check one) the highest grade adjacent to the building.
- (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is 215.70 feet above or below (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? Yes No Unknown
- 3. Indicate the elevation datum system used in determining the above reference level elevations: NGVD '29 Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM (see Section B, Item 7), then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
- 4. Elevation reference mark used appears on FIRM: Yes No (See Instructions on Page 4) SEE COMMENTS
- 5. The reference level elevation is based on: actual construction construction drawings.
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
- 6. The elevation of the lowest grade immediately adjacent to the building is: 215.70 feet NGVD (or other FIRM datum - see Section B, Item 7).

SECTION D COMMUNITY INFORMATION

- 1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: 215.70 feet NGVD (or other FIRM datum - see Section B, Item 7).
- 2. Date of the start of construction or substantial improvement: _____

Jun 07 04 04:51P

Message 11

8507693397

P. 3

797 P33

SECTION 6 CERTIFICATION

This certification is to be signed by a land surveyor, engineer, architect or other person who is authorized by state or local law to certify elevation information for zones A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z (with BFE, V, V-COV, and V (with BFE)) is required. Community officials who are authorized by local law or ordinance to provide, maintain, or update information, may also sign the certification. In the case of zones A and B (with BFE) or zones C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z (with BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference to the information in Sections 6, 7 and 8 - Distinguishing Features - If the certifier is unable to certify to a breakaway/non-breakaway wall, ensure size, location of servicing equipment, area use, wall openings, or unroofed area feature(s), then the feature(s) not included in the certification under comments below. The diagram number Section C, item F, must be entered.

I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1007.

R. MARK WESS, B.S.T. PERMITS NO. 10 4440

COMPANY NAME: MARK WESS & ASSOCIATES, INC.

TITLE: DISTRICT ENGINEER

ADDRESS: 1001 TENNESSEE AVENUE

CITY: MIAMI

STATE: FLORIDA

ZIP: 33139

DATE: APRIL 17, 2004

SIGNATURE: [Signature]


Copies should be made of this certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS - ELEVATION CERTIFICATION: WITH ALL EXISTING CERTIFICATION OF 14.23 FEET AS PER 1929

THE EXISTING LEVEL AS SHOWN HEREIN IS LOWEST LEVEL

OF THE FEATURE, IT HAS NOT BEEN DETERMINED IF ANY EXISTING

FEATURES ARE TO BE KEPT AS IS.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for an A Zones should be measured at the top of the reference level floor. Elevations for an V Zones should be measured at the bottom of the lowest horizontal structural member.

Flood Insurance Program
Elevated Building Determination Form
Zones A, AR & AI-A30

Policy Number: 1805057104
Insured Name: James R. Kuyper, M.D.
Property Address: 216 Kentucky Ave

Based on the Guidelines of the National Flood Insurance Program, the above referenced property requires in depth underwriting analysis to determine the premium. Before a policy can be issued/renewed for such a risk, this form must be completed and submitted to your flood insurance provider.

If the statements are not applicable to your property please state why.

The statement below must be signed by the insured, or by the agent applying for the policy.

The building located at the above property address, in FIRM zone A, and constructed to have the lowest floor elevated off the ground is:

- 1) Constructed on: _____ piles, _____ posts, _____ piers, _____ columns, _____ crawlspace, _____ parallel shear walls, solid perimeter walls.
- 2) Has an enclosure / crawlspace below the lowest elevated floor with dimensions of 216 ft. X 119 ft. and a total square footage of 25704 sq. ft.
- 3) The building construction start date or permit date is 1983 (mo./day/yr.)
- 4) The enclosure / crawlspace was built 1983 (mo./day/yr.)
- 5) The enclosure / crawlspace have 0 permanent openings (open without human intervention; excluding doors, garage doors, and windows) within 1 foot of the ground totaling 0 sq. ins. of opening.
- 6) The enclosure / crawlspace is used for storage.
- 7) The following machinery and equipment servicing the building (ex. Water heater, Appliances, etc) is located inside/outside the enclosure: 17 - 1/2" x 20" dia. pipes approximate value: \$1000
12 - 1/2" x 20" dia. pipes approximate value: \$1000
12 - 1/2" x 20" dia. pipes approximate value: \$1000
- 8) Dimensions of the attached garage: 28 ft. X 23 ft. Number of permanent opening within one foot of the ground: 0. Total square inches of opening: 0 sq. in.
- 9) Please indicate the enclosure / crawlspace wall type (what the walls are made of): AI/B

I understand that the policy is being issued based on your reliance upon accuracy of information and statements furnished to you herein, and with the application for insurance. I understand that the building is being classified as an elevated building subject to and under the terms conditions of Standard Flood Insurance Policy and that, in consideration of reduced premium rate that will apply to the policy, coverage limitations, (as specified in the Policy) apply to the enclosed area below the lowest elevated floor of the building and to the contents and personal property located in the enclosed area. I understand and agree that this Elevated Building Determination Form is part of the flood insurance policy.

[Signature]
Signature

7-24-04
Date