FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires December 31, 2005

05-3561-1

Important: Read the instructions on pages 1 - 7. SECTION A - PROPERTY OWNER INFORMATION For Insurance Company Use: BUILDING OWNER'S NAME Policy Number Theodore & Barbara Zangwill BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR_RO. ROUTE AND BOX NO. Company NAIC Number 2612 Shadow Ridge Court STATE ZIP CODE 32444 Lynn Haven FL PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Lot 6, Shadow Ridge, Plat Book 20, Pages 32 & 33, Bay County, Florida BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use a Comments area, if necessary.) Residential SOURCE: GPS (Type): LATITUDE/LONGITUDE (OPTIONAL) HORIZONTAL DATUM: (##° - ##' - ##.##" or ##.####") □ NAD 1927 □ NAD 1983 USGS Quad Map Other: SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER **B2. COUNTY NAME** B3. STATE City of Lynn Haven - 120009 **Bay County** Florida **B4. MAP AND PANEL B7. FIRM PANEL** B9. BASE FLOOD ELEVATION(S) B8. FLOOD ZONE(S) **B5. SUFFIX B6. FIRM INDEX DATE** EFFECTIVE/REVISED DATE NUMBER (Zone AO, use depth of flooding) 12005C0335 9/18/2002 9/18/2002 31 G A B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9. ☐ FIS Profile FIRM Community Determined Other (Describe): ☐ NAVD 1988 ☐ Other (Describe): B11. Indicate the elevation datum used for the BFE in B9: NGVD 1929 SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) □ Finished Construction C1. Building elevations are based on: Construction Drawings* ☐ Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Building Diagram Number 1 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) 3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO Complete Items C3.-a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion. Datum NGVD 1929 Conversion/Comments None Elevation reference mark used NGS K65 Does the elevation reference mark used appear on the FIRM? Yes No Seal o a) Top of bottom floor (including basement or enclosure) 32. 51 ft. License Number, Embossed Signature, and Date o b) Top of next higher floor __ft. o c) Bottom of lowest horizontal structural member (V zones only) n/a. 32.09 ft. o d) Attached garage (top of slab) o e) Lowest elevation of machinery and/or equipment Date Signed: 8/25/2005 servicing the building (Describe in a Comments area) 31. 9 ft. 31. 6 ft. o f) Lowest adjacent (finished) grade (LAG) Florida License 32. 0 ft. No. LS5195 o g) Highest adjacent (finished) grade (HAG) o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade 0 o i) Total area of all permanent openings (flood vents) in C3.h 0 sq. in. (sq. cm) SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information in Sections A. B. and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001 CERTIFIER'S NAME John K. Carr. PSM LICENSE NUMBER LS5195 COMPANY NAME Carr Surveying & Mapping, Inc. LB7036 TITLE President STATE ZIP CODE **ADDRESS** CITY 32409 1600 Marina Bay Drive, Suite 206 Panama City TELEPHONE DATE SIGNATURE 8/25/2005 (850) 271-0929

SECTION D - SURVEYOR, ENGINEER, O Copy both sides of this Elevation Certificate for (1) community official, (2) insurance a COMMENTS 1) Base Flood Elevation listed in Item B9 was provided by the City of Lynn H 2) The elevation listed in Item C3(e) is to the bottom of the A/C unit outside to SECTION E - BUILDING ELEVATION INFORMATION (SURVE or Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation must be completed. 1. Building Diagram Number (Select the building diagram most similar to the accurately represents the building, provide a sketch or photograph.) 2. The top of the bottom floor (including basement or enclosure) of the building is (Use natural grade, if available).	STATE FL DR ARCHITECT CER agent/company, and (3) believen Building Depart the building. EY NOT REQUIRED) on Certificate is intended building for which this of	FOR ZONE AO AND Z	Check here if attachment ONE A (WITHOUT BFE) mation for a LOMA or LOMR-F, Section
COPY Lynn Haven SECTION D - SURVEYOR, ENGINEER, OF COPY both sides of this Elevation Certificate for (1) community official, (2) insurance at COMMENTS 1) Base Flood Elevation listed in Item B9 was provided by the City of Lynn H 2) The elevation listed in Item C3(e) is to the bottom of the A/C unit outside to SECTION E - BUILDING ELEVATION INFORMATION (SURVEOUS TO ZONE AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation must be completed. 1. Building Diagram Number (Select the building diagram most similar to the accurately represents the building, provide a sketch or photograph.) 2. The top of the bottom floor (including basement or enclosure) of the building is (Use natural grade, if available).	FL DR ARCHITECT CER Agent/company, and (3) believen Building Depart the building. EY NOT REQUIRED) on Certificate is intended building for which this of	32444 TIFICATION (CONTINU puilding owner. ment. FOR ZONE AO AND Zone of the supporting information of the supporting inform	Check here if attachment ONE A (WITHOUT BFE) mation for a LOMA or LOMR-F, Sect
SECTION D - SURVEYOR, ENGINEER, Of Copy both sides of this Elevation Certificate for (1) community official, (2) insurance at COMMENTS 1) Base Flood Elevation listed in Item B9 was provided by the City of Lynn H 2) The elevation listed in Item C3(e) is to the bottom of the A/C unit outside to SECTION E - BUILDING ELEVATION INFORMATION (SURVEOR Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation must be completed. 1. Building Diagram Number (Select the building diagram most similar to the accurately represents the building, provide a sketch or photograph.) 2. The top of the bottom floor (including basement or enclosure) of the building is (Use natural grade, if available).	or ARCHITECT CER agent/company, and (3) believen Building Depart the building. EY NOT REQUIRED) on Certificate is intended building for which this of	puilding owner. Thent. FOR ZONE AO AND Zone of the supporting information of the supporting in	Check here if attachmen ONE A (WITHOUT BFE) mation for a LOMA or LOMR-F, Sec
COMMENTS 1) Base Flood Elevation listed in Item B9 was provided by the City of Lynn H 2) The elevation listed in Item C3(e) is to the bottom of the A/C unit outside to SECTION E - BUILDING ELEVATION INFORMATION (SURVI) or Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation must be completed. 1. Building Diagram Number(Select the building diagram most similar to the accurately represents the building, provide a sketch or photograph.) 2. The top of the bottom floor (including basement or enclosure) of the building is (Use natural grade, if available).	Haven Building Depart the building. EY NOT REQUIRED) on Certificate is intended building for which this of	FOR ZONE AO AND Z	ONE A (WITHOUT BFE) mation for a LOMA or LOMR-F, Sec
1) Base Flood Elevation listed in Item B9 was provided by the City of Lynn II 2) The elevation listed in Item C3(e) is to the bottom of the A/C unit outside to SECTION E - BUILDING ELEVATION INFORMATION (SURVE) or Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation must be completed. 1. Building Diagram Number(Select the building diagram most similar to the accurately represents the building, provide a sketch or photograph.) 2. The top of the bottom floor (including basement or enclosure) of the building is (Use natural grade, if available).	EY NOT REQUIRED) on Certificate is intended building for which this	FOR ZONE AO AND Z	ONE A (WITHOUT BFE) mation for a LOMA or LOMR-F, Sec
SECTION E - BUILDING ELEVATION INFORMATION (SURVE) or Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation must be completed. 1. Building Diagram Number(Select the building diagram most similar to the accurately represents the building, provide a sketch or photograph.) 2. The top of the bottom floor (including basement or enclosure) of the building is (Use natural grade, if available).	EY NOT REQUIRED) on Certificate is intended building for which this	FOR ZONE AO AND Z	ONE A (WITHOUT BFE) mation for a LOMA or LOMR-F, Sec
SECTION E - BUILDING ELEVATION INFORMATION (SURVI) or Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevati must be completed. 1. Building Diagram Number(Select the building diagram most similar to the accurately represents the building, provide a sketch or photograph.) 2. The top of the bottom floor (including basement or enclosure) of the building is (Use natural grade, if available).	EY NOT REQUIRED) ion Certificate is intended building for which this of	for use as supporting infor	ONE A (WITHOUT BFE) mation for a LOMA or LOMR-F, Sec
or Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevati must be completed. 1. Building Diagram Number(Select the building diagram most similar to the accurately represents the building, provide a sketch or photograph.) 2. The top of the bottom floor (including basement or enclosure) of the building is (Use natural grade, if available).	on Certificate is intended	for use as supporting infor	ONE A (WITHOUT BFE) mation for a LOMA or LOMR-F, Sect
or Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevati must be completed. 1. Building Diagram Number(Select the building diagram most similar to the accurately represents the building, provide a sketch or photograph.) 2. The top of the bottom floor (including basement or enclosure) of the building is (Use natural grade, if available).	on Certificate is intended	for use as supporting infor	mation for a LOMA or LOMR-F, Sed
must be completed. 1. Building Diagram Number(Select the building diagram most similar to the accurately represents the building, provide a sketch or photograph.) 2. The top of the bottom floor (including basement or enclosure) of the building is (Use natural grade, if available).	building for which this		
 Building Diagram Number(Select the building diagram most similar to the accurately represents the building, provide a sketch or photograph.) The top of the bottom floor (including basement or enclosure) of the building is (Use natural grade, if available). 	and the second	certificate is being complet	ed – see pages 6 and 7. If no diagr
accurately represents the building, provide a sketch or photograph.) 2. The top of the bottom floor (including basement or enclosure) of the building is (Use natural grade, if available).	and the second	certificate is being complete	ed – see pages 6 and 7. If no diagr
The top of the bottom floor (including basement or enclosure) of the building is (Use natural grade, if available).	# (m) in (nm) 🗆 (
(Use natural grade, if available).	# (m) in (am) /		
	_ ir(iii)iir(aii) []	above or Libelow (check	cone) the highest adjacent natural gra
	la sata d Asaa (alas satias b		\ :- (\ abana #aa biabaad adiaa
 For Building Diagrams 6-8 with openings (see page 7), the next higher floor or exceeds. Complete items C3 h and C3 is a front of form. 	mevated moor (elevation t	b) of the building isft.(m)in.(cm) above the highest adjac
grade. Complete items C3.h and C3.i on front of form. 4. The top of the platform of machinery and/or equipment servicing the building is	ft (m) in (cm) \square ab	ove or D below (shoot	one) the highest adjacent grade //
natural grade, if available).	. II.(III)III.(GII) ac	ove a D baow (alea	. One, the highest adjacent grace. (t
For Zone AO only: If no flood depth number is available, is the top of the bottom flo	or elevated in accordance	e with the community's floo	dolain management ordinance?
Yes No Unknown. The local official must certify this information in			
SECTION F - PROPERTY OWNER (OR O		TATIVE) CERTIFICAT	ION
The property owner or owner's authorized representative who completes Sections A, ssued BFE) or Zone AO must sign here. The statements in Sections A, B, C, and E			without a FEMA-issued or community-
PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAM		Tily Kilowiouge.	College C and Cz 12 a
FROMER'S OR OWNER'S AUTHORIZED REPRESENTATIVE STRAM			
ADDRESS	CITY	STA	ATE ZIP CODE
SIGNATURE	DATE	TEL	EPHONE
COMMENTS			A CONTRACTOR OF THE CONTRACTOR
	1 1 2 2 2 1	7.7	
			Check here if attachments
SECTION G - COMMUNIT	Y INFORMATION (O	PTIONAL)	
ne local official who is authorized by law or ordinance to administer the community			e Sections A. B. C. (or E) and G. of th
evation Certificate. Complete the applicable item(s) and sign below.	s iloupiail managerik	an ordinance can complete	s occurris A, b, c (or L), and o or t
1. The information in Section C was taken from other documentation that has be	en signed and embosse	d by a licensed surveyor, e	ngineer, or architect who is authorized
ate or local law to certify elevation information. (Indicate the source and date of the ele		[10] [10] 10 10 10 10 10 10 10 10 10 10 10 10 10	
 A community official completed Section E for a building located in Zone A (with 	out a FEMA-issued or co	mmunity-issued BFE) or Zo	one AO.
 The following information (Items G4-G9) is provided for community floodplain m 	nanagement purposes.		
G4. PERMIT NUMBER G5. DATE PERMIT ISSUED		G6. DATE CERTIFICATE OF	COMPLIANCE/OCCUPANCY ISSUED
. This permit has been issued for: ☐ New Construction ☐ Substantial Improve	mont		
. This permit has bearnssued for. I have construction I substantial improve B. Elevation of as-built lowest floor (including basement) of the building is:	aricali.	ft.(m)	Datum:
BEE or (in Zone AO) depth of flooding at the building site is:		ft.(m)	Datum:
OCAL OFFICIAL'S NAME	TITLE		
COMMUNITY NAME	TELEPH	ONE	
IGNATURE	DATE		
COMMENTS			
OHITILATIO			The state of the s

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires December 31, 2005

05-3561

		CECTION	A DROBERTY OUBLED IN				
SECTION A - PROPERTY OWNER INFORMATION						For Insurance Company Use:	
BUILDING OWNER'S NAME McQuaig's Construction						Policy Number	
BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. 2612 Shadow Ridge Court FILE # 17 (2005)						Company NAIC Number	
CITY			STATE	# 1 8 2	ZIP COI		
Lynn Haven	ON /I at and Dis-		FL FL		32444		
Lot 6, Shadow Ridge	e, Plat Book 2	0, Pages 32 & 33	el Number, Legal Description, e s, Bay County, Florida				
Residential	sidential, Non-resi	idential, Addition, Acce	essory, etc. Use a Comments a	rea, if necessary.)			
LATITUDE/LONGITUDE	(OPTIONAL)	HORIZ	ONTAL DATUM:	SOURCE: 0	CDC (Time	A):	
(##° - ##' - ##.##" or ##	:.#####°)		027 NAD 1983		JSGS Qua		
			INSURANCE RATE MAP (F	IRM) INFORMATION	V		
B1. NFIP COMMUNITY NAME		MBER	B2. COUNTY NAME	tweller de la constant de la constan	B3	B3. STATE	
City of Lynn Haven - 1200	009		Bay County		FI	orida	
B4. MAP AND PANEL NUMBER 12005C0335	B5. SUFFIX	B6. FIRM INDEX DATE			ONE(S)	B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding)	
B10. Indicate the source of the	G	9/18/2002	9/18/2002	A		31	
☐ FIS Profile [B11. Indicate the elevation dat	☐ FIRM um used for the BF	Community De E in B9: NGVD 192	termined Other	(Describe): 1988	scribe):	Designation Date	
			ELEVATION INFORMATION			Jooignation Bate	
*A new Elevation Certifical 22. Building Diagram Number represents the building, pro-	te will be required w _1_ (Select the build ovide a sketch or pl	ding diagram most simila notograph.)	er to the building for which this cert		ed - see pa	ges 6 and 7. If no diagram accurate	
*A new Elevation Certifical 22. Building Diagram Number represents the building, pn 23. Elevations – Zones A1-A31 Complete Items C3a-i be B, convert the datum to the Section G, as appropriate, Datum NGVD 1929 Come Elevation reference mark uo a) Top of bottom floor (irob) Top of next higher floor) Bottom of lowest horizod) Attached garage (top oe) Lowest elevation of meservicing the building of) Lowest adjacent (finis	te will be required w 1 (Select the built ovide a sketch or pl 0, AE, AH, A (with E slow according to the lat used for the BFI to document the de version/Comments used NGS K65 Does including basement or zontal structural me of slab) nachinery and/or eq (Describe in a Com shed) grade (LAG)	ding diagram most similal notograph.) SFE), VE, V1-V30, V (with a building diagram special sp	ar to the building for which this cert th BFE), AR, AR/A, AR/AE, AR/A1 ified in Item C2. State the datum unents and datum conversion calcumants and datum conversion calcumants used appear on the FIRM? 32. 51 ft. 1/aft. 32. 09 ft. 1/aft. 31. 4 ft.	-A30, AR/AH, AR/AO sed. If the datum is differlation. Use the space ☐ Yes ☑ No	provided of	the datum used for the BFE in Section D The Comments area of Section D Date Signed: 4/10/2005	
*A new Elevation Certifical 2. Building Diagram Number represents the building, pn 3. Elevations – Zones A1-A3t Complete Items C3a-i be B, convert the datum to the Section G, as appropriate, Datum NGVD 1929 Complete Elevation reference mark to a) Top of bottom floor (in b) Top of next higher floor b) Top of next higher floor b) Bottom of lowest horizon d) Attached garage (top or e) Lowest elevation of meservicing the building of) Lowest adjacent (finis or g) Highest adjacent (finis control of the servicing the political or g) Highest adjacent (finis control of the servicing the political or g) Highest adjacent (finis control of the servicing the political or g) Highest adjacent (finis control of the property of the political or g) Highest adjacent (finis control of the property of the pull of t	te will be required w 1 (Select the build bovide a sketch or pl 0, AE, AH, A (with E slow according to the lat used for the BFI to document the de version/Comments used NGS K65 Does including basement or contal structural me of slab) inachinery and/or eq (Describe in a Com shed) grade (LAG) shed) grade (HAG)	ding diagram most similal notograph.) SFE), VE, V1-V30, V (with a building diagram special sp	ar to the building for which this cert th BFE), AR, AR/A, AR/AE, AR/A1 ified in Item C2. State the datum unents and datum conversion calcumants and datum conversion calcumants used appear on the FIRM? 32. 51 ft. 1/aft. 32. 09 ft. 1/aft. 31. 4 ft. 31. 6 ft.	-A30, AR/AH, AR/AO sed. If the datum is differlation. Use the space ☐ Yes ☑ No	provided or	the datum used for the BFE in Section D The Comments area of Section D Date Signed: 4/10/2005	
*A new Elevation Certifical 2. Building Diagram Number represents the building, pn 3. Elevations – Zones A1-A3I Complete Items C3a-i be B, convert the datum to the Section G, as appropriate, Datum NGVD 1929 Community Elevation reference mark to a) Top of bottom floor (in b) Top of next higher floor b) Top of next higher floor b) Bottom of lowest horizon d) Attached garage (top or e) Lowest elevation of meservicing the building of) Lowest adjacent (finisor b) No. of permanent opersents the suilding of b) No. of permane	te will be required w 1 (Select the build ovide a sketch or ph 0, AE, AH, A (with E elow according to the last used for the BFI to document the de version/Comments used NGS K65 Does including basement or zontal structural me of slab) hachinery and/or eq (Describe in a Com elhed) grade (LAG) shed) grade (HAG) enings (flood vents)	ding diagram most similal notograph.) SFE), VE, V1-V30, V (with the building diagram special	ar to the building for which this cert th BFE), AR, AR/A, AR/AE, AR/A1 ified in Item C2. State the datum unents and datum conversion calcu- mark used appear on the FIRM? 32. 51 ft. 1/aft. 32. 09 ft. 1/aft. 31. 4 ft. 31. 6 ft. 1/a. and grade 0	-A30, AR/AH, AR/AO sed. If the datum is differlation. Use the space ☐ Yes ☑ No	provided of	the datum used for the BFE in Section D The Comments area of Section D Date Signed: 4/10/2005	
*A new Elevation Certifical 2. Building Diagram Number represents the building, pn 3. Elevations – Zones A1-A3t Complete Items C3a-i be B, convert the datum to the Section G, as appropriate, Datum NGVD 1929 Complete Elevation reference mark to a) Top of bottom floor (in b) Top of next higher floor b) Top of next higher floor b) Bottom of lowest horizon d) Attached garage (top or e) Lowest elevation of meservicing the building of) Lowest adjacent (finis or g) Highest adjacent (finis control of the servicing the political or g) Highest adjacent (finis control of the servicing the political or g) Highest adjacent (finis control of the servicing the political or g) Highest adjacent (finis control of the property of the political or g) Highest adjacent (finis control of the property of the pull of t	te will be required w 1 (Select the build ovide a sketch or pl 0, AE, AH, A (with E elow according to the last used for the BFI to document the de version/Comments used NGS K65 Does including basement or contal structural me of slab) nachinery and/or eq (Describe in a Com shed) grade (LAG) shed) grade (HAG) enings (flood vents) anent openings (flood	ding diagram most similal notograph.) SFE), VE, V1-V30, V (with a building diagram special sp	ar to the building for which this cert th BFE), AR, AR/A, AR/AE, AR/AI ified in Item C2. State the datum unents and datum conversion calcu- mark used appear on the FIRM? 32. 51 ft. 1/aft. 1/aft. 31. 4 ft. 31. 6 ft. ent grade 0 1. (sq. cm)	-A30, AR/AH, AR/AO sed. If the datum is different lation. Use the space □ Yes ☑ No	License Number, Embossed Seal, Signature, and Date O peppivoral	the datum used for the BFE in Section D The Comments area of Section D Dete Signed: 4/10/2005 Florida License No. LS5195	
22. Building Diagram Number represents the building, por C3. Elevations – Zones A1-A3t Complete Items C3a-i be B, convert the datum to the Section G, as appropriate, Datum NGVD 1929 Commune Elevation reference mark to a) Top of bottom floor (in b) Top of next higher flood) Attached garage (top c) Bottom of lowest horizon d) Attached garage (top c) Lowest elevation of metal servicing the building of) Lowest adjacent (finison) No. of permanent ope oi) Total area of all permanent	te will be required w 1 (Select the build ovide a sketch or ph 0, AE, AH, A (with E slow according to the last used for the BFI to document the de version/Comments used NGS K65 Does including basement or zontal structural me of slab) hachinery and/or eq (Describe in a Com shed) grade (LAG) shed) grade (HAG) enings (flood vents) anent openings (flood	ding diagram most similal notograph.) SFE), VE, V1-V30, V (with the building diagram species. Show field measurent atum conversion. None If the elevation reference or enclosure) Import (V zones only) uipment aments area) within 1 ft. above adjaced divents) in C3.h 0 sq. in CTION D - SURVEYO	ar to the building for which this cert th BFE), AR, AR/A, AR/AE, AR/A1 ified in Item C2. State the datum unerts and datum conversion calcu- mark used appear on the FIRM? 32. 51 ft. 1/aft. 1/aft. 31. 4 ft. 31. 6 ft. ant grade 0 1. (sq. cm) DR, ENGINEER, OR ARCHITI	-A30, AR/AH, AR/AO sed. If the datum is different lation. Use the space of the spa	License Number, Embossed Seal, Signature, and Date Opposed Seal, Signature, and Date	the datum used for the BFE in Section D The Comments area of Section D Dete Signed: 4/10/2005 Florida License No. LS5195	
*A new Elevation Certifical 2. Building Diagram Number represents the building, pn 3. Elevations – Zones A1-A3t Complete Items C3a-i be B, convert the datum to the Section G, as appropriate, Datum NGVD 1929 Common Elevation reference mark to a) Top of bottom floor (in b) Top of next higher floor c) Bottom of lowest horizon d) Attached garage (top or e) Lowest elevation of mesencing the building of) Lowest adjacent (finition) Highest adjacent (finition) No. of permanent operor i) Total area of all permanent operor in the property of the property of the permanent operor in	te will be required w 1 (Select the build ovide a sketch or pl 0, AE, AH, A (with E elow according to the lat used for the BFI to document the da version/Comments used NGS K65 Does including basement or zontal structural me of slab) nachinery and/or eq (Describe in a Com shed) grade (LAG) shed) grade (LAG) shed) grade (HAG) enings (flood vents) anent openings (flood sections A, B, statement may be	ding diagram most similal notograph.) SFE), VE, V1-V30, V (with the building diagram species. Show field measurent atum conversion. None the elevation reference or enclosure) mber (V zones only) uipment aments area) within 1 ft. above adjaced vents) in C3.h 0 sq. in CTION D - SURVEYO and C on this certification of the control of the control of the control of the control of the certification of the control of the certification of the certifi	ar to the building for which this cert th BFE), AR, AR/A, AR/AE, AR/AI ified in Item C2. State the datum unents and datum conversion calcu- mark used appear on the FIRM? 32. 51 ft. 1/aft. 1/aft. 31. 4 ft. 31. 6 ft. ent grade 0 1. (sq. cm)	-A30, AR/AH, AR/AO sed. If the datum is different in the datum is different in the space of the	License Number, Empossed Seal, Signature, and Date Signature, and Date Manager	the datum used for the BFE in Section D The Comments area of Section D Dete Signed: 4/10/2005 Florida License No. LS5195	
*A new Elevation Certifical 2. Building Diagram Number represents the building, pn 23. Elevations – Zones A1-A3t Complete Items C3a-i be B, convert the datum to th Section G, as appropriate, Datum NGVD 1929 Com Elevation reference mark to a) Top of bottom floor (ii b) Top of next higher flo c) Bottom of lowest horic d) Attached garage (top c) Bottom of lowest horic d) Attached garage (top e) Lowest elevation of m servicing the building o f) Lowest adjacent (finis o g) Highest adjacent (finis o h) No. of permanent ope o i) Total area of all perma This certification is to be sig I certify that the information I understand that any false	te will be required w 1 (Select the build ovide a sketch or pl 0, AE, AH, A (with E elow according to the lat used for the BFI to document the da version/Comments used NGS K65 Does including basement or zontal structural me of slab) nachinery and/or eq (Describe in a Com shed) grade (LAG) shed) grade (LAG) shed) grade (HAG) enings (flood vents) anent openings (flood sections A, B, statement may be	ding diagram most similal notograph.) SFE), VE, V1-V30, V (with the building diagram species. Show field measurent atum conversion. None the elevation reference or enclosure) mber (V zones only) uipment aments area) within 1 ft. above adjaced vents) in C3.h 0 sq. in CTION D - SURVEYO and C on this certification of the control of the control of the control of the control of the certification of the control of the certification of the certifi	ar to the building for which this cert th BFE), AR, AR/A, AR/AE, AR/A1 tified in Item C2. State the datum unents and datum conversion calcumates and datumates	-A30, AR/AH, AR/AO sed. If the datum is different in the datum is different in the space of the	Provided of Signature, and Date Signature, and	the datum used for the BFE in Section Divide Comments area of Section Divide Signed: 4/10/2005 Florida License No. LS5195	
*A new Elevation Certifical 22. Building Diagram Number represents the building, pn 23. Elevations – Zones A1-A3t Complete Items C3a-i be B, convert the datum to th Section G, as appropriate, Datum NGVD 1929 Com Elevation reference mark u a) Top of bottom floor (in b) Top of next higher flo c) Bottom of lowest hori: d) Attached garage (top o e) Lowest elevation of m servicing the building o f) Lowest adjacent (finis o g) Highest adjacent (finis o h) No. of permanent ope o i) Total area of all perma This certification is to be sig I certify that the information I understand that any false CERTIFIER'S NAME John	te will be required w 1 (Select the build ovide a sketch or pl 0, AE, AH, A (with E elow according to the lat used for the BFI to document the da version/Comments used NGS K65 Does including basement or zontal structural me of slab) nachinery and/or eq (Describe in a Com shed) grade (LAG) shed) grade (LAG) shed) grade (HAG) enings (flood vents) anent openings (flood sections A, B, statement may be	ding diagram most similal notograph.) SFE), VE, V1-V30, V (with the building diagram species. Show field measurent atum conversion. None the elevation reference or enclosure) mber (V zones only) uipment aments area) within 1 ft. above adjaced vents) in C3.h 0 sq. in CTION D - SURVEYO and C on this certification of the control of the control of the control of the control of the certification of the control of the certification of the certifi	ar to the building for which this cert th BFE), AR, AR/A, AR/AE, AR/AI ified in Item C2. State the datum unents and datum conversion calcu- mark used appear on the FIRM? 32. 51 ft. 1/aft. 1/aft. 31. 4 ft. 31. 6 ft. 1. (sq. cm)	-A30, AR/AH, AR/AO sed. If the datum is different in the datum is different in the space of the	Provided of Siduature, and Date Siduature, and	the datum used for the BFE in Section Determinents area of Section Determinents are a section Determinents are a section Determinent area of Section Determinents are a section Determinent area of Section Determinents are	
*A new Elevation Certification 2.2. Building Diagram Number represents the building, pn C3. Elevations – Zones A1-A31 Complete Items C3a-i be B, convert the datum to the Section G, as appropriate, Datum NGVD 1929 Complete Elevation reference mark uo a) Top of bottom floor (in b) Top of next higher floor c) Bottom of lowest horizon d) Attached garage (top or e) Lowest elevation of meservicing the building of 1) Lowest adjacent (finison) Highest adjacent (finison) No. of permanent opero i) Total area of all permater and that any false CERTIFIER'S NAME John TITLE President	te will be required w 1 (Select the build ovide a sketch or pl 0, AE, AH, A (with E elow according to the lat used for the BFI to document the da version/Comments used NGS K65 Does including basement or zontal structural me of slab) nachinery and/or eq (Describe in a Com shed) grade (LAG) shed) grade (LAG) shed) grade (HAG) enings (flood vents) anent openings (flood sections A, B, statement may be	ding diagram most similal notograph.) SFE), VE, V1-V30, V (with the building diagram species. Show field measurent atum conversion. None the elevation reference or enclosure) mber (V zones only) uipment aments area) within 1 ft. above adjaced vents) in C3.h 0 sq. in CTION D - SURVEYO and C on this certification of the control of the control of the control of the control of the certification of the control of the certification of the certifi	ar to the building for which this cert th BFE), AR, AR/A, AR/AE, AR/AI ified in Item C2. State the datum unents and datum conversion calcu- mark used appear on the FIRM? 32. 51 ft. 1/aft. 1/aft. 31. 4 ft. 31. 6 ft. 1. (sq. cm)	-A30, AR/AH, AR/AO sed. If the datum is different in the space of the	Provided of Siduature, and Date Siduature, and	the datum used for the BFE in Section Determinents area of Section Determinents are a section Determinents are a section Determinent area of Section Determinents are a section Determinent area of Section Determinents are	
*A new Elevation Certifical 22. Building Diagram Number represents the building, pn C3. Elevations – Zones A1-A3 Complete Items C3a-i be B, convert the datum to th Section G, as appropriate, Datum NGVD 1929 Com Elevation reference mark u a) Top of bottom floor (in b) Top of next higher flo c) Bottom of lowest hori: d) Attached garage (top o) Lowest elevation of m servicing the building of) Lowest adjacent (finis o) Highest adjacent (finis o) Highest adjacent (finis o) Total area of all perma This certification is to be sig I certify that the information I understand that any false CERTIFIER'S NAME John TITLE President	te will be required w 1 (Select the build ovide a sketch or pl 0, AE, AH, A (with E elow according to the lat used for the BFI to document the da version/Comments used NGS K65 Does including basement or zontal structural me of slab) nachinery and/or eq (Describe in a Com shed) grade (LAG) shed) grade (LAG) shed) grade (HAG) enings (flood vents) anent openings (flood sections A, B, statement may be	ding diagram most similal notograph.) SFE), VE, V1-V30, V (with the building diagram species. Show field measurent atum conversion. None the elevation reference or enclosure) mber (V zones only) uipment aments area) within 1 ft. above adjaced vents) in C3.h 0 sq. in CTION D - SURVEYO and C on this certification of the control of the control of the control of the control of the certification of the control of the certification of the certifi	ar to the building for which this cert th BFE), AR, AR/A, AR/AE, AR/AI tified in Item C2. State the datum unents and datum conversion calcu- timark used appear on the FIRM? 32. 51 ft. 1/aft. 1/aft. 31. 4 ft. 31. 6 ft. 1. (sq. cm) 1. (company NA	-A30, AR/AH, AR/AO sed. If the datum is different in the space of the	Provided of Siduature, and Date Siduature, and	the datum used for the BFE in Section D The Comments area of Section D Dete Signed: 4/10/2005 Florida License No: LS5195 attion. 195 ing, Inc. LB7036	

IMPORTANT. 1. 4	· the same and the same	Lant Cartier 4		Carles and October 11
IMPORTANT: In these spaces, copy				For Insurance Company Use:
BUILDING STREET ADDRESS (Including Apt., t 2612 Shadow Ridge Court	Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE	; AND BOX NO.		Policy Number
CITY		STATE	ZIP CODE	Company NAIC Number
Lynn Haven		FL	32444	,
	ON D - SURVEYOR, ENGINEER,	OR ARCHITECT C	ERTIFICATION (CONTIN	UED)
Copy both sides of this Elevation Certificate	· · · · · · · · · · · · · · · · · · ·	•	<u>.</u>	
COMMENTS	- (1)	G	()	
Base Flood Elevation listed in Item B9	was provided by the City of Lynn Ha	aven Building Depar	rtment.	
				· · · · · · · · · · · · · · · · · · ·
-	<u> </u>		<u> </u>	
			,	Check here if attachments
	LEVATION INFORMATION (SURV			
For Zone AO and Zone A (without BFE), com	plete Items E1 through E4. If the Eleva	tion Certificate is inter	nded for use as supporting info	ormation for a LOMA or LOMR-F, Section
C must be completed.	ha hadigaa gaaraa aasab dagaa da da	. h. g.e e	Lt	alad and manual Canad T. Mail Process
E1. Building Diagram Number(Select t		e building for which t	rus centricate is being compli	etea – see pages 6 and 7. It no diagram
accurately represents the building, provid E2. The top of the bottom floor (including base	. • , ,	ft/m) in/cm) [Tahova or ∏ helow /ohe	rk one) the highest adiacont natural grade
(Use natural grade, if available).	vivira e vivolie) or ne mimil p =	re(m)ne(em) [on one) the region adjacent hattiral grade
E3. For Building Diagrams 6-8 with openings	s (see page 7), the next higher floor or	elevated floor (elevati	on b) of the building is	.(m)in.(cm) above the highest adiacer
grade: Complete items C3.h and C3.i on			, <u>.</u>	., , , , ,
E4. The top of the platform of machinery and/o		_ ft.(m)in.(cm) [_	above or 🔲 below (che	ck one) the highest adjacent grade. (Us
natural grade, if available).				
E5. For Zone AO only: If no flood depth number			dance with the community's fic	oodplain management ordinance?
Yes No Unknown. The k				
	ON F - PROPERTY OWNER (OR C		<u> </u>	
The property owner or owner's authorized re				(without a FEMA-issued or community-
issued BFE) or Zone AO must sign here. The			st of my knowledge.	·
PROPERTY OWNER'S OR OWNER'S AU	THORIZED REPRESENTATIVE'S NAI	ME		
ADDRESS	<u> </u>	CITY	Sī	TATE ZIP CODE
·				
SIGNATURE		DATE	TE	ELEPHONE
COMMENTS				
OCINITALO . 1				
	·			
				Check here if attachments
	SECTION G - COMMUNI	TY INFORMATION	(OPTIONAL)	section of a dadorition to
The local official who is authorized by law or				ote Sentions A. R. C. (or E) and C. of thi
Elevation Certificate. Complete the applicable	item(s) and sign below.	y a mooplan manag	Music oranging can multiple	ac ocaloris a, b, o (u E), an o or un
G1 The information in Section C was take		een signed and embo	ssed by a licensed surveyor.	engineer, or architect who is authorized by
state or local law to certify elevation information	n. (Indicate the source and date of the e	levation data in the Co	omments area below.)	J,
G2. A community official completed Section	n E for a building located in Zone A (with	hout a FEMA-issued o	or community-issued BFE) or 2	Zone AO.
G3. The following information (Items G4-G	(9) is provided for community floodplain	managemênt purpose	% .	
G4. PERMIT NUMBER	G5. DATE PERMIT ISSUED	. 1	G6. DATE CERTIFICATE O	OF COMPLIANCE/OCCUPANCY ISSUED
*		7		
G7. This permit has been issued for: Ne		ement		
G8. Elevation of as-built lowest floor (including		•	fL(m)	Datum:
G9. BFE or (in Zone AO) depth of flooding at the	ne building site is:		fL(m)	Datum:
LOCAL OFFICIAL'S NAME		TITLE		
COMMUNITY NAME	· · · · · · · · · · · · · · · · · · ·	TELE	PHONE	
SIGNATURE		DATE	: 	
COMMENTS				
 				
·				☐ Check here if attachments